

SPECIAL PROJECT SPC-96-4096  
CONTRACT F61708-96-W0310

PROPERTY PREDICTION FOR MULTICOMPONENT COMPOUNDS  
(final report)

September 1997

Principal Investigator: Dr. Nadezhda N.Kiselyova

Member of the research team:  
Vitalii V.Petukhov

DISTRIBUTION STATEMENT A  
Approved for public release  
Distribution Unlimited

DTIC QUALITY INSPECTED

19971209 019

# REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
		September 1997	Final Report
4. TITLE AND SUBTITLE  Property Prediction for Multicomponent Compounds			5. FUNDING NUMBERS
6. AUTHOR(S)  Dr. Nadezhda Kiselyova			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Russian Academy of Sciences Laboratory of Materials Sciences of Semiconductors Leninsky Prospect, 49 Moscow 117334 Russia			8. PERFORMING ORGANIZATION REPORT NUMBER  N/A
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)  BOARD PSC 802 BOX 14 FPO 09499-0200			10. SPONSORING/MONITORING AGENCY REPORT NUMBER  SPC 96-4096
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION/AVAILABILITY STATEMENT			12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words)  The new inorganic quaternary compounds most promising for searching for novel electro-optical (EO) materials are predicted on the base of the use of computer learning strategies. The basic working hypothesis of this investigation was that only compounds with acentric crystal space groups can have EO properties. It is expected that new EO compounds will be similar in composition and crystal structure to already known compounds. The crystal chemical types were selected on the base of analysis of information of our DB on the properties of crystals of acousto-optical, electro-optical, and nonlinear-optical materials.			
14. SUBJECT TERMS			15. NUMBER OF PAGES  153
			16. PRICE CODE  N/A
17. SECURITY CLASSIFICATION OF REPORT  UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE  UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT  UNCLASSIFIED	20. LIMITATION OF ABSTRACT  UL

## ABSTRACT

The new inorganic quaternary compounds most promising for searching for novel electro-optical (EO) materials are predicted on the base of the use of computer learning strategies. The basic working hypothesis of this investigation was that only compounds with acentric crystal space groups can have EO properties. It is expected that new EO compounds will be similar in composition and crystal structure to already known compounds. The crystal chemical types were selected on the base of analysis of information of our DB on the properties of crystals of acousto-optical, electro-optical, and nonlinear-optical materials.

The results of predicting the crystal structure types at normal pressure and room temperature for the new compounds with composition of I II VI  
A B (X O ) (A and B - any chemical elements; X - S, Cr, Mo, or W)  
2 2 4.3  
are presented. Types considered were langbeinite and K Zn (MoO ).  
2 2 4 3

The predicted compounds with langbeinite structure hold the promise for searching for new EO materials. Prediction of the melilite crystal structure types at standard conditions for the compounds with II III IV

compositions A B X O (A and B - any chemical elements; X - Si,  
2 2 7

II IV III  
Ge, Sn, Ti, Zr, or Hf) and A X B O (A and B - any chemical ele-  
2 2 7

ments; X - Si, Ge or Ti) was also carried out. Analysis of results shows: the great number of predictions of new melilites were obtained which hold the promise for searching for new EO materials. The results of predicting the crystal structure types at normal pressure and room temperature for the complicated borates with composition of AD (BO ) (A and D - any chemical elements; B - boron) are presented.  
3 3 4

Types considered were hantite, calcite and aragonite. Only compounds with acentric crystal structure type of hantite hold the promise for

I II III  
searching for new EO materials. For composition A B C F (A = Li,  
6 ,

Na, K, Rb, or Cs; B and C - any chemical elements) types considered included: colquirite (LiCaAlF ), Na SiF , RbNiCrF , CsAgFeF , and

6 2 6 6 6  
trirutile. Analysis of results shows: the great number of predictions of new compounds with colquirite acentric crystal structure types and

Na<sub>2</sub>SiF<sub>6</sub> were obtained, which hold the promise for searching for new

EO materials. Predictions of the crystal structure types at standard

conditions for the new compounds with composition A<sub>2</sub>B<sub>6</sub>C<sub>7</sub>F<sub>3</sub> (A =

Na or Ag; B and C - any chemical elements) were also carried out. Types considered included orthorhombic and trigonal weberites and fluorite. Analysis of results shows that many new compounds with crystal structure type of orthorhombic and trigonal weberites, which hold the promise for searching for new EO materials, were obtained.

The system of concept formation CONFOR supplied with system for discretization of initial components' features, which developed especially for predicting multi-component compounds, was used for computer learning and predicting. The main problems and prospects of the 'a priori' prediction of new multi-component inorganic compounds, which would have predefined properties, are discussed.

Subject terms (Key Words)

Concept formation, computer learning, discretization, prediction, inorganic compound, electro-optical, ferro-electric, colquirite, melilite, langbeinite, hantite, weberite, Na SiF .

FOREWORD

This final report was prepared by the above identified research team under EOARD Special Project SPC-96-4096 (Contract F61708-96-W0310). This work was carried out in close contact with researchers of the Materials Directorate, Wright Laboratory (USA) and V.M.Glushkov Institute of Cybernetics (Ukraine). We appreciate the management leadership of Dr. Steven R.LeClair. We thanks Prof. Viktor P.Gladun, Drs. Steven R.LeClair and Neonila D.Vaschenko, Prof. Allen G.Jackson, for their assistance. We also acknowledge the support provided by Dr.Jerry Sellers, of the EOARD, for enabling the interaction between ourselves and our colleagues from Wright Laboratory.

TABLE OF CONTENTS

SECTION	PAGE
1. INTRODUCTION	8
1.1. DEFINITIONS	9
1.2. SYSTEM OF CONCEPT FORMATION C O N F O R	10
1.3. SYSTEM OF DISCRETIZATION	10
2. RESULTS OF PREDICTION FOR MULTICOMPONENT COMPOUNDS	11
	I II VI
2.1. PREDICTION OF NEW COMPOUNDS OF COMPOSITION A B (X O )	11
	2 2 4 3
2.1.1. DATA FOR COMPUTER LEARNING	13
2.1.2. SELECTION OF FEATURES	15
2.1.2.1. FEATURE SET 2.1.1	15
2.1.2.2. FEATURE SET 2.1.2	17
2.1.2.3. FEATURE SET 2.1.3	22
2.1.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE	25
2.2. PREDICTION OF NEW COMPOUNDS OF COMPOSITION A BX O	26
	2 2 7
	II II IV
2.2.1. PREDICTION OF NEW COMPOUNDS OF COMPOSITION A B X O	28
	2 2 7
2.2.1.1. DATA FOR COMPUTER LEARNING	28
2.2.1.2. SELECTION OF FEATURES	29
2.2.1.2.1. FEATURE SET 2.1.2.1	29
2.2.1.2.2. FEATURE SET 2.1.2.2	32
2.2.1.2.3. FEATURE SET 2.1.2.3	36
2.2.1.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE	39
	II IV III
2.2.2. PREDICTION OF NEW COMPOUNDS OF COMPOSITION A X B O	46
	2 2 7
2.2.2.1. DATA FOR COMPUTER LEARNING	46
2.2.2.2. SELECTION OF FEATURES	48
2.2.2.2.1. FEATURE SET 2.2.2.1	48
2.2.2.2.2. FEATURE SET 2.2.2.2	51
2.2.2.2.3. FEATURE SET 2.2.2.3	56
2.2.2.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE	59
2.3. PREDICTION OF NEW COMPOUNDS OF COMPOSITION AD (BO )	67
	3 3 4
2.3.1. DATA FOR COMPUTER LEARNING	68
2.3.2. SELECTION OF FEATURES	71
2.3.2.1. FEATURE SET 2.3.1	71
2.3.2.2. FEATURE SET 2.3.2	73
2.3.2.3. FEATURE SET 2.3.3	79
2.3.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE	82

	I	II	III	
2.4. PREDICTION OF NEW COMPOUNDS OF COMPOSITION A B C F				85
			6	
2.4.1. DATA FOR COMPUTER LEARNING				87
2.4.2. SELECTION OF FEATURES				92
2.4.2.1. FEATURE SET 2.4.1				92
2.4.2.2. FEATURE SET 2.4.2				94
2.4.2.3. FEATURE SET 2.4.3				102
2.4.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE				106
	I	II	III	
2.5. PREDICTION OF NEW COMPOUNDS OF COMPOSITION A B C F				113
	2		7	
2.5.1. DATA FOR COMPUTER LEARNING				114
2.5.2. SELECTION OF FEATURES				116
2.5.2.1. FEATURE SET 2.5.1				116
2.5.2.2. FEATURE SET 2.5.2				119
2.5.2.3. FEATURE SET 2.5.3				125
2.5.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE				128
3. TEST OF DISCRETIZATION PROGRAM				132
4. DISCUSSION				148
4.1. CRYSTAL STRUCTURE AND ELECTRO-OPTICAL PROPERTIES				148
4.2. DB AND PREDICTION OF INORGANIC COMPOUNDS WITH PREDEFINED PROPERTIES				149
4.3. PROGRAM OF DISCRETIZATION: EXPERIENCE OF THE USE AND PERSPECTIVES OF IMPROVEMENT				149
4.4. SEARCH FOR POLYFUNCTIONAL MATERIALS				150
4.5. COMBINATION OF AI WITH OTHER THEORETICAL METHODS				150
5. CONCLUSIONS				150
REFERENCES				152

## 1. INTRODUCTIONS

The goal of this investigation is to predict the new multi-element inorganic compounds which can be used for searching for the new electro-optical (EO) materials. The prediction is based on the use of computer learning strategies - a new approach to 'a priori' predicting of inorganic compounds that we develop from the early seventies.

The working hypothesis for these investigations is that the composition and crystal structure cause physical properties of a compound to a marked degree. It is expected that new EO compounds will be similar in composition and crystal structure to already known compounds. Therein, known classes of physico-chemical systems which exhibit peculiar EO properties provide the basis for the search for new compounds with interesting EO properties.

From our analysis of database (DB) on the properties of crystals of acousto-optical, electro-optical, and nonlinear-optical materials we have selected the promising phases to search for new EO compounds [1]. In this investigation we tried to predict the following compounds (Table 1.1).

Table 1.1  
Promising Phases for Searching for New Electro-Optical Materials

Composi-	Crystal struc-	Space	Examples	Applications	Reference
tion	ture type	group			#
A B C O 2 2 3 12	Langbeinite	P2 3 1	K Mg (SO ) 2 2 4 3 Tl Cd (SO ) 2 2 4 3	EO	2-17
A BC O 2 2 7	Melilite	P4(-)2 m 1	Ba ZnGe O 2 2 7 Ba MgGe O 2 2 7 Ca MgSi O 2 2 7 Ca Al SiO 2 2 7	EO Laser matrix	2
ABC F 6	Colquirite	P31c	LiCaAlF 6	EO Vacuum ultra- violet optics	2

Composi- tion	Crystal struc- ture type	Space group	Examples	Applications	Reference #
ABCF 6	Na SiF 2 6	P321	LiMgAlF 6	EO Vacuum ultra- violet optics	2
AB C O 3 4 12	Hantite	R32	YAl B O 3 4 12	EO "d"- and "f"- lasers	2
ABC F 2 7	Weberite	Imm2 or P3 21 1	Na MgAlF 2 Na MnFeF 2	EO "d"- lasers	2

A, B, C - chemical elements.

### 1.1. DEFINITIONS

Physical-chemical system - is a system (e.g., compound, or solid solution) which is formed from chemical elements.

Object - is a physical-chemical system which is described as a set of property (feature) values of the constituent elements.

Feature - is a property of the constituent component of the physical-chemical system.

Learning set - is a multidimensional array of feature values and a column vector of the desired property. Each row corresponds to some physical-chemical system already known, whose class is indicated by row position of the column vector.

Set for prediction - is a multidimensional array of feature values. Each row corresponds to some unknown physical-chemical system, whose class is necessary to predict.

Qualitative property - is an object or element property which can be described as a qualitative concept (e.g., multi-element system with compound formation or non-formation, crystal structure type, possibility of forming compounds of desired composition, and so on).

Quantitative property - is an object or element property which has a numeric values from some continuum (quasi-continuum) set of numbers (e.g., melting point, birefringence, index of refraction, and so on).

Concept - is a generalized model of some class of objects that is used for recognizing and generating models of specific elements of this class.

Pyramidal network - is an acyclic oriented graph having no vertices with one entering arc.

#### 1.2. SYSTEM OF CONCEPT FORMATION C O N F O R

The program system CONFOR (CONcept FORmation) [18-20] serves as the basis for these investigations. The method of concept formation in pyramidal networks is used for discovery of complicated regularities in large scale data. It uses an especial data structure (pyramidal network) providing simplification of search operations and knowledge representation with using of feature values of negative objects (not belonging to the class under consideration) that provides discovery of more general regularities. The algorithm of concept formation in pyramidal network [18-20] is convergent and provides formation of the concepts dividing a training set of any complexity. Concepts are represented by collections of check vertices or by logical expressions. The concepts are analogs of complicated criteria which divide different classes of objects in multi-dimensional spaces of component features.

#### 1.3. SYSTEM OF DISCRETIZATION

The problem of quantization (discretization) is a peculiarity of CONFOR and other logical algorithms of the computer learning method. These methods are usually applied to feature descriptions in which each feature has a finite number of values. Therefore at the stage of description formation ranges of numerical values are divided into nonintersecting subintervals each of which corresponds to one discrete value of a feature. Quantization is easy to solve if the classification has a qualitative nature (in case of the prediction of qualitative properties). For example, the types of the incomplete electronic shells have four gradation: s-, p-, d-, and f-shell. In the simplest cases, if quantitative properties are integer numbers in the narrow range, it makes sense to assign its gradation to each property value. For example, the number of electrons of the s-shell of the isolated atoms has three gradations: 0, 1 and 2.

It is important to note that the increase in the number of gradations

leads to the decrease in our ability to generalize about the properties of a concept and therein will necessitate an increase of the number of examples in the learning set. At the same time it is obvious that too small a number of gradations leads to the intersection of classes. When passing from binary physical-chemical system to multi-component systems (ternary, quaternary and so on), the program of discretization of component features becomes muchneeded tool. It is connected with complication of dividing criteria and small volume of learning sets.

The program of discretization of initial components' features was developed especially for predicting multi-component compounds [18]. An operation of discretization is fulfilled on the basis of comparison of distributions of learning set objects in scales of numerical values of features. Subintervals with the biggest density of object distribution as well as subintervals containing separating values of the same class are choosen as discrete values of features. The program of discretization allowed to search the best gradations for component features in the case of predicting quaternary compounds. Moreover, the calculation time and size of logical expressions decreased.

Problem of the discretization program use was connected with vagueness of attribution of objects whose feature values do not fall within the obtained gradations. There are two ways of problem solution:

1). Elimination of such objects. This way is a good one if the volume of learning set is large. In the case of multi-component compound predicting this way leads to impossibility of recognition of practically the all set for prediction.

2). Gradation stretching by addition of missing values of predicted objects to the nearest interval. This way suffers from grave shortcoming: a possibility of erroneous prediction. But it is a sole way of predicting for complicated compounds. In these investigations we used this way.

## 2. RESULTS OF PREDICTION FOR MULTICOMPONENT COMPOUNDS

I	II	VI
2	2	(X O )
2	2	4 3

Compounds with the crystal structure of langbeinite ( $K_2 Mg_2 (SO_4)_3$ ) (space group  $P\bar{2} 3$ ,  $Z=4$ ) are of the doubtless interest for the search

for new electro-optical, ferroelectric and luminescent materials [2-17]. As an example, linear electro-optical coefficients  $r_1$  are equ-

-8

al to [3,3a] (10 C.G.S.E.) for: K Mg (SO<sub>4</sub>)<sub>2</sub> - 1.2, K Mn (SO<sub>4</sub>)<sub>2</sub> - 6,  
(NH<sub>4</sub>)<sub>2</sub>Mn (SO<sub>4</sub>)<sub>2</sub> - 1.59, Tl Cd (SO<sub>4</sub>)<sub>2</sub> - 1.11, Tl Mn (SO<sub>4</sub>)<sub>2</sub> - 6.3,  
Rb Mn (SO<sub>4</sub>)<sub>2</sub> - 5.7, Tl Mg (SO<sub>4</sub>)<sub>2</sub> - 1.8, K Ni (SO<sub>4</sub>)<sub>2</sub> - 3. The langbeinites Cs Cd (MoO<sub>4</sub>)<sub>2</sub> and K Cd (SO<sub>4</sub>)<sub>2</sub> with piezoelectric coefficients d<sub>14</sub> = 5 \* 10<sup>-12</sup> and d<sub>14</sub> = 3.8 \* 10<sup>-12</sup> C/N can use in acoustoelectronics as delay lines and in nonlinear optics [4,13].

The following structural types: langbeinite and K Zn (MoO<sub>4</sub>)<sub>2</sub> (space group P2<sub>1</sub>/c, Z=4) are the most inherent for compounds with composition A B<sub>2</sub> (XO<sub>4</sub>)<sub>3</sub>. It is possible to allocate the three-dimensional skeletons of connected by common corners XO<sub>4</sub>-tetrahedra and M<sub>6</sub>O<sub>24</sub>-octahedra in these compounds. The extent of association of the latter is the least one (separated octahedra) in the langbeinite structure and derivatives from it [5]. Just this feature of langbeinite structure causes the occurrence electro-optical properties.

Previously the efforts of the search for two-dimensional criteria which separated the different classes of compounds A B<sub>2</sub> (XO<sub>4</sub>)<sub>3</sub> with various X were undertaken. In [4] it was proposed a structural map for classification of molybdates of mono- and bivalent elements. n - average of main quantum numbers and product of difference of electronegativities into ratio of ionic radii of elements A and B were used as coordinates of this map. The proposed structural map is enough good divided the compounds with structural types langbeinite and K Zn (MoO<sub>4</sub>)<sub>2</sub>. In [5] the langbeinite structure for X = Mo or W was considered in detail and mentioned that this structure with vast interstices is the most preferable for large monovalent cations: Rb<sup>+</sup>, Cs<sup>+</sup> or Tl<sup>+</sup>. It is reasonable because decreasing extent of condensation of structures of XO<sub>4</sub>-tetrahedra and MO<sub>24</sub>-octahedra with increasing size of monovalent cations causes, on the one hand, greater and greater

ter isolation of MO<sub>6</sub> octahedra, and on the other - decreasing dimension of their polyhedral structures connected with gradual transformation: skeleton-> layer-> tape. Thus it was mentioned [5] that prediction of crystal structure type for compounds of composition A B (XO<sub>6</sub>) account must be taken of the chemical peculiarities of bivalent cations and anions X besides size factor for monovalent cations.

#### 2.1.1. DATA FOR COMPUTER LEARNING

The data for computer learning was extracted from our the cardfile on quaternary inorganic compound properties. On the base of analysis of these data it may be concluded that only compounds A B (XO<sub>6</sub>) with X=

= S, Cr, Mo, or W can crystallize in langbeinite structure. Therefore this structure at room state and normal pressure was predicted only for sulfates, chromates, molybdates, and tungstates. The table 2.1.1.1 contains a learning set.

Table 2.1.1.1  
Learning Set for Prediction of the Crystal Structure Type  
of Compounds with Composition A B (XO<sub>6</sub>)

2 2 4 3

Composition	Crystal type	Space group
K <sub>2</sub> Mg <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Rb <sub>2</sub> Mg <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Rb <sub>2</sub> Mg <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Rb <sub>2</sub> Mg <sub>2</sub> (WO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Cs <sub>2</sub> Mg <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
T <sub>12</sub> Mg <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
K <sub>2</sub> Ca <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
K <sub>2</sub> Mn <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
K <sub>2</sub> Co <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
K <sub>2</sub> Ni <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
K <sub>2</sub> Zn <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
K <sub>2</sub> Cd <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Cs <sub>2</sub> Ca <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Rb <sub>2</sub> Mn <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
T <sub>12</sub> Mn <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Rb <sub>2</sub> Cd <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
T <sub>12</sub> Cd <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Rb <sub>2</sub> Mn <sub>2</sub> (CrO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Rb <sub>2</sub> Mn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	

Composition	Crystal type	Space group
Cs <sub>2</sub> Mn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
T <sub>12</sub> Mn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Rb <sub>2</sub> Co <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Cs <sub>2</sub> Co <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Rb <sub>2</sub> Ni <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Cs <sub>2</sub> Ni <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
T <sub>12</sub> Ni <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
Cs <sub>2</sub> Cd <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	langbeinite	
T <sub>12</sub> Fe <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
T <sub>12</sub> Co <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	langbeinite	
K <sub>2</sub> Mg <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	K <sub>2</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	
K <sub>2</sub> Co <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	K <sub>2</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	
K <sub>2</sub> Ni <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	K <sub>2</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	
K <sub>2</sub> Cu <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	K <sub>2</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	
K <sub>2</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	K <sub>2</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	
Rb <sub>2</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	K <sub>2</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	
T <sub>12</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	K <sub>2</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> Zn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	Li <sub>2</sub> Fe <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>	P2(1)/c, Z=4
K <sub>2</sub> Mg <sub>2</sub> (WO <sub>4</sub> ) <sub>3</sub>		P2(1)2(1)2(1), Z=4
K <sub>2</sub> Mn <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>		Pcc <sub>a</sub> , Z=8
T <sub>12</sub> Co <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>		tetragonal
Rb <sub>2</sub> Cd <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub>		P2(1)2(1)2(1), Z=2
Na <sub>2</sub> SO <sub>4</sub> -CaSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> SO <sub>4</sub> -MnSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> SO <sub>4</sub> -CoSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> SO <sub>4</sub> -NiSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> SO <sub>4</sub> -CuSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> SO <sub>4</sub> -SrSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> SO <sub>4</sub> -CdSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> SO <sub>4</sub> -BaSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> MoO <sub>4</sub> -CaMoO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> WO <sub>4</sub> -CaWO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> CrO <sub>4</sub> -PbCrO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> MoO <sub>4</sub> -SrMoO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> WO <sub>4</sub> -SrWO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> MoO <sub>4</sub> -BaMoO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> MoO <sub>4</sub> -PbMoO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> WO <sub>4</sub> -CdWO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Na <sub>2</sub> WO <sub>4</sub> -PbWO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Cs <sub>2</sub> SO <sub>4</sub> -MgSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
T <sub>12</sub> SO <sub>4</sub> -CaSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	
Rb <sub>2</sub> SO <sub>4</sub> -BaSO <sub>4</sub>	Without compound A <sub>2</sub> B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>	

Composition	Crystal type	Space group
Tl <sub>2</sub> SO <sub>4</sub> -SrSO <sub>4</sub>	Without compound	A2B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>
Cs <sub>2</sub> SO <sub>4</sub> -BaSO <sub>4</sub>	Without compound	A2B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>
Tl <sub>2</sub> SO <sub>4</sub> -BaSO <sub>4</sub>	Without compound	A2B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>
Rb <sub>2</sub> MoO <sub>4</sub> -PbMoO <sub>4</sub>	Without compound	A2B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>
Rb <sub>2</sub> WO <sub>4</sub> -PbWO <sub>4</sub>	Without compound	A2B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>
Cs <sub>2</sub> WO <sub>4</sub> -PbWO <sub>4</sub>	Without compound	A2B <sub>2</sub> (XO <sub>4</sub> ) <sub>3</sub>

### 2.1.2. SELECTION OF FEATURES

On the basis of physical-chemical grounds two sets of chemical elements features and set of simple oxides feature were selected for the description of these systems.

#### 2.1.2.1. FEATURE SET 2.1.1

The first feature set (feature set 2.1.1) includes information about the number of electrons in energy shells of isolated atoms and Shannon effective ionic radii of elements A (C.N.=12), B (C.N.=6) or X (C.N.=4) in the compound of composition A B (XO<sub>4</sub>) (57 features for

2 2 4 3

each compound). The grouping of energy shell information (hereafter referred to as gradation) corresponds to the number of electrons for each shell. In this task and subsequent text data about the all element and single compounds were extracted from our cardfiles of elements' and binary compounds' properties. The quasi-continuous properties - the ionic radii - were divided (quantized) using the special program of discretization [18]. Table 2.1.2.1.1 contains the gradations for Feature Set 2.1.1.

Table 2.1.2.1.1  
Gradations for Feature Set 2.1.1

Feature	Gradation	Feature	Gradation
A-element			
3s-shell	s3_1_1	5s-shell	s5_0_1
s1	s3_1_1	s0	s5_0_1
s2	s3_2_1	s1	s5_1_1
3p-shell	p3_0_1	s2	s5_2_1
p0	p3_0_1	5p-shell	p5_0_1
p6	p3_6_1	p0	p5_0_1

Feature	Gradation	Feature	Gradation
3d-shell		p6	p5_6_1
d0	d3_0_1	5d-shell	
d10	d3_10_1	d0	d5_0_1
4s-shell		d10	d5_10_1
s0	s4_0_1	6s-shell	
s1	s4_1_1	s0	s6_0_1
s2	s4_2_1	s1	s6_1_1
4p-shell		s2	s6_2_1
p0	p4_0_1	6p-shell	
p6	p4_6_1	p0	p6_0_1
4d-shell		p1	p6_1_1
d0	d4_0_1	Ionic	
d10	d4_10_1	radius, A	
4f-shell		[1.39-1.4047]	R1_1
f0	f4_0_1	(1.6301-1.6546)	R2_1
f14	f4_14_1	(1.6938-1.733)	R3_1
		(1.8702-1.88)	R4_1
B-element			
3s-shell		5s-shell	
s2	s3_2_2	s0	s5_0_2
3p-shell		s2	s5_2_2
p0	p3_0_2	5p-shell	
p6	p3_6_2	p0	p5_0_2
3d-shell		p6	p5_6_2
d0	d3_0_2	5d-shell	
d10	d3_10_2	d0	d5_0_2
4s-shell		d10	d5_10_2
s0	s4_0_2	6s-shell	
s1	s4_1_2	s0	s6_0_2
s2	s4_2_2	s2	s6_2_2
4p-shell		6p-shell	
p0	p4_0_2	p0	p6_0_2
p6	p4_6_2	p2	p6_2_2
4d-shell		Ionic	
d0	d4_0_2	radius, A	
d5	d4_5_2	[0.45-0.7296]	R1_2
d6	d4_6_2	(0.7296-0.7362)	R2_2
d7	d4_7_2	(0.7362-0.7428)	R3_2
d8	d4_8_2	(0.7428-0.7626)	R4_2
d10	d4_10_2	(0.7626-0.8)	R4_2
4f-shell		[0.822-0.86]	R5_2
f0	f4_0_2	[0.9408-0.9672]	R6_2

Feature	Gradation	Feature	Gradation
f14	f4_14_2	[0.9804-1.02] [1.17-1.2048] [1.3368-1.35]	R7_2 R8_2 R9_2
X-element			
3p-shell		5s-shell	
p4	p3_4_3	s0	s5_0_3
p6	p3_6_3	s1	s5_1_3
3d-shell		s2	s5_2_3
d0	d3_0_3	5p-shell	
d5	d3_5_3	p0	p5_0_3
d10	d3_10_3	p6	p5_6_3
4s-shell		5d-shell	
s0	s4_0_3	d0	d5_0_3
s1	s4_1_3	d4	d5_4_3
s2	s4_2_3	d10	d5_10_3
4p-shell		6s-shell	
p0	p4_0_3	s0	s6_0_3
p6	p4_6_3	s2	s6_2_3
4d-shell		Ionic	
d0	d4_0_3	radius, A	
d5	d4_5_3	[0.12-0.129]	R1_3
d10	d4_10_3	[0.255-0.28]	R2_3
4f-shell		[0.405-0.417]	R3_3
f0	f4_0_3	(0.417-0.43)	R4_3
f14	f4_14_3		

#### 2.1.2.2. FEATURE SET 2.1.2

The second feature set (feature set 2.1.2) includes the following information: the first three ionization potentials, the electronegativities by Pauling, the entropies of the individual substances at 298 K, the isobaric thermal capacities at 298 K, the temperatures and the heats of melting and boiling, Debye (characteristic) temperatures, the energies of the crystal lattice, the ionic radii by Shannon, the ratio of the atomic number to the average atomic mass for atoms of elements A, B and X. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.1.2.2.1 contains the gradations for Feature Set 2.1.2.

Table 2.1.2.2.1  
Gradations for Feature Set 2.1.2

Feature	Gradation	Feature	Gradation
A-element			
First ionization potential, eV		Boiling point, K	
[3.89391-3.960342]	I1_1_1	[[945-985]]	Tb_1_1
[4.137493-4.226068]	I1_2_1	[[1017-1057]]	Tb_2_1
[4.314644-4.40322]	I1_3_1	[[1137-1177]]	Tb_3_1
[5.111825-5.2004]	I1_4_1	[[1721-1745]]	Tb_4_1
[6.041869-6.1083]	I1_5_1	Heat of melting, kJ/mol	
Second ionization potential, eV		[[2.096-2.24804]]	Hm_1_1
[20.43-21.23571]	I2_1_1	[[2.29148-2.40008]]	Hm_2_1
[22.84713-23.92141]	I2_2_1	[[2.57384-2.66072]]	Hm_3_1
[26.60711-27.94996]	I2_3_1	[[4.22456-4.268]]	Hm_4_1
[31.1728-32.24708]	I2_4_1	Heat of boiling, kJ/mol	
[46.74986-47.287]	I2_5_1	[[76.442-83.27484]]	Hb_1_1
Third ionization potential, eV		[[87.17932-91.0838]]	Hb_2_1
[29.85-31.1031]	I3_1_1	[[104.7495-109.6301]]	Hb_3_1
[32.7739-34.4447]	I3_2_1	[[172.1018-174.054]]	Hb_4_1
[38.6217-40.2925]	I3_3_1	Energy of the crystal lattice,	
[45.3049-46.9757]	I3_4_1	-6	
[70.36691-71.62]	I3_5_1	E*10 J/kg*mol	
Electronegativity		[[79-82.114]]	E_1_1
[0.7-0.733]	X_1_1	[[84.19-92.494]]	E_2_1
[0.777-0.832]	X_2_1	[[107.026-111.178]]	E_3_1
[0.876-0.931]	X_3_1	[[179.686-182.8]]	E_4_1
[1.767-1.8]	X_4_1	Debye temperature, K	
Entropies of individual substances at 298 K		[[39.2-42.824]]	Td_1_1
kJ/kg*mol*K		[[52.488-58.528]]	Td_2_1
[51.296-52.31396]	S_1_1	[[87.52-93.56]]	Td_3_1
[63.1722-65.54744]	S_2_1	[[156.376-160]]	Td_4_1
[75.72704-77.42364]	S_3_1	Ratio of the atomic number	
[84.21004-85.228]	S_4_1	to the average atomic mass	
Isobaric thermal capacity at 298 K, kJ/kg*mol*K		[[0.4-0.4027]]	NM_1_1
[26.317-26.49274]	Cp_1_1	[[0.4081-0.4126]]	NM_2_1
[28.13298-28.3673]	Cp_2_1	[[0.4288-0.4324]]	NM_3_1
		[[0.4774-0.4819]]	NM_4_1

Feature	Gradation	Feature	Gradation
[29.42174-29.71464]	Cp_3_1	[0.4873-0.49]	NM_5_1
[30.88624-31.17914]	Cp_4_1	Ionic radius, A	
[31.99926-32.175]	Cp_5_1	[1.39-1.4047]	Rs_1_1
Melting point, K		[1.6301-1.6546]	Rs_2_1
[301.67-318.1298]	Tm_1_1	[1.6938-1.733]	Rs_3_1
[329.103-342.8195]	Tm_2_1	[1.8702-1.88]	Rs_4_1
[364.7659-378.4824]	Tm_3_1		
[570.5134-576]	Tm_4_1		
B-element			
First ionization potential, eV		Boiling point, K	
[5.21166-5.337139]	I1_1_2	[630-1105.36]	Tb_1_2
[5.588098-5.79723]	I1_2_2	[1149.167-1236.781]	Tb_2_2
[6.048188-6.254]	I1_3_2	[1324.396-1412.01]	Tb_3_2
[6.74-7.428459]	I1_4_2	[1593-1718.659]	Tb_4_2
(7.428459-7.721244)	I1_5_2	[1718.659-1828.176]	Tb_5_2
(7.721244-7.846724)	I1_6_2	[1959.597-2178.632]	Tb_6_2
(7.846724-7.88855]	I1_6_2	[2310.053-2397.667]	Tb_7_2
(7.88855-8.336]	I1_8_2	[2745-2950]	Tb_8_2
[8.93421-9.101516]	I1_9_2	[3098.579-3164.29]	Tb_9_2
[9.268821-10.4376]	I1_10_2	[3164.29-4100]	Tb_10_2
Second ionization potential, eV		Heat of melting, kJ/mol	
[10.004-10.31267]	I2_1_2	[2.295-5.158496]	Hm_1_2
[10.72423-11.24]	I2_2_2	[5.921207-6.5568]	Hm_2_2
[11.65024-12.18]	I2_3_2	[6.811038-7.192394]	Hm_3_2
[13.58-15.25139]	I2_4_2	[7.192394-7.57375]	Hm_4_2
[15.45717-15.935]	I2_5_2	[8.082224-8.463579]	Hm_5_2
[16.07451-16.5]	I2_6_2	[8.463579-9.21096]	Hm_6_2
[16.69185-17.30919]	I2_7_2	[10.467-12.552]	Hm_7_2
[17.72075-18.13231]	I2_8_2	[12.65849-13.29409]	Hm_8_2
(18.13231-18.76]	I2_9_2	[13.54832-15.062]	Hm_9_2
[19.43-20.293]	I2_10_2	[16.0907-16.736]	Hm_10_2
Third ionization potential, eV		Heat of boiling, kJ/mol	
[24.9-31.63988]	I3_1_2	[17.10765-31.81968]	Hb_1_2
(31.63988-33.1247]	I3_2_2	[59.229-107.8633]	Hb_2_2
(33.1247-35.5994]	I3_3_2	[107.8633-121.6705]	Hb_3_2
(35.5994-36.58928]	I3_4_2	[138.2392-149.2849]	Hb_4_2
(36.58928-37.08422]	I3_5_2	[149.2849-165.8536]	Hb_5_2
(37.08422-38.56904]	I3_6_2	[165.8536-174.1379]	Hb_6_2
(38.56904-41.04374]	I3_7_2	[174.1379-185.1836]	Hb_7_2
		[223.8438-234.8896]	

Feature	Gradation	Feature	Gradation
[42.03362-44.01338]	I3_8_2	[295.6412-314.637]	Hb_8_2
[49.95266-51.93242]	I3_9_2	[339.741-356.3929]	Hb_9_2
[78.65918-153.9]	I3_10_2	[361.9158-510.448]	Hb_10_2
Electronegativity		Energy of the crystal lattice, -6	
[0.9-0.9299999]	X_1_2	E*10 J/kg*mol	
[0.97-1.1]	X_2_2	[116-125.42]	E_1_2
[1.18-1.23]	X_3_2	(125.42-137.98)	E_2_2
[1.47-1.52]	X_4_2	[144.26-156.82]	E_3_2
[1.58-1.63]	X_5_2	(156.82-185.08)	E_4_2
[1.69-1.73]	X_6_2	[185.08-200.78]	E_5_2
[1.77-1.82]	X_7_2	[282.42-294.98]	E_6_2
[1.88-2.2]	X_8_2	[321.6-364.7]	E_7_2
Entropies of individual substances at 298 K		[390-414.3]	E_8_2
kJ/kg*mol*K		[420.58-510]	E_9_2
[9.498-28.911]	S_1_2	Debye	
[29.1845-32.8394]	S_2_2	temperature, K	
(32.8394-34.0577)	S_3_2	[75-106.16]	Td_1_2
[37.656-42.5858]	S_4_2	[121.04-139.64]	Td_2_2
[50.7078-52.7383]	S_5_2	[184.28-199.16]	Td_3_2
[55.1749-56.7993]	S_6_2	[214.04-233]	Td_4_2
[61.6725-63.2969]	S_7_2	[275-314.48]	Td_5_2
[66.5457-79.898]	S_8_2	[336.8-370]	Td_6_2
Isobaric thermal capacity at 298 K,		[380-414.92]	Td_7_2
kJ/kg*mol*K		[430-1160]	Td_8_2
		Ratio of the	
[16.443-24.5442]	Cp_1_2	atomic number	
[24.7626-24.9446]	Cp_2_2	to the average	
(24.9446-25.1208)	Cp_3_2	atomic mass	
[25.345-25.527]	Cp_4_2	[0.4-0.403]	NM_1_2
[25.857-26.0002]	Cp_5_2	[0.407-0.41226]	NM_2_2
(26.0002-26.1458)	Cp_6_2	[0.428-0.44]	NM_3_2
[26.2186-26.3642]	Cp_7_2	[0.45-0.462]	NM_4_2
[26.3642-26.5462]	Cp_8_2	[0.468-0.472]	NM_5_2
[26.6918-26.8738]	Cp_9_2	[0.478-0.482]	NM_6_2
[27.9658-28.075]	Cp_10_2	[0.488-0.492]	NM_7_2
Melting point, K		[0.498-0.5]	NM_8_2
[234.29-630.54]	Tm_1_2	Ionic radius, A	
[679.26-727.98]	Tm_2_2	[0.45-0.7296]	Rs_1_2
[898.5-959.4]	Tm_3_2	(0.7296-0.7362)	Rs_2_2
[983.76-1069.02]	Tm_4_2	(0.7362-0.7428)	Rs_3_2
[1093.38-1210.4]	Tm_5_2	(0.7428-0.7626)	Rs_4_2

Feature	Gradation	Feature	Gradation
[1336.98-1385.7]	Tm_6_2	[(0.7626-0.8]	Rs_5_2
[1531.86-1592.76]	Tm_7_2	[0.822-0.86]	Rs_6_2
[1714.56-1799.82]	Tm_8_2	[0.9408-0.9672]	Rs_7_2
(1799.82-2190]	Tm_9_2	[0.9804-1.02]	Rs_8_2
		[1.17-1.2048]	Rs_9_2
		[1.3368-1.35]	Rs_10_2
		X-element	
First ionization potential, eV		Boiling point, K	
		[717.7-1285]	Tb_1_3
[6.766-6.873821]	I1_1_3	[2862.943-3072.235]	Tb_2_3
[7.017582-7.197285]	I1_2_3	[4746.571-5008.186]	Tb_3_3
[7.916092-8.059855]	I1_3_3	[5845.354-5950]	Tb_4_3
[9.01-10.36004]	I1_4_3	Heat of melting, kJ/mol	
Second ionization potential, eV		[1.41095-5.44284]	Hm_1_3
[16.16-16.37534]	I2_1_3	[17.50082-22.44387]	Hm_2_3
(16.37534-16.66246)	I2_2_3	[35.66456-38.06832]	Hm_3_3
[17.52382-18.6]	I2_3_3	[59.70218-61.505]	Hm_4_3
[21.16-23.338]	I2_4_3	Heat of boiling, kJ/mol	
Third ionization potential, eV		[194.686-254.1653]	Hb_1_3
[24-24.3249]	I3_1_3	[328.5345-355.095]	Hb_2_3
[26.9241-27.96]	I3_2_3	[567.5786-594.139]	Hb_3_3
[30.7146-31.2561]	I3_3_3	[753.5017-769.438]	Hb_4_3
[34.5051-34.83]	I3_4_3	Energy of the crystal lattice,	
Electronegativity		-6	
[1.6-1.627]	X_1_3	E*10 J/kg*mol	
[1.681-1.726]	X_2_3	[199.5-243.46]	E_1_3
[1.78-2.1]	X_3_3	[325.3-352.58]	E_2_3
[2.4-2.5]	X_4_3	[639.02-666.3]	E_3_3
Entropies of individual substances at 298 K		[884.54-905]	E_4_3
kJ/kg*mol*K		Debye	
[23.64-23.91111]	S_1_3	temperature, K	
[28.42961-28.88146]	S_2_3	[89-192.15]	Td_1_3
[31.7733-32.13478]	S_3_3	[394.65-414.9]	Td_2_3
[32.49626-49.73918]	S_4_3	[463.5-479.7]	Td_3_3
Isobaric thermal capacity at 298 K, kJ/kg*mol*K		[576.9-585]	Td_4_3
[22.60872-22.65973]	Cp_1_3	Ratio of the atomic number to the average atomic mass	

Feature	Gradation	Feature	Gradation
[23.30584-23.39085]	Cp_2_3	[0.4-0.41]	NM_1_3
[24.03695-24.10497]	Cp_3_3	[0.43-0.442]	NM_2_3
[24.27499-25.74882]	Cp_4_3	[0.458-0.462]	NM_3_3
Melting point, K		[0.498-0.5]	NM_4_3
[392-930]	Tm_1_3	Ionic radius, A	
[2077.04-2242.24]	Tm_2_3	[0.12-0.129]	Rs_1_3
[2836.96-2969.12]	Tm_3_3	[0.255-0.28]	Rs_2_3
[3629.92-3696]	Tm_4_3	[0.405-0.417] (0.417-0.43]	Rs_3_3 Rs_4_3

### 2.1.2.3. FEATURE SET 2.1.3

The third set of properties of simple oxides (feature set 2.1.3) includes the following information of simple oxides A O, BO and XO : the

2                   3

melting and boiling (only for BO and XO ) points, standard enthalpy

3

of formation, standard isobaric thermal capacities, standard entropies, standard Gibbs energy, effective ionic radii of corresponding cations by Shannon. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.1.2.3.1 contains the gradations for Feature Set 2.1.3.

Table 2.1.2.3.1

Gradations for Feature Set 2.1.3  
(Properties of Simple Oxides)

Feature	Gradation	Feature	Gradation
	A O 2		
Standard enthalpy of formation for corresponding simple oxides, kcal/mol		Standard isobaric thermal capacity . for simple oxides, cal/mol*K	
[40-42.022]	H_1_1	[8.9-9.191]	Cp_1_1
[79.766-84.484]	H_2_1	[16.951-17.339]	Cp_2_1
[85.832-88.528]	H_3_1	(17.339-17.63]	Cp_3_1
[106.052-107.4]	H_4_1	(17.63-17.921]	Cp_4_1
		[18.309-18.6]	Cp_5_1

Feature	Gradation	Feature	Gradation
Standard Gibbs energy for simple oxides, kcal/mol [40-41.50375] [70.57625-75.0875] [79.0975-81.1025] [89.12251-90.125]	G_1_1 G_2_1 G_3_1 G_4_1	Melting point of simple oxides, K [768-799.2] [830.4-869.4] [994.2-1033.2] [1532.4-1548]	Tm_1_1 Tm_2_1 Tm_3_1 Tm_4_1
Standard entropy for corresponding simple oxides, cal/mol*K [17.7-18.222] [22.746-24.312] [29.532-30.402] [34.578-35.1]	So_1_1 So_2_1 So_3_1 So_4_1	Ionic radii, A [1.39-1.4047] [1.6301-1.6546] [1.6938-1.733] [1.8702-1.88]	Rs_1_1 Rs_2_1 Rs_3_1 Rs_4_1
Standard enthalpy of formation for corresponding simple oxides, kcal/mol [17-42.1121] [48.8963-54.5498] [54.5498-62.4647] [62.4647-65.8568] [81.6866-86.2094] [90.73219-103.2] [125.7-133.6988] [138.2216-142.7444] [142.7444-146.1365] [148.3979-151.79]	H_1_2 H_2_2 H_3_2 H_4_2 H_5_2 H_6_2 H_7_2 H_8_2 H_9_2 H_10_2	BO Standard isobaric thermal capacity for simple oxides, cal/mol*K [6.11-9.22] [9.5365-9.7089] [9.967501-10.0968] [(10.0968-10.2261] [10.3123-10.7002] [(10.7002-11.045] [11.1312-11.3467] [11.8639-12.0363] [13.0707-13.2] Melting point of simple oxides, K [780-1216.42] [[1484.38-1560.94] [[1599.22-1694.92] [[2039.44-2154.28] [[2192.56-2230.84] [(2230.84-2288.26] [(2288.26-2345.68] [[2805.04-2900.74] [(2900.74-2977.3] [[3015.58-3073]	Cp_1_2 Cp_2_2 Cp_3_2 Cp_4_2 Cp_5_2 Cp_6_2 Cp_7_2 Cp_8_2 Cp_9_2 Tm_1_2 Tm_2_2 Tm_3_2 Tm_4_2 Tm_5_2 Tm_6_2 Tm_7_2 Tm_8_2 Tm_9_2 Tm_10_2

Feature	Gradation	Feature	Gradation
[118.69-127.2367]	G_7_2	Boiling point of simple oxides, K	
[131.7693-135.1688]	G_8_2	[1746-1809.81]	Tb_1_2
(135.1688-138.599]	G_9_2	[2235.21-2320.29]	Tb_2_2
[140.8345-144.234]	G_10_2	[3086.01-3171.09]	Tb_3_2
Standard entropy for corresponding simple oxides, cal/mol*K		[3809.19-4283]	Tb_4_2
[3.29-6.7919]	So_1_2	Ionic radii, A [0.45-0.7296]	Rs_1_2
[8.03-9.3671]	So_2_2	(0.7296-0.7362]	Rs_2_2
[10.0109-10.3328]	So_3_2	(0.7362-0.7428]	Rs_3_2
(10.3328-10.6547]	So_4_2	(0.7428-0.7626]	Rs_4_2
[12-13.1226]	So_5_2	(0.7626-0.8]	Rs_5_2
(13.1226-13.5]	So_6_2	[0.822-0.86]	Rs_6_2
[14.3029-14.6248]	So_7_2	[0.9408-0.9672]	Rs_7_2
(14.6248-14.9467]	So_8_2	[0.9804-1.02]	Rs_8_2
[16.2343-16.6635]	So_9_2	[1.1718-1.2048]	Rs_9_2
[16.8-17.2]	So_10_2	[1.3368-1.35]	Rs_10_2
	XO 3		
Standard enthalpy of formation for corresponding simple oxides, kcal/mol		Standard isobaric thermal capacity for simple oxides, cal/mol*K [17.65-17.9035]	Cp_1_3
[104.92-107.8144]	H_1_3	(17.9035-18.664]	Cp_2_3
[138.688-143.512]	H_2_3	[42.493-43]	Cp_3_3
[176.3152-180.1744]	H_3_3	Melting point of simple oxides, K	
[199.4704-201.4]	H_4_3	[289.89-333.5733]	Tm_1_3
Standard Gibbs energy for simple oxides, kcal/mol		[450.0621-508.3065]	Tm_2_3
[89.9-92.68004]	G_1_3	[1032.506-1105.312]	Tm_3_3
[120.4804-125.1138]	G_2_3	[1716.878-1746]	Tm_4_3
[158.4743-162.181]	G_3_3	Boiling point of simple oxides, K	
[180.7146-182.568]	G_4_3	[317.9-351.203]	Tb_1_3
Standard entropy for corresponding simple oxides, cal/mol*K		[1394.697-1428]	Tb_2_3
[17.5-17.5324]	So_1_3	Ionic radii, A [0.12-0.129]	Rs_1_3
		[0.255-0.267]	Rs_2_3
		[0.405-0.417]	Rs_3_3
		(0.417-0.42]	Rs_4_3

Feature	Gradation	Feature	Gradation
[18.4828-18.526]	So_2_3		
[18.5476-18.58]	So_3_3		

### 2.1.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE

The computer learning is carried out for three learning sets in which the compounds from Table 2.1.1.1 were described in terms of the sets of the component properties 2.1.1, 2.1.2 and 2.1.3. The system of concept formation CONFOR [18-20] was used for computer learning and prediction.

The table of predictions of the crystal structure type for the compounds of composition A B (XO) (Table 2.1.3.1) results from the comparison of the results of prediction with use of the descriptions in terms of the Features Sets 2.1.1, 2.1.2 and 2.1.3. The following designations are used:

L - langbeinite;

K - K Zn (MoO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub> ;

-- the crystal structure differing from those listed above;

\* - the compound of composition A B (XO) does not form.

2 2 4 3

The physical-chemical systems, which were investigated experimentally, were marked by round brackets. The empty square corresponds to the lack of coincidence of the predictions, which have been obtained using different feature sets. The designation "?" corresponds to the indeterminate result of predicting. According to our results the new compounds of the composition Na Mg (SO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub>, K Fe (SO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub>, Rb B (SO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub> (B = Ca, Fe, Co, Ni, Cu, or Zn), Cs Mn (SO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub>, Cs Ni (SO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub>, Tl B (SO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub> (B = Mg, Ni, Cu, or Zn), Na B (CrO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub> (B = Mg, Mn, Fe, Co, Ni, Cu, or Zn), K Mg (CrO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub>, Rb B (CrO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub> (B = Ca, Fe, Co, Ni, Cu, or Zn), Cs B (CrO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub> (B = Mg, Ca, Mn, Fe, Co, Ni, Cu, or Zn), Tl B (CrO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub> (B = Mg, Ca, Mn, Fe, Co, Ni, Cu, or Zn), Cs Mg (WO)<sub>2</sub><sub>2</sub><sub>4</sub><sub>3</sub>

Tl Mg (WO<sub>3</sub>)<sub>2</sub>, Rb Cd (WO<sub>3</sub>)<sub>2</sub>, Cs Cd (WO<sub>3</sub>)<sub>2</sub>, Tl Cd (WO<sub>3</sub>)<sub>2</sub> have the crystal structure of langbeinite at normal pressure and room temperature. These compounds hold the promise for searching for new EO materials.

Table 2.1.3.1  
Table of Predictions of Crystal Structure Type  
for Compounds of Composition A B (XO)  
2 2 4 3

	X = S					X = Cr					X = Mo					X = W				
A	Na	K	Rb	Cs	Tl	Na	K	Rb	Cs	Tl	Na	K	Rb	Cs	Tl	Na	K	Rb	Cs	Tl
B																				
Mg	L	(L)	(L)	(*)	L	L	L	L	L	K	(K)	(L)	(L)	(L)	(-)	(L)	L	L		
Ca	(*)	(L)	L	(L)	(*)		L	L	L	(*)	?	?	?	?	(*)	*	?	?	?	
Mn	(*)	(L)	(L)	L	(L)	L	(L)	L	L	K	(-)	(L)	(L)	(L)						
Fe	*	L	L		(L)	L	K	L	L	K	K	?	?	?		K				
Co	(*)	(L)	L		(L)	L	K	L	L	L	(K)	(L)	(L)	(-)		K				
Ni	(*)	(L)	L	L	L	L	L	L	L	K	(K)	(L)	(L)	(L)						
Cu	(*)		L	*	L	L	K	L	L	L	K	(K)	?	?	?		K			
Zn	*	(L)	L	*	L	L	K	L	L	L	(-)	(K)	(K)	-	(K)		K			
Sr	(*)	?	?		(*)	*	*	?	?	?	(*)	?	?	?	(*)	*	*	*	*	
Cd	(*)	(L)	(L)		(L)						K	(-)	(L)	K	(*)	L	L	L		
Ba	(*)		(*)	(*)	(*)	*	*			(*)		*	*	*	*	*	*			
Pb				*	(*)	*	*	*	*	(*)	*	(*)	*	*	(*)	*	(*)	(*)	*	

## 2.2. PREDICTION OF NEW COMPOUNDS WITH COMPOSITION A BX O

2 2 7

There are many other natural and synthetic members of family of melilite (space group P4 (-)2 m, Z=2) with general formula A T O<sub>4</sub> (A are

+      2+      2+      2+      2+      3+      3+

the large ions Na , Ca , Sr , Ba , Pb , Y , Ln in octahedral  
 coordination and T are the ions in tetrahedral coordination Be ,  
 2+      2+      2+      2+      2+      3+      3+      3+      4+      4+  
 Zn , Co , Fe , Cu , Mn , Cd , B , Al , Ga , Fe , Si , Ge ).

The interest in compounds with melilite structure has quickened because  
of the discovery of the new mineral  $\text{Ca}_3\text{Al}_2\text{Si}_2\text{O}_8$ .

use stimulated radiation with ions Nd was excited for Ba,Mn and Ba,Zn-germanates with this structure [9,24]. The compounds with a melilite structure Ca Mg[Si O ] and Ca Zn[Si O ] are used as EO filters

2 27 2 27

for picking out radiation with a required wavelength. The dispersion of birefringence in these compounds is characterized by availability of so named wavelength of quasi-isotropy when  $\delta(n)=0$  and ellipsoidal optical indicatrix becomes spherical one for monoaxial crystal. In this case the transmission of filter is equal to zero at crossing polarizer and analyzer and, on the contrary, is high along the whole aperture at application of field of displacement that deforms the indicatrix [9].

The composition of melilite varies from akermanite,  $\text{Ca}_2\text{MgSi}_7\text{O}_{12}$ , to gehlenite,  $\text{Ca}_2\text{Al}_2\text{Si}_5\text{O}_{15}$ . In this work we carried out the prediction of both compounds: similar to the akermanite-melilite structure,  $\text{Ca}_2(\text{Mg}, \text{Fe})_2\text{Al}_2\text{Si}_5\text{O}_{15}$  and analogues of the gehlenite-melilite structure,  $\text{Ca}_2\text{Al}_2\text{Si}_5\text{O}_{15}$ .

Previously the efforts of the search for two-dimensional (using ionic

radii A and B) fields of the stability for akermanite-melilite,

II II IV                            II IV III  
A B X O , and gehlenite-melilite, A B X O , [21,22] were un-  
2    2    7                            2    2    7  
dertaken. Despite considerable intersection of fields of stability  
thus found it was assumed that melilites do not form by ions which  
2+

have more small sizes than Ca because of discrepancies of sizes of  
A-ions and more large polyhedra that contain these ions. The authors  
of [21,22] mentioned that the stability of melilite structure is de-  
termined not only by geometrical factors but also the all set of ele-  
ments' properties: thermodynamical properties, nature of distribution  
of ions in structures (ordered or unordered), valency of ions and ba-  
lance of valent forces on them, nature of the chemical compound and  
etc. [21].

II II IV  
2.2.1. PREDICTION OF NEW COMPOUNDS OF COMPOSITION A B X O  
    2    2    7

#### 2.2.1.1. DATA FOR COMPUTER LEARNING

The data for computer learning was extracted from our the cardfile on  
quaternary inorganic compound properties. On the base of analysis of

II II IV  
these data it may be concluded that only compounds A B X O with  
2    2    7  
X = Si and Ge can crystallize in melilite structure. Therefore this  
structure at room state and normal pressure was predicted only for  
silicates and germanates and their analogs in Periodical Table  
(IV-group): stannates, titanates, zirconates, and hafnates. The table  
2.2.1.1.1 contains a learning set.

Table 2.2.1.1.1  
Learning Set for Prediction of the Melilite Crystal Structure  
II II IV  
for Compounds with Composition A B X O  
    2    2    7

Composition	Crystal type	Space group
Ca2BeSi2O7	melilite	
Ca2MgSi2O7	melilite	
Sr2MgSi2O7	melilite	
Ca2MnSi2O7	melilite	
Ca2FeSi2O7	melilite	
Ca2CoSi2O7	melilite	

Composition	Crystal type	Space group
Ca <sub>2</sub> ZnSi <sub>2</sub> O <sub>7</sub>	melilite	
Ca <sub>2</sub> CdSi <sub>2</sub> O <sub>7</sub>	melilite	
Sr <sub>2</sub> MnSi <sub>2</sub> O <sub>7</sub>	melilite	
Ba <sub>2</sub> MnSi <sub>2</sub> O <sub>7</sub>	melilite	
Pb <sub>2</sub> MnSi <sub>2</sub> O <sub>7</sub>	melilite	
Ba <sub>2</sub> FeSi <sub>2</sub> O <sub>7</sub>	melilite	
Pb <sub>2</sub> FeSi <sub>2</sub> O <sub>7</sub>	melilite	
Sr <sub>2</sub> CoSi <sub>2</sub> O <sub>7</sub>	melilite	
Ba <sub>2</sub> CoSi <sub>2</sub> O <sub>7</sub>	melilite	
Sr <sub>2</sub> CuSi <sub>2</sub> O <sub>7</sub>	melilite	
Sr <sub>2</sub> ZnSi <sub>2</sub> O <sub>7</sub>	melilite	
Ba <sub>2</sub> ZnSi <sub>2</sub> O <sub>7</sub>	melilite	
Pb <sub>2</sub> ZnSi <sub>2</sub> O <sub>7</sub>	melilite	
Sr <sub>2</sub> CdSi <sub>2</sub> O <sub>7</sub>	melilite	
Ba <sub>2</sub> CdSi <sub>2</sub> O <sub>7</sub>	melilite	
Ca <sub>2</sub> ZnGe <sub>2</sub> O <sub>7</sub>	melilite	
Ba <sub>2</sub> CdGe <sub>2</sub> O <sub>7</sub>	melilite	
Ba <sub>2</sub> MgSi <sub>2</sub> O <sub>7</sub>	melilite	
Sr <sub>2</sub> MnGe <sub>2</sub> O <sub>7</sub>	melilite	
Sr <sub>2</sub> FeSi <sub>2</sub> O <sub>7</sub>	melilite	
Ba <sub>2</sub> CuSi <sub>2</sub> O <sub>7</sub>		A2/a, Z=4
Pb <sub>2</sub> PbSi <sub>2</sub> O <sub>7</sub>	barysilite	R3c, Z=18
Pb <sub>2</sub> PbGe <sub>2</sub> O <sub>7</sub>	barysilite	R3c, Z=18
<hr/>		
MgO-TiO <sub>2</sub>	without compound A <sub>2</sub> BX <sub>2</sub> O <sub>7</sub>	
MgO-ZrO <sub>2</sub>	without compound A <sub>2</sub> BX <sub>2</sub> O <sub>7</sub>	
MgO-HfO <sub>2</sub>	without compound A <sub>2</sub> BX <sub>2</sub> O <sub>7</sub>	
ZnO-SiO <sub>2</sub>	without compound A <sub>2</sub> BX <sub>2</sub> O <sub>7</sub>	
ZnO-TiO <sub>2</sub>	without compound A <sub>2</sub> BX <sub>2</sub> O <sub>7</sub>	
ZnO-ZrO <sub>2</sub>	without compound A <sub>2</sub> BX <sub>2</sub> O <sub>7</sub>	
FeO-ZrO <sub>2</sub>	without compound A <sub>2</sub> BX <sub>2</sub> O <sub>7</sub>	
<hr/>		

#### 2.2.1.2. SELECTION OF FEATURES

On the basis of physical-chemical grounds two sets of chemical elements features and set of simple oxides feature were selected for the description of these systems.

##### 2.2.1.2.1. FEATURE SET 2.2.1.1

The first feature set (feature set 2.2.1.1) includes information about the number of electrons in energy shells of isolated atoms and

Shannon effective ionic radii of elements A (C.N.=8), B (C.N.=4) or X (C.N.=4) in the compound of composition A BX O . The grouping of

2 2 7

energy shell information corresponds to the number of electrons for each shell. The quasi-continuous properties - the ionic radii - were divided using the special program of discretization [18]. Table 2.2.1.2.1.1 contains the gradations for Feature Set 2.2.1.1.

Table 2.2.1.2.1.1  
Gradations for Feature Set 2.2.1.1

Feature	Gradation	Feature	Gradation
A-element			
3s-shell		5s-shell	
s2	s3_2_1	s0	s5_0_1
3p-shell		s2	s5_2_1
p0	p3_0_1	5p-shell	
p6	p3_6_1	p0	p5_0_1
3d-shell		p6	p5_6_1
d0	d3_0_1	5d-shell	
d5	d3_5_1	d0	d5_0_1
d6	d3_6_1	d10	d5_10_1
d7	d3_7_1	6s-shell	
d10	d3_10_1	s0	s6_0_1
4s-shell		s2	s6_2_1
s0	s4_0_1	6p-shell	
s2	s4_2_1	p0	p6_0_1
4p-shell		p2	p6_2_1
p0	p4_0_1	p6	p6_6_1
p6	p4_6_1	7s-shell	
4d-shell		s0	s7_0_1
d0	d4_0_1	s2	s7_2_1
d10	d4_10_1	Ionic radius, A	
4f-shell		[0.89-0.96]	R1_1
f0	f4_0_1	[1.11-1.14]	R2_1
f6	f4_6_1	[1.25-1.2716]	R3_1
f7	f4_7_1	[1.2822-1.3034]	R3_1
f14	f4_14_1	[1.4094-1.48]	R4_1
B-element			
2s-shell		4f-shell	
s2	s2_2_2	f0	f4_0_2
2p-shell		f14	f4_14_2
p0	p3_0_2	5s-shell	
p6	p3_6_2	s0	s5_0_2

Feature	Gradation	Feature	Gradation
3s-shell		s2	s5_2_2
s0	s3_0_2	5p-shell	
s2	s3_2_2	p0	p5_0_2
3p-shell		p6	p5_6_2
p0	p3_0_2	5d-shell	
p6	p3_6_2	d0	d5_0_2
3d-shell		d10	d5_10_2
d0	d3_0_2	6s-shell	
d5	d3_5_2	s0	s6_0_2
d6	d3_6_2	s2	s6_2_2
d7	d3_7_2	6p-shell	
d8	d3_8_2	p0	p6_0_2
d10	d3_10_2	p2	p6_2_2
4s-shell		Ionic radius, Å	
s0	s4_0_2	[0.27-0.2913]	R1_2
s1	s4_1_2	[0.55-0.5753]	R2_2
s2	s4_2_2	(0.5753-0.5966]	R3_2
4p-shell		(0.5966-0.6179]	R4_2
p0	p4_0_2	[0.6321-0.6534]	R5_2
p6	p4_6_2	(0.6534-0.6747]	R6_2
4d-shell		[0.7599-0.7954]	R7_2
d0	d4_0_2	[0.96-0.98]	R8_2
d10	d4_10_2		
X-element			
3p-shell		5s-shell	
p2	p3_2_3	s0	s5_0_3
p6	p3_6_3	s2	s5_2_3
3d-shell		5p-shell	
d0	d3_0_3	p0	p5_0_3
d2	d3_2_3	p2	p5_2_3
d10	d3_10_3	p6	p5_6_3
4s-shell		5d-shell	
s0	s4_0_3	d0	d5_0_3
s2	s4_2_3	d2	d5_2_3
4p-shell		d10	d5_10_3
p0	p4_0_3	6s-shell	
p2	p4_2_3	s0	s6_0_3
p6	p4_6_3	s2	s6_2_3
4d-shell		Ionic radius, Å	
d0	d4_0_3	[0.26-0.2699]	R1_3
d2	d4_2_3	[0.3821-0.3986]	R2_3
d10	d4_10_3		

Feature	Gradation	Feature	Gradation
4f-shell		[0.4118-0.4283]	R3_3
f0	f4_0_3	[0.55-0.59]	R4_3
f14	f4_14_3		

### 2.2.1.2.2. FEATURE SET 2.2.1.2

The second feature set (feature set 2.2.1.2) includes the following information: the first three ionization potentials, the electronegativities by Pauling, the entropies of the individual substances at 298 K, the isobaric thermal capacities at 298 K, the temperatures and the heats of melting and boiling, Debye (characteristic) temperatures, the energies of the crystal lattice, the ionic radii by Shannon, the ratio of the atomic number to the average atomic mass for atoms of elements A, B and X. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.2.1.2.2.1 contains the gradations for Feature Set 2.2.1.2.

Table 2.2.1.2.2.1

Gradations for Feature Set 2.1.2.2

Feature	Gradation	Feature	Gradation
A-element			
First ionization potential, eV		Boiling point, K	
[5.21166-5.337139]	I1_1_1	[630-1238.319]	Tb_1_1
[5.588098-5.79723]	I1_2_1	[1316.945-1415.228]	Tb_2_1
[6.048188-6.254]	I1_3_1	[1593-1880]	Tb_3_1
[7.30298-7.512112]	I1_4_1	[1943-2063.893]	Tb_4_1
[7.595765-7.763071]	I1_5_1	[2103.206-2350]	Tb_5_1
[7.846724-8.014029]	I1_6_1	[3086.031-3230]	Tb_6_1
[8.9939-10.4376]	I1_7_1	Heat of melting, kJ/mol	-
Second ionization potential, eV		[2.295-5.046776]	Hm_1_1
[10.004-10.2428]	I2_1_1	[6.234-7.203863]	Hm_2_1
[10.8796-11.24]	I2_2_1	(7.203863-7.473498)	Hm_3_1
[11.6756-12.18]	I2_3_1	[7.95-8.462163]	Hm_4_1
[14.9392-15.64]	I2_4_1	(8.462163-11.09502)	Hm_5_1
[16.0536-17.084]	I2_5_1	[12.05-16.318]	Hm_6_1
[17.8048-18.76]	I2_6_1	Heat of boiling, kJ/mol	-
Third ionization potential, eV		[59.229-122.3451]	Hb_1_1
[23.4-31.63988]	I3_1_1	[136.4134-148.1369]	Hb_2_1
		(148.1369-157.737]	Hb_3_1

Feature	Gradation	Feature	Gradation
(31.63988-34.2]	I3_2_1	[162.2052-166.8946]	Hb_4_1
[35.10446-37.47]	I3_3_1	(166.8946-173.9288]	Hb_5_1
[39.06398-41.04374]	I3_4_1	(173.9288-226.773]	Hb_6_1
[42.03362-44.01338]	I3_5_1	[342.7479-375.723]	Hb_7_1
[49.95266-51.93242]	I3_6_1	Energy of the	
[78.65918-80.144]	I3_7_1	crystal lattice,	
Electronegativity		-6	
[0.9-0.927]	X_1_1	E*10 J/kg*mol	
[0.9809999-1.026]	X_2_1	[116-139.72]	E_1_1
[1.1-1.224]	X_3_1	[145.2-156.16]	E_2_1
[1.5-1.62]	X_4_1	(156.16-169.86]	E_3_1
[1.7-1.9]	X_5_1	(169.86-183.56]	E_4_1
Entropies of		[189.04-286]	E_5_1
individual		[364.7-430]	E_6_1
substances at 298 K		Debye	
kJ/kg*mol*K		temperature, K	
[27.154-28.3723]	S_1_1	[75-106.16]	Td_1_1
[30.041-33.6516]	S_2_1	[121.04-147]	Td_2_1
[40.9614-42.5858]	S_3_1	[190-228.92]	Td_3_1
[51.756-56.7993]	S_4_1	[295.88-314.48]	Td_4_1
[61.6725-63.2969]	S_5_1	[396.32-414.92]	Td_5_1
[66.5457-79.898]	S_6_1	[445-467]	Td_6_1
Isobaric thermal		Ratio of the	
capacity at 298 K,		atomic number	
kJ/kg*mol*K		to the average	
[24.811-25.1208]	Cp_1_1	atomic mass	
[25.372-25.531]	Cp_2_1	[0.39-0.403	NM_1_1
[25.849-26.024]	Cp_3_1	[0.407-0.412]	NM_2_1
[26.2676-26.5168]	Cp_4_1	[0.428-0.432]	NM_3_1
[26.7076-26.8666]	Cp_5_1	[0.458-0.462]	NM_4_1
[27.983-29.288]	Cp_6_1	[0.468-0.472]	NM_5_1
Melting point, K		[0.488-0.492]	NM_6_1
[234.29-636.942]	Tm_1_1	[0.498-0.5]	NM_7_1
[661.17-721.74]	Tm_2_1	Ionic radius, A	
[891.336-951.906]	Tm_3_1	[0.89-0.96]	Rs_1_1
[976.134-1024.59]	Tm_4_1	[1.11-1.14]	Rs_2_1
(1024.59-1073.046]	Tm_5_1	[1.25-1.2716]	Rs_3_1
[1097-1345]	Tm_6_1	[1.2822-1.3034]	Rs_4_1
[1558-1812]	Tm_7_1	[1.4094-1.48]	Rs_5_1

Feature	Gradation	Feature	Gradation
B-element			
First ionization potential, eV		Heat of melting, kJ/mol	
[7.4167-7.476028]	I1_1_2	[2.295-5.123366]	Hm_1_2
[7.594684-7.772668]	I1_2_2	[6.046635-6.508269]	Hm_2_2
[7.81222-7.891324]	I1_3_2	[6.969903-7.546947]	Hm_3_2
(7.891324-8.336]	I1_4_2	[8.239398-8.816442]	Hm_4_2
[8.939452-9.038332]	I1_5_2	[11.81707-12.85574]	Hm_5_2
[9.275644-9.374524]	I1_6_2	(12.85574-13.20197]	Hm_6_2
(9.374524-10.4376]	I1_7_2	[13.43279-14.00983]	Hm_7_2
Second ionization potential, eV		[16.08718-19.665]	Hm_8_2
[15.033-15.1908]	I2_1_2	Heat of boiling, kJ/mol	
[15.5064-15.7694]	I2_2_2	[59.229-107.8633]	Hb_1_2
[16.085-16.2954]	I2_3_2	(107.8633-121.6705]	Hb_2_2
[16.8214-17.1896]	I2_4_2	[138.2392-149.2849]	Hb_3_2
[17.8208-18.0838]	I2_5_2	[171.3764-185.1836]	Hb_4_2
(18.0838-18.76]	I2_6_2	[223.8438-234.8896]	Hb_5_2
[19.43-20.293]	I2_7_2	[295.6412-309.4484]	Hb_6_2
Third ionization potential, eV		(309.4484-320.4942]	Hb_7_2
[29-31.8825]	I3_1_2	[342.5857-356.3929]	Hb_8_2
(31.8825-33.115]	I3_2_2	[367.4387-510.448]	Hb_9_2
(33.115-36.8125]	I3_3_2	Energy of the crystal lattice,	
(36.8125-42.975]	I3_4_2	-6	
[77.485-83.6475]	I3_5_2	E*10 J/kg*mol	
[150.2025-153.9]	I3_6_2	[116-125.42]	E_1_2
Electronegativity		(125.42-137.98]	E_2_2
[1.2-1.221]	X_1_2	[144.26-156.82]	E_3_2
[1.487-1.515]	X_2_2	[188.22-200.78]	E_4_2
[1.585-1.62]	X_3_2	[282.42-294.98]	E_5_2
[1.69-1.718]	X_4_2	[313.82-329.52]	E_6_2
[1.788-1.816]	X_5_2	[335.8-348.36]	E_7_2
[1.886-2.2]	X_6_2	[390-414.3]	E_8_2
Entropies of individual substances at 298 K		[420.58-510] Debye	E_9_2
kJ/kg*mol*K		temperature, K	
[9.498-11.24598]	S_1_2	[75-126.95]	Td_1_2
[26.39514-28.72578]	S_2_2	[169.55-233]	Td_2_2
(28.72578-32.22174]	S_3_2	[275-329.3]	Td_3_2
(32.22174-37.656]	S_4_2	(329.3-371.9]	Td_4_2
[40.37898-43.29228]	S_5_2	[393.2-435.8]	Td_5_2
		(435.8-457.1]	Td_6_2

Feature	Gradation	Feature	Gradation
[50.2842-53.1975]	S_6_2	(457.1-489.05]	Td_7_2
[66.01602-79.898]	S_7_2	[1128.05-1160]	Td_8_2
Isobaric thermal capacity at 298 K, kJ/kg*mol*K		Ratio of the atomic number to the average atomic mass	
[16.443-16.743]	Cp_1_2	[0.4-0.4027]	NM_1_2
[24.143-24.643]	Cp_2_2	[0.4279-0.4324]	NM_2_2
(24.643-24.843]	Cp_3_2	[0.4378-0.4423]	NM_3_2
(24.843-24.943]	Cp_4_2	[0.4585-0.4621]	NM_4_2
(24.943-25.643]	Cp_5_2	[0.4675-0.472]	NM_5_2
[25.843-26.343]	Cp_6_2	[0.48-0.49]	NM_6_2
(26.343-27.983]	Cp_7_2	Ionic radius, A	
Melting point, K			
[234.29-630.54]	Tm_1_2	[0.27-0.2913]	Rs_1_2
[679.26-727.98]	Tm_2_2	[0.55-0.5753]	Rs_2_2
[898.5-959.4]	Tm_3_2	(0.5753-0.5966]	Rs_3_2
[1324.8-1385.7]	Tm_4_2	(0.5966-0.6179]	Rs_4_2
[1531.86-1592.76]	Tm_5_2	[0.6321-0.6534]	Rs_5_2
[1728-1799.82]	Tm_6_2	(0.6534-0.6747]	Rs_6_2
(1799.82-2045]	Tm_7_2	[0.7599-0.7954]	Rs_7_2
Boiling point, K		[0.96-0.98]	Rs_8_2
[630-1105.36]	Tb_1_2		
[1149.167-1236.781]	Tb_2_2		
[1324.396-1412.01]	Tb_3_2		
[1981.5-2069.115]	Tb_4_2		
[2288.149-2397.667]	Tb_5_2		
[2704.316-2791.93]	Tb_6_2		
(2791.93-2937]	Tb_7_2		
[3098.579-3208.096]	Tb_8_2		
(3208.096-4100]	Tb_9_2		
	X-element		
First ionization potential, eV		Boiling point, K	
[6.634-6.679531]	I1_1_3	[2890-3173.1]	Tb_1_3
[6.770593-7.344]	I1_2_3	[3491.7-3562.5]	Tb_2_3
[7.863337-7.939222]	I1_3_3	(3562.5-3651]	Tb_3_3
[8.121346-8.1517]	I1_4_3	[4571.4-4659.9]	Tb_4_3
Second ionization potential, eV		Heat of melting, kJ/mol	
[13.13-13.22648]	I2_1_3	[4.64735-7.2013]	Hm_1_3
[13.48376-13.64456]	I2_2_3	[14.15767-15.788]	Hm_2_3
[14.632-14.99528]	I2_3_3	[20.13558-21.49419]	Hm_3_3

Feature	Gradation	Feature	Gradation
[15.89576-16.0244]	I2_4_3	[31.27623-31.81968]	Hm_4_3
[16.28168-16.346]	I2_5_3	Heat of boiling, kJ/mol	
Third ionization potential, eV		[296.102-385.8269]	Hb_1_3
[23.1-23.544]	I3_1_3	[389.6042-397.1587]	Hb_2_3
[27.318-27.762]	I3_2_3	[408.4904-416.045]	Hb_3_3
[30.5-33.756]	I3_3_3	[555.8036-569.024]	Hb_4_3
[33.978-34.2]	I3_4_3	Energy of the crystal lattice,	
Electronegativity	X_1_3	-6	
[1.3-1.321]	X_2_3	E*10 J/kg*mol	
[1.391-1.419]	X_3_3	[302-336.165]	E_1_3
[1.489-1.517]	X_4_3	[366.825-377.045]	E_2_3
[1.783-1.818]	X_5_3	[463.915-476.69]	E_3_3
[1.986-2]		[578.89-584]	E_4_3
Entropies of individual		Debye	
substances at 298 K		temperature, K	
kJ/kg*mol*K		[190-272.3]	Td_1_3
[18.828-19.56981]	S_1_3	[305.1-321.5]	Td_2_3
[29.95515-30.94423]	S_2_3	[362.5-378.9]	Td_3_3
(30.94423-31.68604]	S_3_3	[419.9-440.4]	Td_4_3
[38.6096-39.59868]	S_4_3	[661.8-670]	Td_5_3
[43.06046-44.141]	S_5_3	Ratio of the atomic number	
Isobaric thermal capacity at 298 K,		to the average atomic mass	
kJ/kg*mol*K			
[20.041-20.21173]	Cp_1_3	[0.4-0.42]	NM_1_3
[23.28487-23.51251]	Cp_2_3	[0.437-0.442]	NM_2_3
[24.99217-25.50436]	Cp_3_3	[0.458-0.462]	NM_3_3
[25.61818-25.773]	Cp_4_3	[0.498-0.5]	NM_4_3
Melting point, K		Ionic radius, A	
[505-1249.088]	Tm_1_3	[0.26-0.2699]	Rs_1_3
[1661.76-1713.344]	Tm_2_3	[0.3821-0.3986]	Rs_2_3
[1919.68-1971.264]	Tm_3_3	[0.4118-0.4283]	Rs_3_3
[2100.224-2164.704]	Tm_4_3	[0.55-0.59]	Rs_4_3
[2474.208-2500]	Tm_5_3		

### 2.2.1.2.3. FEATURE SET 2.2.1.3

The third set of properties of simple oxides (feature set 2.2.1.3) includes the following information of simple oxides  $\text{AO}$ ,  $\text{BO}$  and  $\text{XO}$ :

melting and boiling (only for AO and BO) points, standard enthalpy of formation, standard isobaric thermal capacities, standard entropies, standard Gibbs energy, effective ionic radii of corresponding cations by Shannon. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.2.1.2.3.1 contains the gradations for Feature Set 2.2.1.3.

Table 2.2.1.2.3.1

Gradations for Feature Set 2.2.1.3  
(Properties of Simple Oxides)

Feature	Gradation	Feature	Gradation
	AO		
Standard enthalpy of formation for corresponding simple oxides, kcal/mol		Standard isobaric thermal capacity for simple oxides, cal/mol*K	
[21.704-57.1]	H_1_1	[8.89-8.9812]	Cp_1_1
[60.99111-65.98006]	H_2_1	[9.5892-9.7108]	Cp_2_1
[81.9447-92.4]	H_3_1	[10.0148-10.1364]	Cp_3_1
[123-133.8298]	H_4_1	[10.43-10.8356]	Cp_4_1
[139.8165-142.8099]	H_5_1	[10.8964-11.018]	Cp_5_1
(142.8099-145.8033]	H_6_1	[11.1396-11.5]	Cp_6_1
[149.7944-151.79]	H_7_1	[11.8388-13.2]	Cp_7_1
Standard Gibbs energy for simple oxides, kcal/mol		Melting point of simple oxides, K	
[14.015-47.95956]	G_1_1	[1159-1216.42]	Tm_1_1
[51.411-60.86232]	G_2_1	[1599.22-1694.92]	Tm_2_1
[74.7576-86.837]	G_3_1	[2090-2288.26]	Tm_3_1
[116.738-126.3686]	G_4_1	(2288.26-2345.68]	Tm_4_1
[132.3238-135.3013]	G_5_1	[2805.04-2977.3]	Tm_5_1
(135.3013-138.2789]	G_6_1	[3015.58-3073]	Tm_6_1
[142.249-144.234]	G_7_1	Boiling point of simple oxides, K	
Standard entropy for corresponding simple oxides, cal/mol*K		[1746-1809.81]	Tb_1_1
[6.47-6.7919]	So_1_1	[3086.01-3171.09]	Tb_2_1
[10.2255-10.6547]	So_2_1	[3809.19-3873]	Tb_3_1
[12.6-13.4445]	So_3_1	Ionic radii, A	
[14.3029-14.8394]	So_4_1	[0.89-0.96]	Rs_1_1
[16.127-16.6635]	So_5_1	[1.101.14]	Rs_2_1
[16.8-20]	So_6_1	[1.2504-1.2716]	Rs_3_1
		[1.2822-1.3034]	Rs_4_1
		[1.4094-1.48]	Rs_5_1

Feature	Gradation	Feature	Gradation
	BO		
Standard enthalpy of formation for corresponding simple oxides, kcal/mol		Standard isobaric thermal capacity for simple oxides, cal/mol*K	
[21.704-41.9264]	H_1_2	[6.11-7.5]	Cp_1_2
[50.4768-54.752]	H_2_2	[8.7333-9.0878]	Cp_2_2
(54.752-62.2336]	H_3_2	[9.5132-9.7968]	Cp_3_2
(62.2336-65.44]	H_4_2	[9.9386-10.293]	Cp_4_2
[82.5408-86.816]	H_5_2	(10.2931-10.7185]	Cp_5_2
[91.09121-95.36641]	H_6_2	[10.8603-11.1439]	Cp_6_2
[142.3936-144.5312]	H_7_2	[11.8529-12.1365]	Cp_7_2
(144.5312-145.6]	H_8_2	[12.9873-13.2]	Cp_8_2
Standard Gibbs energy for simple oxides, kcal/mol		Melting point of simple oxides, K	
[14.015-34.1494]	G_1_2	[780-1216.42]	Tm_1_2
[42.7638-48.1478]	G_2_2	[1484.38-1560.94]	Tm_2_2
[50.3014-57.839]	G_3_2	[1599.22-1694.92]	Tm_3_2
(57.839-61.0694]	G_4_2	[2039.44-2154.28]	Tm_4_2
[73.991-79.375]	G_5_2	[2192.56-2288.26]	Tm_5_2
[83.6822-89.0662]	G_6_2	[2785.9-2862.46]	Tm_6_2
[134.2918-137.5222]	G_7_2	[3015.58-3073]	Tm_7_2
(137.5222-138.599]	G_8_2	Boiling point of simple oxides, K	
Standard entropy for corresponding simple oxides, cal/mol*K		[1746-2263]	Tb_1_2
[3.29-3.6839]		[3800.97-3927.82]	Tb_2_2
[6.3099-6.8351]		[4232.26-4283]	Tb_3_2
[9.08-10.3802]		Ionic radii, A	
(10.3802-10.7741]		[0.27-0.2913]	Rs_1_2
[12.3497-13.5]		[0.55-0.5753]	Rs_2_2
[14.1879-14.5818]		(0.5753-0.5966]	Rs_3_2
(14.5818-14.9757]		[0.5966-0.6179]	Rs_4_2
[16.0261-16.8]		[0.6321-0.6534]	Rs_5_2
		(0.6534-0.6747]	Rs_6_2
		[0.7599-0.7954]	Rs_7_2
		[0.9-0.98]	Rs_8_2

Feature	Gradation	Feature	Gradation
	XO 2		
Standard enthalpy of formation for corresponding simple oxides, kcal/mol		Standard isobaric thermal capacity for simple oxides, cal/mol*K	
[138.66-142.5132]	H_1_3	[10.62-10.7334]	Cp_1_3
[214.4396-220.8616]	H_2_3	[11.943-12.6]	Cp_2_3
[223.4304-228.568]	H_3_3	[13.077-13.2282]	Cp_3_3
[259.3936-267.1]	H_4_3	[13.3794-13.5306]	Cp_4_3
Standard Gibbs energy for simple oxides, kcal/mol		[14.2866-14.4]	Cp_5_3
[124.253-128.5286]	G_1_3	Melting point of simple oxides, K	
[203.3213-208.4795]	G_2_3	[1389-1439.82]	Tm_1_3
[211.0585-216.2166]	G_3_3	[1846.38-1931.08]	Tm_2_3
[247.1654-253.613]	G_4_3	[2100.48-2273]	Tm_3_3
Standard entropy for corresponding simple oxides, cal/mol*K		[2930.54-3015.24]	Tm_4_3
[9.49-9.6307]	So_1_3	[3049.12-3083]	Tm_5_3
[9.9121-10.0997]	So_2_3	Ionic radii, A	
[11.9757-12.5]	So_3_3	[0.26-0.2699]	Rs_1_3
[14.0393-14.18]	So_4_3	[0.3821-0.3986]	Rs_2_3
		[0.4118-0.4283]	Rs_3_3
		[0.55-0.59]	Rs_4_3

#### 2.2.1.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE

The computer learning is carried out for three learning sets in which the compounds from Table 2.2.1.1.1 were described in terms of the sets of the component properties 2.2.1.1, 2.2.1.2 and 2.2.1.3. The system of concept formation CONFOR [18-20] was used for computer learning and prediction.

The tables of predictions of the crystal structure type for the com-

pounds of composition  $A^{II} B^{II} X^{IV} O^4$  (Tables 2.2.1.3.1-2.2.1.3.6) re-

2 2 2 7

sult from the comparison of the results of prediction with use of the descriptions in terms of the Features Sets 2.2.1.1, 2.2.1.2 and

2.2.1.3. The following designations are used:

M - melilite;

-- the crystal structure differing from those listed above;

\* - the compound of composition A BX O does not form.

2 27

The physical-chemical systems, which were investigated experimentally, were marked by round brackets. The empty square corresponds to the lack of coincidence of the predictions, which have been obtained using different feature sets. The designation "?" corresponds to the indeterminate result of predicting. According to our results the new

2+      2+      2+      2+

compounds of the composition A BSi<sub>3</sub>O<sub>9</sub> (A = Ca, Sr, Sm, or Eu; B = Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, In, Ge, Sn, Pb, Bi, Sb, Te, Po).

2 2 7

2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+	2+
Be	Mg	Mn	Fe	Co	Ni	Cu	Zn	Pd	Cd	Hg	
2+								2+	2+	2+	

or Pb), Ba<sub>2</sub>NiSi<sub>2</sub>O<sub>7</sub>, Ba<sub>2</sub>PdSi<sub>2</sub>O<sub>7</sub>, A<sub>2</sub>BSi<sub>2</sub>O<sub>7</sub> (A = Yb, Hg, or Pb; B = Ti, Zr, Hf).

$\begin{matrix} & 2 & 2 & 7 & 2 & 2 & 7 & 2 & 2 & 7 \\ 2+ & 2+ & 2+ & 2+ & & & & 2+ & 2+ & 2+ \end{matrix}$   
 B = Mn, Fe, Zn, or Cd), Ra BSi O (B = Mg, Mn, Fe,  
 $\begin{matrix} & 2 & 2 & 7 \end{matrix}$

$\text{Co}^{2+}$ ,  $\text{Ni}^{2+}$ ,  $\text{Cu}^{2+}$ ,  $\text{Zn}^{2+}$ ,  $\text{Pd}^{2+}$ ,  $\text{Cd}^{2+}$ ,  $\text{Hg}^{2+}$ , or  $\text{Pb}^{2+}$ ),  $\text{A}_2\text{BX}_7$  (A =

2+      2+      2+      2+      2+      2+      2+      2+      2+      2+      2+      2+  
 Ca or Sr ; B = Be , Mg , Mn , Fe , Co , Ni , Cu , Zn , Pd ,

$2+ \quad 2+ \quad 2+ \quad 4+ \quad 4+$        $2+ \quad 2+ \quad 2+$   
 $\text{Cd}^{\text{2+}}, \text{Hg}^{\text{2+}}, \text{or Pb}^{\text{2+}}; X = \text{Ge}^{\text{4+}} \text{ or } \text{Ti}^{\text{4+}}$ ,  $\text{A BX}_2\text{O}_4$  ( $\text{A} = \text{Ba}^{\text{2+}}, \text{Sm}^{\text{3+}}, \text{Eu}^{\text{3+}}$ ,

$$2+ \quad 2+ \quad 2+ \quad 2+ \quad 2+ \quad 4+ \quad 4+ \quad 4+ \quad 4+$$

Hg, or Ra; B = Mn, Ni, or Cd; X = Ge, Sn, Ti, Zr,  
 $\text{Zr}^+$        $\text{Zr}^+$        $\text{Zr}^+$        $\text{Zr}^+$        $\text{Zr}^+$        $\text{Ti}^+$        $\text{Ti}^+$        $\text{Ti}^+$

or Hf ), A PdX O (A = Sm , Eu , or Ra ; X = Ge , Sn , Ti ,  
2 2 7

$Zr^{+4}$ , or  $Hf^{+4}$ ),  $Ra^{+4}$ ,  $HgX^{+4}$  ( $X = Ge$ ,  $Sn$ ,  $Ti$ ,  $Zr$ , or  $Hf$ ) have

2 27  
the crystal structure of melilite at normal pressure and room temperature. These compounds hold the promise for searching for new EO materials.

Table 2.2.1.3.1

Table of Predictions of Crystal Structure Type

II II IV

for Compounds of Composition A B Si O

2 2 7

A	Mg	Ca	Mn	Fe	Co	Zn	Sr	Cd	Ba	Sm	Eu	Yb	Hg	Pb	Ra
B															
Be	?	(M)	?	?	?	?	M	?		M	M	-	-	-	
Mg	?	(M)	?	?	?	?	(M)	?	(M)	M	M	-	-	-	M
Mn	?	(M)	?	?	?	?	(M)	?	(M)	M	M	M	M	(M)	M
Fe	?	(M)	?	?	?	?	(M)	?	(M)	M	M	M	M	(M)	M
Co	?	(M)	?	?	?	?	(M)	?	(M)	M	M	-	-	-	M
Ni	?	M	?	?	?	?	M	?	M	M	M	?	?	?	M
Cu	?	M	?	?	?	?	(M)	?	(-)	M	M	-	-	-	M
Zn	?	(M)	?	?	?	(*)	(M)	?	(M)	M	M	M	M	(M)	M
Pd	?	M	?	?	?	?	M	?	M	M	M	?	?	?	M
Cd	?	(M)	?	?	?	?	(M)		(M)	M	M	M	M	M	M
Hg	?	M	?	?	?	?	M	?		M	M	-	-	-	M
Pb	?	M	?	?	?	?	M	?	-	M	M	-	-	(-)	M

Table 2.2.1.3.2

Table of Predictions of Crystal Structure Type

II III IV

for Compounds of Composition A B Ge O

2 2 7

A	Mg	Ca	Mn	Fe	Co	Zn	Sr	Cd	Ba	Sm	Eu	Yb	Hg	Pb	Ra
B															
Be	*	M	*	*	*	*	M	?	-	?	?	-	-	-	-
Mg		M	*	*	*	*	M	?	-	?	?	-	-	-	?
Mn	?	M	?	?	?	?	M	?	M	M	M	?	M	?	M
Fe	*	M	*		*	*	M	?	-	?	?	-	-	-	?
Co	*	M	*	*		*	M	?	-	?	?	-	-	-	?
Ni	?	M	?	?	?	?	M	?	M	M	M	?	M	?	M
Cu	*	M	*	*	*	*	M	?	-	?	?	-	-	-	?
Zn	*	(M)	*	*	*		M	?	-	?	?	-	-	-	?
Pd	*	M		*	*	*	M	?	?	M	M	?	?	-	M
Cd	?	M	?	?	?	?	M		(M)	M	M	M	M	M	M
Hg	*	M	*	*	*	*	M	?		?	?	-		-	M
Pb	*	M	*	*	*	*	M	-	-	?	?	-	-	(-)	?

Table 2.2.1.3.3

Table of Predictions of Crystal Structure Type

II II IV

for Compounds of Composition A B Sn O

2 2 7

A	Mg	Ca	Mn	Fe	Co	Zn	Sr	Cd	Ba	Sm	Eu	Yb	Hg	Pb	Ra
B															
Be	*		*	*	*	*		*	-	?	?	-	-	-	-
Mg			*	*	*	*	M	*	-	?	?	-	-	-	?
Mn	?	M		?	?	?	M	?	M	M	M	?	M	?	M
Fe	*	M	*		*	*	M	?	-	?	?	-	-	-	?
Co	*	M	*	*		*	M	?	-	?	?	-	-	-	?
Ni	?	M	?	?	?	?	M	?	M	M	M	?	M	?	M
Cu	*	M	*	*	*	*	M	?	-	?	?	-	-	-	?
Zn	*	M	*	*	*		M	?	-	?	?	-	-	-	?
Pd	*	M	*	*	*	*	M	?	?	M	M	?	?	-	M
Cd	?	M	?	?	?	?	M		M	M	M	?	M	?	M
Hg	*	M	*	*	*	*	M			?	?	-	-	-	M
Pb	*	M	*	*	*	*	M	-	-	?	?	-	-	-	-

Table 2.2.1.3.4

Table of Predictions of Crystal Structure Type

II II IV

for Compounds of Composition A B Ti O

2 2 7

A	Mg	Ca	Mn	Fe	Co	Zn	Sr	Cd	Ba	Sm	Eu	Yb	Hg	Pb	Ra
B															
Be	*	M	*	*	*	*	M	?	-	?	?	-	-	-	-
Mg	(*)	M	*	*	*	*	M	?	-	?	?	-	-	-	?
Mn	?	M	?	?	?	?	M	?	M	M	M	?	M	?	M
Fe	*	M	*	*	*	*	M	?	-	?	?	-	-	-	?
Co	*	M	*	*	*	M	?	-	?	?	?	-	-	-	?
Ni	?	M	?	?	?	?	M	?	M	M	M	?	M	?	M
Cu	*	M	*	*	*	*	M	?	-	?	?	-	-	-	?
Zn	*	M	*	*	*	M	?	-	?	?	?	-	-	-	?
Pd	*	M	*	*	*	*	M	?	?	M	M	?	?	-	M
Cd	?	M	?	?	?	?	M		M	M	M	?	M	?	M
Hg	*	M	*	*	*	*	M	?		?	?	-	-	-	M
Pb	*	M	*	*	*	*	M	-	-	?	?	-	-	-	-

Table 2.2.1.3.5

Table of Predictions of Crystal Structure Type

II II IV

for Compounds of Composition A B Zr O

2 2 7

A	Mg	Ca	Mn	Fe	Co	Zn	Sr	Cd	Ba	Sm	Eu	Yb	Hg	Pb	Ra
B															
Be	*		*	*	*	*	M	*	-	?	?	-	-	-	-
Mg	(*)		*	*	*	*	M	*	-	?	?	-	-	-	?
Mn	?	M		?	?	?	M	?	M	M	M	?	M	?	M
Fe	*	M	*	(*)	*	*	M	?	-	?	?	-	-	-	?
Co	*	M	*	*		*	M	?	-	?	?	-	-	-	?
Ni	?	M	?	?	?	?	M	?	M	M	M	?	M	?	M
Cu	*	M	*	*	*	*	M	?	-	?	?	-	-	-	?
Zn	*	M	*	*	*	(*)	M	?	-	?	?	-	-	-	?
Pd	*	M	*	*	*	*	M	?	?	M	M	?	?	-	M
Cd	?	M	?	?	?	?	M		M	M	M	?	M	?	M
Hg	*	M	*	*	*	*	M	?		?	?	-		-	M
Pb	*	M	*	*	*	*	M	-	-	?	?	-	-		-

Table 2.2.1.3.6

Table of Predictions of Crystal Structure Type

II III IV  
for Compounds of Composition A B Hf O  
2 2 7

	A	Mg	Ca	Mn	Fe	Co	Zn	Sr	Cd	Ba	Sm	Eu	Yb	Hg	Pb	Ra
B																
Be	*		*	*	*	*		*	-	?	?	?	-	-	-	-
Mg	(*)		*	*	*	*	M	*	-	?	?	?	-	-	-	?
Mn	?	M		?	?	?	M	?	M	M	M	?	M	?	M	
Fe	*	M	*	*	*	*	M	?	-	?	?	?	-	-	-	?
Co	*	M	*	*		*	M	?	-	?	?	?	-	-	-	?
Ni	?	M	?	?	?	?	M	?	M	M	M	?	M	?	M	
Cu	*	M	*	*	*	*	M	?	-	?	?	?	-	-	-	?
Zn	*	M	*	*	*		M	?	-	?	?	?	-	-	-	?
Pd	*	M	*	*	*	*	M	?	?	M	M	?	?	-	M	
Cd	?	M	?	?	?	?	M		M	M	M	?	M	?	M	
Hg	*	M	*	*	*	*	M	?		?	?	?	-		M	
Pb	*	M	*	*	*	*	M	-	-	?	?	?	-	-	-	

II IV III

2.2.2. PREDICTION OF NEW COMPOUNDS OF COMPOSITION A X B O  
2 2 7

2.2.2.1. DATA FOR COMPUTER LEARNING

The data for computer learning was extracted from our the cardfile on quaternary inorganic compound properties. On the base of analysis of

II IV III

these data it may be concluded that only compounds A X B O with

2 2 7

X = Si and Ge can crystallize in melilite structure. Therefore this structure at room state and normal pressure was predicted only for

silicates and germanates and their analogs in Periodical Table (IV-group): stannates, titanates, zirconates, and hafnates. The table 2.2.2.1.1 contains a learning set.

Table 2.2.2.1.1

Learning Set for Prediction of the Melilite Crystal Structure

II IV III  
for Compounds with Composition A X B O  
2 2 7

Composition	Crystal type	Space group
Be2SiY207	melilite	
Be2SiNd207	melilite	
Be2SiSm207	melilite	
Be2SiEu207	melilite	
Be2SiGd207	melilite	
Be2SiTb207	melilite	
Be2SiDy207	melilite	
Be2SiHo207	melilite	
Be2SiEr207	melilite	
Be2SiTm207	melilite	
Be2SiYb207	melilite	
Be2SiLu207	melilite	
Be2GeY207	melilite	
Be2GeLa207	melilite	
Be2GePr207	melilite	
Be2GeNd207	melilite	
Be2GeSm207	melilite	
Be2GeEu207	melilite	
Be2GeGd207	melilite	
Be2GeTb207	melilite	
Be2GeDy207	melilite	
Be2GeHo207	melilite	
Be2GeEr207	melilite	
Be2GeTm207	melilite	
Be2GeYb207	melilite	
Be2GeLu207	melilite	
Ca2SiB207	melilite	
Ca2SiAl207	melilite	
Sr2SiAl207	melilite	
Ca2GeAl207	melilite	
Sr2GeAl207	melilite	
Ca2SiGa207	melilite	
Ca2GeGa207	melilite	
Sr2GeFe207	melilite	
Ba2GeFe207	melilite	

Composition	Crystal type	Space group
Sr <sub>2</sub> GeLa207	melilite	
Ba <sub>2</sub> GeGa207	melilite	
Sr <sub>2</sub> GeGa207	melilite	
Mg <sub>2</sub> SnLa207		cubic, Z=3
Mg <sub>2</sub> SnPr207		orthorhombic, Z=2
Mg <sub>2</sub> SnNd207		orthorhombic, Z=2
Ca <sub>2</sub> SnLa207		orthorhombic, Z=2
Ca <sub>2</sub> SnNd207		orthorhombic, Z=2
Zn <sub>2</sub> SnLa207		orthorhombic, Z=2
MgO-Y2O <sub>3</sub> -ZrO <sub>2</sub>	without compound A <sub>2</sub> X <sub>B</sub> 207	
MgO-Y2O <sub>3</sub> -HfO <sub>2</sub>	without compound A <sub>2</sub> X <sub>B</sub> 207	
MgO-Gd2O <sub>3</sub> -ZrO <sub>2</sub>	without compound A <sub>2</sub> X <sub>B</sub> 207	
CaO-Y2O <sub>3</sub> -ZrO <sub>2</sub>	without compound A <sub>2</sub> X <sub>B</sub> 207	
CaO-Y2O <sub>3</sub> -HfO <sub>2</sub>	without compound A <sub>2</sub> X <sub>B</sub> 207	
CaO-Gd2O <sub>3</sub> -ZrO <sub>2</sub>	without compound A <sub>2</sub> X <sub>B</sub> 207	
BaO-Ga2O <sub>3</sub> -SiO <sub>2</sub>	without compound A <sub>2</sub> X <sub>B</sub> 207	
BaO-Al2O <sub>3</sub> -GeO <sub>2</sub>	without compound A <sub>2</sub> X <sub>B</sub> 207	
CaO-Fe2O <sub>3</sub> -GeO <sub>2</sub>	without compound A <sub>2</sub> X <sub>B</sub> 207	

### 2.2.2.2. SELECTION OF FEATURES

On the basis of physical-chemical grounds two sets of chemical elements features and set of simple oxides feature were selected for the description of these systems.

#### 2.2.2.2.1. FEATURE SET 2.2.2.1

The first feature set (feature set 2.2.2.1) includes information about the number of electrons in energy shells of isolated atoms and Bokii and Belov effective ionic radii of elements A, B or X in the compound of composition A XB O. The grouping of energy shell infor-

2 2 7

mation corresponds to the number of electrons for each shell. The quasi-continuous properties - the ionic radii - were divided using the special program of discretization [18]. Table 2.2.2.2.1.1 contains the gradations for Feature Set 2.2.2.1. The use of Bokii and Belov effective ionic radii of elements was caused by the vagueness of C.N.

2+      3+      2+      3+

for A and B in these compounds because both A and B can have C.N.=8 or C.N.=4. It is impossible to indicate how many ions have one or other coordination. Therefore average ionic radii by Bokii and Be-

lov were chosen.

Table 2.2.2.2.1.1

Gradations for Feature Set 2.2.2.1

Feature	Gradation	Feature	Gradation
A-element			
2s-shell		5s-shell	
s2	s2_2_1	s0	s5_0_1
3s-shell		s2	s5_2_1
s0	s3_0_1	5p-shell	
s2	s3_2_1	p0	p5_0_1
3p-shell		p2	p5_2_1
p0	p3_0_1	p6	p5_6_1
p6	p3_6_1	5d-shell	
3d-shell		d0	d5_0_1
d0	d3_0_1	d10	d5_10_1
d2	d3_2_1	6s-shell	
d3	d3_3_1	s0	s6_0_1
d5	d3_5_1	s2	s6_2_1
d6	d3_6_1	6p-shell	
d7	d3_7_1	p0	p6_0_1
d8	d3_8_1	p2	p6_2_1
d10	d3_10_1	p6	p6_6_1
4s-shell		7s-shell	
s0	s4_0_1	s0	s7_0_1
s1	s4_1_1	s2	s7_2_1
s2	s4_2_1	Ionic radius, Å	
4p-shell		[0.34-0.3712]	R1_1
p0	p4_0_1	[0.65-0.78]	R2_1
p2	p4_2_1	[0.8-0.91]	R3_1
p6	p4_6_1	[0.99-1.068]	R3_1
4d-shell		[1.12-1.26]	R4_1
d0	d4_0_1	[1.3488-1.44]	R5_1
d10	d4_10_1		
4f-shell			
f0	f4_0_1		
f14	f4_14_1		
B-element			
3p-shell		5s-shell	
p0	p3_0_2	s0	s5_0_2
p1	p3_1_2	s1	s5_1_2
p6	p3_6_2	s2	s5_2_2
3d-shell		5p-shell	
d0	d3_0_2	p0	p5_0_2

Feature	Gradation	Feature	Gradation
d1	d3_1_2	p1	p5_1_2
d2	d3_2_2	p3	p5_3_2
d3	d3_3_2	p6	p5_6_2
d4	d3_4_2	5d-shell1	
d5	d3_5_2	d0	d5_0_2
d6	d3_6_2	d1	d5_1_2
d7	d3_7_2	d10	d5_10_2
d10	d3_10_2	6s-shell1	
4s-shell1		s0	s6_0_2
s0	s4_0_2	s2	s6_2_2
s1	s4_1_2	6p-shell1	
s2	s4_2_2	p0	p6_0_2
4p-shell1		p6	p6_6_2
p0	p4_0_2	6d-shell1	
p1	p4_1_2	d0	d6_0_2
p3	p4_3_2	d1	d6_1_2
p6	p4_6_2	7s-shell1	
4d-shell1		s0	s7_0_2
d0	d4_0_2	s2	s7_2_2
d1	d4_1_2	Ionic radius, A	
d8	d4_8_2	[0.2-0.2252]	R1_1
d10	d4_10_2	[0.5612-0.64]	R1_1
4f-shell1		[0.6536-0.69]	R2_1
f0	f4_0_2	[0.7-0.92]	R4_1
f2	f4_2_2	[0.9308-0.9644]	R5_1
f3	f4_3_2	(0.9644-0.9896)	R6_1
f4	f4_4_2	(0.9896-1.2)	R7_1
f5	f4_5_2		
f6	f4_6_2		
f7	f4_7_2		
f8	f4_8_2		
f11	f4_11_2		
f12	f4_12_2		
f13	f4_13_2		
f14	f4_14_2		
X-element			
3p-shell1		5s-shell1	
p2	p3_2_3	s0	s5_0_3
p6	p3_6_3	s2	s5_2_3
3d-shell1		5p-shell1	
d0	d3_0_3	p0	p5_0_3
d2	d3_2_3	p2	p5_2_3

Feature	Gradation	Feature	Gradation
d10	d3_10_3	p6	p5_6_3
4s-shell		5d-shell	
s0	s4_0_3	d0	d5_0_3
s2	s4_2_3	d2	d5_2_3
4p-shell		d10	d5_10_3
p0	p4_0_3	6s-shell	
p2	p4_2_3	s0	s6_0_3
p6	p4_6_3	s2	s6_2_3
4d-shell		Ionic	
d0	d4_0_3	radius, A	
d2	d4_2_3	[0.39-0.4029]	R1_3
d10	d4_10_3	[0.4287-0.4502]	R2_3
4f-shell		[0.64-0.6824]	R3_3
f0	f4_0_3	[0.8114-0.82]	R4_3
f14	f4_14_3		

#### 2.2.2.2.2. FEATURE SET 2.2.2.2

The second feature set (feature set 2.2.2.2) includes the following information: the first three ionization potentials, the electronegativities by Pauling, the entropies of the individual substances at 298 K, the isobaric thermal capacities at 298 K, the temperatures and the heats of melting and boiling, Debye (characteristic) temperatures, the energies of the crystal lattice, the ionic radii by Bokii and Belov, the ratio of the atomic number to the average atomic mass for atoms of elements A, B and X. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.2.2.2.2.1 contains the gradations for Feature Set 2.2.2.2.

Table 2.2.2.2.2.1  
Gradations for Feature Set 2.2.2.2

Feature	Gradation	Feature	Gradation
A-element			
First ionization potential, eV		Boiling point, K	
[5.21166-5.337139]	I1_1_1	[630-1226.319]	Tb_1_1
[5.588098-5.79723]	I1_2_1	[1351.572-1414.198]	Tb_2_1
[6.048188-6.82]	I1_3_1	[1633.388-1696.015]	Tb_3_1
[7.344-7.9024]	I1_4_1	[1727.328-1880]	Tb_4_1
		[2018-2350]	Tb_5_1

Feature	Gradation	Feature	Gradation
[8.9939-9.352474]	I1_5_1	[2698.031-3680]	Tb_6_1
(9.352474-10.4376]	I1_6_1	Heat of melting, kJ/mol	
Second ionization potential, eV		[2.295-7.22178]	Hm_1_1
[10.004-10.25021]	I2_1_1	(7.22178-7.38495]	Hm_2_1
[10.90677-11.23505]	I2_2_1	[7.95-8.47275]	Hm_3_1
[11.72747-12.05575]	I2_3_1	(8.47275-8.69031]	Hm_4_1
[13.58-16.908]	I2_4_1	[12.05-31.81968]	Hm_5_1
[17.084-18.12893]	I2_5_1	Heat of boiling, kJ/mol	
(18.12893-20.293]	I2_6_1	[59.229-121.2908]	Hb_1_1
Third ionization potential, eV		[137.2369-147.2032]	Hb_2_1
[27.49-39.343]	I3_1_1	(147.2032-157.737]	Hb_3_1
(39.343-41.705]	I3_2_1	[161.156-226.773]	Hb_4_1
(41.705-45.248]	I3_3_1	[296.102-444.759]	Hb_5_1
[47.61-53.515]	I3_4_1	Energy of the crystal lattice,	
[77.135-83.04]	I3_5_1	-6	
[151.538-153.9]	I3_6_1	E*10 J/kg*mol	
Electronegativity		[116-137.203]	E_1_1
[0.9-0.921]	X_1_1	[144.807-154.312]	E_2_1
[0.991-1.019]	X_2_1	[161.916-169.52]	E_3_1
[1.187-1.215]	X_3_1	[173.322-180.926]	E_4_1
[1.481-1.516]	X_4_1	[188.53-200]	E_5_1
[1.586-1.9]	X_5_1	[286-503]	E_6_1
Entropies of individual substances at 298 K		Debye temperature, K	
kJ/kg*mol*K		[75-126.95]	Td_1_1
[9.498-11.08707]	S_1_1	(126.95-158.9]	Td_2_1
[23.64-33.86374]	S_2_1	[190-244.1]	Td_3_1
[40.22002-44.141]	S_3_1	[286.7-343]	Td_4_1
[51.75-79.898]	S_4_1	[370-585]	Td_5_1
Isobaric thermal capacity at 298 K, kJ/kg*mol*K		[1138.7-1160]	Td_6_1
[16.443-16.79196]	Cp_1_1	Ratio of the atomic number	
[23.346-25.167]	Cp_2_1	to the average	
(25.167-25.7486]	Cp_3_1	atomic mass	
(25.7486-26.276]	Cp_4_1	[0.39-0.4127]	NM_1_1
[26.443-27.02812]	Cp_5_1	[0.42-0.4325]	NM_2_1
[27.72604-29.288]	Cp_6_1	[0.4379-0.4424]	NM_3_1
Melting point, K		[0.45-0.47]	NM_4_1
[234.29-718.719]	Tm_1_1	[0.48-0.4919]	NM_5_1
		[0.4973-0.5]	NM_6_1

Feature	Gradation	Feature	Gradation
[909.525-944.217]	Tm_2_1	Ionic radius, A	
[978.909-1022.274]	Tm_3_1	[0.34-0.3712]	Rb_1_1
(1022.274-1065.639]	Tm_4_1	[0.65-0.78]	Rb_2_1
[1100.331-1357]	Tm_5_1	[0.8-0.91]	Rb_3_1
[1533.981-2190]	Tm_6_1	[0.99-1.068] [1.12-1.26] [1.3488-1.44]	Rb_4_1 Rb_5_1 Rb_6_1
		B-element	
First ionization potential, eV		Boiling point, K	
		[885-1825]	Tb_1_2
[5.2-5.454721]	I1_1_2	[1903.31-2046.53]	Tb_2_2
(5.454721-5.627047]	I1_2_2	[2297-2547.8]	Tb_3_2
(5.627047-5.741931]	I1_3_2	(2547.8-2786.5]	Tb_4_2
[5.7864-5.971699]	I1_4_2	(2786.5-2858.11]	Tb_5_2
(5.971699-6.00042]	I1_5_2	(2858.11-2953.59]	Tb_6_2
(6.00042-6.144025]	I1_6_2	[3049.07-3216.16]	Tb_7_2
(6.144025-6.172746]	I1_7_2	(3216.16-3287.77]	Tb_8_2
(6.172746-6.201467]	I1_8_2	(3287.77-3508]	Tb_9_2
(6.201467-6.266]	I1_9_2	[3598.08-3743]	Tb_10_2
[6.4-6.82]	I1_10_2	[3932.26-4500]	Tb_11_2
[7.2853-7.982169]	I1_11_2	Heat of melting,	
[8.211937-9.789]	I1_12_2	kJ/mol	
Second ionization potential, eV		[2.8-5.999477]	Hm_1_2
		[9.006855-9.963747]	Hm_2_2
[10.6-11.1822]	I2_1_2	(9.963747-10.37384]	Hm_3_2
(11.1822-12.0555]	I2_2_2	(10.37384-10.64724]	Hm_4_2
(12.0555-12.20105]	I2_3_2	(10.64724-10.78394]	Hm_5_2
(12.20105-12.8]	I2_4_2	(10.78394-11.05734]	Hm_6_2
[13.511-14.66]	I2_5_2	(11.05734-11.19404]	Hm_7_2
[15.64-17.084]	I2_6_2	(11.19404-12.5604]	Hm_8_2
[18.08-19.18745]	I2_7_2	[13.51792-14.6538]	Hm_9_2
[20.35185-20.93405]	I2_8_2	[15.062-15.8418]	Hm_10_2
[24.71835-25.155]	I2_9_2	[16.1152-16.662]	Hm_11_2
Third ionization potential, eV		[16.9354-17.48219]	Hm_12_2
		[18.02899-18.71248]	Hm_13_2
[18.3-19.74253]	I3_1_2	[18.98588-52]	Hm_14_2
[20-20.86759]	I3_2_2	Heat of boiling,	
(20.86759-21.43012]	I3_3_2	kJ/mol	
(21.43012-21.80514]	I3_4_2	[31.798-191.6268]	Hb_1_2
(21.80514-21.99265]	I3_5_2	[205.4295-215.7815]	Hb_2_2
(21.99265-22.55518]	I3_6_2	(215.7815-227.61]	Hb_3_2
(22.55518-24.24277]	I3_7_2	[230-250.2883]	Hb_4_2

Feature	Gradation	Feature	Gradation
[24.61779-25.56]	I3_8_2	(250.2883-264.091]	Hb_5_2
[27.49-29.85]	I3_9_2	[284.7951-295.1472]	Hb_6_2
[30.4306-33.67]	I3_10_2	(295.1472-319.3019]	Hb_7_2
[37.55598-37.931]	I3_11_2	(319.3019-329.654]	Hb_8_2
Electronegativity		[338.293-364.1607]	Hb_9_2
[1.1-1.127]	X_1_2	[371.0621-385.186]	Hb_10_2
[1.181-1.3]	X_2_2	[410.45-468.922]	Hb_11_2
[1.478-1.523]	X_3_2	[490.693-512.54]	Hb_12_2
[1.577-1.622]	X_4_2	Energy of the	
[1.7-1.82]	X_5_2	crystal lattice,	
[1.9-2.2]	X_6_2	-6	
Entropies of		E*10 J/kg*mol	
individual		[182.8-286]	E_1_2
substances at 298 K		[312.419-337.5]	E_2_2
kJ/kg*mol*K		[356.1-368.327]	E_3_2
[5.853-7.921954]	S_1_2	(368.327-372.986]	E_4_2
[23.64-27.92184]	S_2_2	[390-407.152]	E_5_2
(27.92184-32.008]	S_3_2	(407.152-411.811]	E_6_2
[35.606-43.09417]	S_4_2	[427.341-578.5]	E_7_2
[44.47347-47.92173]	S_5_2	Debye	
(47.92173-51.91632]	S_6_2	temperature, K	
[53.42357-58.95615]	S_7_2	[89-127.75]	Td_1_2
[61.71475-64.47336]	S_8_2	(127.75-139]	Td_2_2
(64.47336-67.92162]	S_9_2	(139-161.5]	Td_3_2
(67.92162-72.74917]	S_10_2	(161.5-195.25]	Td_4_2
(72.74917-74.12847]	S_11_2	(195.25-251.5]	Td_5_2
(74.12847-74.81812]	S_12_2	[291-364]	Td_6_2
Isobaric thermal		[380-442.75]	Td_7_2
capacity at 298 K,		(442.75-585]	Td_8_2
kJ/kg*mol*K		[1196.5-1219]	Td_9_2
[11.088-11.85063]	Cp_1_2	Ratio of the	
[20.786-24.81528]	Cp_2_2	atomic number	
(24.81528-25.83212]	Cp_3_2	to the average	
(25.83212-26.59475)	Cp_4_2	atomic mass	
(26.59475-26.84896]	Cp_5_2	[0.39-0.4024]	NM_1_2
(26.84896-27.10317]	Cp_6_2	[0.4088-0.412]	NM_2_2
(27.10317-27.35738]	Cp_7_2	[0.4184-0.4216]	NM_3_2
(27.35738-27.61158	Cp_8_2	[0.43-0.4416]	NM_4_2
(27.61158-28.12]	Cp_9_2	[0.45-0.4624]	NM_5_2
(28.12-31.2]	Cp_10_2	[0.4688-0.472]	NM_6_2
[36.00048-36.5089]	Cp_11_2	[0.4784-0.48]	NM_7_2
Melting point, K		Ionic radius, A	
[303-576]	Tm_1_2	[0.2-0.2252]	Rb_1_2

Feature	Gradation	Feature	Gradation
[882.13-981.98]	Tm_2_2	[0.5612-0.64]	Rb_2_2
[1061.86-1141.74]	Tm_3_2	[0.6536-0.7]	Rb_3_2
(1141.74-1341.44)	Tm_4_2	[0.75-0.92]	Rb_4_2
(1341.44-1406]	Tm_5_2	[0.9308-0.9644]	Rb_5_2
[1500-1621.02]	Tm_6_2	(0.9644-0.9896]	Rb_6_2
(1621.02-1760.81]	Tm_7_2	(0.9896-1.2]	Rb_7_2
(1760.81-1800.75]	Tm_8_2		
(1800.75-1860.66]	Tm_9_2		
[1900.6-1980.48]	Tm_10_2		
[2163-2300]	Tm_11_2		
X-element			
First ionization potential, eV		Boiling point, K	
[6.634-6.679531]	I1_1_3	[2896-2955.82]	Tb_1_3
[6.770593-6.831301]	I1_2_3	[3075.46-3175.16]	Tb_2_3
[7.316965-7.377673]	I1_3_3	[3494.2-3600]	Tb_3_3
[7.863337-7.939222]	I1_4_3	[4570.96-4650.72]	Tb_4_3
[8.121346-10]	I1_5_3	[4850.12-4890]	Tb_5_3
Second ionization potential, eV		Heat of melting, kJ/mol	
[13.13-13.58]	I2_1_3	[4.64735-5.46252]	Hm_1_3
[14.5772-14.70584]	I2_2_3	[6.549413-7.90803]	Hm_2_3
[14.83448-14.99528]	I2_3_3	[13.88594-15.24456]	Hm_3_3
[15.89576-16.0244]	I2_4_3	[20.13558-21.49419]	Hm_4_3
[16.28168-16.346]	I2_5_3	[31.27623-31.81968]	Hm_5_3
Third ionization potential, eV		Heat of boiling, kJ/mol	
[23.1-23.544]	I3_1_3	[296.102-304.2896]	Hb_1_3
[27.49-30.759]	I3_2_3	[375.2494-410.45]	Hb_2_3
[33.201-33.756]	I3_3_3	[552.6487-569.024]	Hb_3_3
[33.978-34.2]	I3_4_3	Energy of the crystal lattice, -6	
Electronegativity		E*10 J/kg*mol	
[1.3-1.321]	X_1_3	[302-310.46]	E_1_3
[1.391-1.5]	X_2_3	[321.74-335.84]	E_2_3
[1.783-1.818]	X_3_3	[364.04-378.14]	E_3_3
[1.986-2]	X_4_3	[470-584]	E_4_3
Entropies of individual substances at 298 K		Debye temperature, K	
kJ/kg*mol*K		[190-204.4]	Td_1_3
[18.828-19.58739]	S_1_3	[252.4-271.6]	Td_2_3
[30.627-31.73763]	S_2_3	[300.4-319.6]	Td_3_3

Feature	Gradation	Feature	Gradation
[38.31901-39.58466]	S_3_3	[358-470]	Td_4_3
[43.12848-43.88787]	S_4_3	[660.4-670]	Td_5_3
(43.88787-44.141)	S_5_3	Ratio of the atomic number to the average atomic mass	
Isobaric thermal capacity at 298 K, kJ/kg*mol*K			
[20.041-20.21296]	Cp_1_3	[0.4-0.403]	NM_1_3
[23.30824-23.53752]	Cp_2_3	[0.417-0.422]	NM_2_3
[25.104-25.4864]	Cp_3_3	[0.438-0.46]	NM_3_3
[25.60104-25.773]	Cp_4_3	[0.498-0.5]	NM_4_3
Melting point, K		Ionic radius, A	
[505-564.85]	Tm_1_3	[0.39-0.4029]	Rb_1_3
[1163.35-1263.1]	Tm_2_3	[0.4287-0.46]	Rb_2_3
[1662.1-1741.9]	Tm_3_3	[0.64-0.6824]	Rb_3_3
[1941-2180.8]	Tm_4_3	[0.8114-0.82]	Rb_4_3
[2460.1-2500]	Tm_5_3		

#### 2.1.2.2.3. FEATURE SET 2.2.2.3

The third set of properties of simple oxides (feature set 2.2.2.3) includes the following information of simple oxides AO, BO and XO :

2 3 2

melting and boiling points, standard enthalpy of formation, standard isobaric thermal capacities, standard entropies, standard Gibbs energy, effective ionic radii of corresponding cations by Bokii and Belov. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.2.2.2.3.1 contains the gradations for Feature Set 2.2.2.3.

Table 2.2.2.3.1

Gradations for Feature Set 2.2.2.3  
(Properties of Simple Oxides)

Feature	Gradation	Feature	Gradation
Standard enthalpy of formation for corresponding simple oxides, kcal/mol	AO	Standard isobaric thermal capacity for simple oxides, cal/mol*K	
[-2.769-103.2]	H_1_1	[6.11-7.5]	Cp_1_1
[123-132.7534]	H_2_1	[8.46-9.22]	Cp_2_1
[139.5522-142.9516]	H_3_1	[9.5404-9.7452]	Cp_3_1
(142.9516-144.9912)	H_4_1	[9.95-10.1548]	Cp_4_1
(144.9912-147.0308)	H_5_1	[10.43-10.94]	Cp_5_1
[149.7504-151.79]	H_6_1	[11.0764-13.2]	Cp_6_1
Standard Gibbs energy for simple oxides, kcal/mol		Melting point of simple oxides, K	
[-3.463-96.229]	G_1_1	[780-2272.75]	Tm_1_1
[116.738-125.9836]	G_2_1	(2272.75-2314]	Tm_2_1
[132.743-135.4468]	G_3_1	[2809-2842]	Tm_3_1
(135.4468-137.4746)	G_4_1	(2842-2875]	Tm_4_1
(137.4746-140.1783)	G_5_1	[2908-2941]	Tm_5_1
[142.8821-144.234]	G_6_1	[3056.5-3073]	Tm_6_1
Standard entropy for corresponding simple oxides, cal/mol*K		Boiling point of simple oxides, K	
[3.29-3.7073]	So_1_1	[1746-3157.8]	Tb_1_1
[6.2111-9.3]	So_2_1	[3853.8-3900.2]	Tb_2_1
[10.1059-10.8014]	So_3_1	[4248.2-4283]	Tb_3_1
[12.06-14.7]	So_4_1	Ionic radii, A	
[16.42-20]	So_5_1	[0.34-0.3712]	Rb_1_1
		[0.65-0.7664]	Rb_2_1
		[0.78-0.91]	Rb_3_1
		[0.97-1.068]	Rb_4_1
		[1.12-1.26]	Rb_5_1
		[1.3488-1.44]	Rb_6_1
Standard enthalpy of formation for corresponding simple oxides, kcal/mol	BO 2 3	Standard isobaric thermal capacity for simple oxides, cal/mol*K	
[85-228.9]	H_1_2	[7.83-16.8]	Cp_1_2
		[18-23.4]	Cp_2_2

Feature	Gradation	Feature	Gradation
[255.916-266.284]	H_2_2	(23.4-25.2]	Cp_3_2
[272.6-310.348]	H_3_2	(25.2-25.8]	Cp_4_2
[362.7-406.252]	H_4_2	(25.8-27]	Cp_5_2
[420-432.172]	H_5_2	(27-28.8]	Cp_6_2
(432.172-442.54]	H_6_2	[73.2-75]	Cp_7_2
(442.54-452.908]	H_7_2	Melting point of simple oxides, K	
(452.908-455.5]	H_8_2	[583-1107]	Tm_1_2
Standard Gibbs energy for simple oxides, kcal/mol		[1590.31-1670.99]	Tm_2_2
		[1953.37-2183]	Tm_3_2
		[2240-2376.94]	Tm_4_2
[66.167-198.835]	G_1_2	[2457.62-2497.96]	Tm_5_2
[206-253.099]	G_2_2	(2497.96-2578.64]	Tm_6_2
[272.33-291.9897]	G_3_2	(2578.64-2618.98]	Tm_7_2
[342.029-384.0256]	G_4_2	(2618.98-2679.49]	Tm_8_2
[404.478-409.5911]	G_5_2	(2679.49-2719.83]	Tm_9_2
(409.5911-419.8173]	G_6_2	(2719.83-2740]	Tm_10_2
(419.8173-430.0435]	G_7_2	Boiling point of simple oxides, K	
(430.0435-442.1]	G_8_2	[730.2-2462.28]	Tb_1_2
Standard entropy for corresponding simple oxides, cal/mol*K		[2941-3049.8]	Tb_2_2
		[4442.44-4529.48]	Tb_3_2
		(4529.48-4573]	Tb_4_2
[12.7-13.453]	So_1_2	Ionic radii, A	
[18.48-20.983]	So_2_2	[0.2-0.2252]	Rb_1_2
[22.991-25.8]	So_3_2	[0.5612-0.64]	Rb_2_2
[26.4-29.015]	So_4_2	[0.6536-0.7]	Rb_3_2
[30.019-31.023]	So_5_2	[0.75-0.92]	Rb_4_2
[31.525-32.529]	So_6_2	[0.9308-0.9644]	Rb_5_2
[33.533-34.788]	So_7_2	(0.9644-0.9896]	Rb_6_2
(34.788-35.541]	So_8_2	(0.9896-1.2]	Rb_7_2
[36.043-37.047]	So_9_2		
(37.047-58.81]	So_10_2		
	XO		
	2		
Standard enthalpy of formation for corresponding simple oxides, kcal/mol		Standard isobaric thermal capacity for simple oxides, cal/mol*K	
[138.66-142.5132]	H_1_3	[10.62-10.7334]	Cp_1_3
[214.4396-225.59]	H_2_3	[11.943-12.0942]	Cp_2_3
		[12.5478-12.699]	Cp_3_3

Feature	Gradation	Feature	Gradation
[259.3936-267.1] Standard Gibbs energy for simple oxides, kcal/mol	H_3_3	[13.15-13.5306] [14.2866-14.4] Melting point of simple oxides, K	Cp_4_3 Cp_5_3
[124.253-128.1338]	G_1_3	[1846.38-1931.08]	Tm_1_3
[203.1626-212.383]	G_2_3	[2143-2320.7]	Tm_2_3
[247.145-253.613] Standard entropy for corresponding simple oxides, cal/mol*K	G_3_3	[2930.54-3015.24] [3049.12-3083] Boiling point of simple oxides, K	Tm_3_3
[9.49-9.6307]	So_1_3	[2603-2608.1] [2767.9-2773]	Tb_1_3
[9.9121-10.0997]	So_2_3	Ionic radii, A	Tb_2_3
[11.9757-12.1633]	So_3_3	[0.39-0.4029]	Rb_1_3
[12.4447-12.6323]	So_4_3	[0.4287-0.4502]	Rb_2_3
[14.0393-14.18]	So_5_3	[0.64-0.6824] [0.8114-0.82]	Rb_3_3
			Rb_4_3

#### 2.2.2.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE

The computer learning is carried out for three learning sets in which the compounds from Table 2.2.2.1.1 were described in terms of the sets of the component properties 2.2.2.1, 2.2.2.2 and 2.2.2.3. The system of concept formation CONFOR [18-20] was used for computer learning and prediction.

The tables of predictions of the crystal structure type for the com-

II	IV	III
----	----	-----

pounds of composition A X B O (Tables 2.2.2.3.1-2.2.2.3.3) re-

2	2	7
---	---	---

sult from the comparison of the results of prediction with use of the descriptions in terms of the Features Sets 2.2.2.1, 2.2.2.2 and

4+	4+	4+
----	----	----

2.2.2.3. The melilites with X = Sn, Zr and Hf do not be predicted. The following designations are used:

M - melilite;

-- the crystal structure differing from those listed above;

\* - the compound of composition A XB O does not form.

2	2	7
---	---	---

The physical-chemical systems, which were investigated experimentally, were marked by round brackets. The empty square corresponds to the lack of coincidence of the predictions, which have been obtained using different feature sets. The designation "?" corresponds to the indeterminate result of predicting. According to our results the new melilites of the composition A<sub>2</sub>XB<sub>2</sub>O<sub>7</sub> (X = Sn, Zr, or Hf) do not form

2 2 7

at normal pressure and room temperature. The number of predicted melilites among silicates, germanates and titanates is a great one (see Tables 2.2.2.3.1-2.2.2.3.3). These compounds hold the promise for searching for new EO materials.

Table 2.2.2.3.1  
 Table of Predictions of Crystal Structure Type  
 II IV III  
 for Compounds of Composition A Si B O  
 2 2 7

A	Be	Mg	Ca	Zn	Sr	Cd	Ba	Hg	Pb	Ra
B										
Al	?	?	(M)	?	(M)	?		M	M	M
Sc	?	M	M	M	M	M		M	M	M
Ti	M	M	M	M	M	M		M	M	M
V	M	M	M	M	M	M		M	M	M
Cr	M	M	M	M	M	M		M	M	M
Mn	M	M	M	M	M	M		M	M	M
Fe	M	M	M	M	M	M		M	M	M
Co	M	M	M	M	M	M	*	M	M	M
Ga	M	M	(M)	M	M	M	(*)	M	M	M
As	M	M	M	M	M	M		M	M	M
Y	(M)	M	M	M	M	M		M	M	M
Rh	M	M	M	M	M	M		M	M	M
In	?	M	M	M	M	M		M	M	M
Sb	M	M	M	M	M	M		M	M	M
La	?	?	?	?	?	?	?	-	-	-
Ce	?	?	?	?	?	?	*	-	-	-
Pr	?	?	?	?	?	?	?	-	-	-
Nd	(M)	?	?	?	?	?	?	-	-	-

A	Be	Mg	Ca	Zn	Sr	Cd	Ba	Hg	Pb	Ra
B										
Pm	M	M	M	M	M	M		M	M	M
Sm	(M)	M	M	M	M	M		M	M	M
Eu	(M)	M	M	M	M	M		M	M	M
Gd	(M)	M	M	M	M	M		M	M	M
Tb	(M)	M	M	M	M	M		M	M	M
Dy	(M)	M	M	M	M	M		M	M	M
Ho	(M)	M	M	M	M	M		M	M	M
Er	(M)	M	M	M	M	M		M	M	M
Tm	(M)	M	M	M	M	M		M	M	M
Yb	(M)	M	M	M	M	M		M	M	M
Lu	(M)	M	M	M	M	M		M	M	M
Ac	-	-	-	-	-	-		-	-	-
Pa	-	-	-	-	-	-		-	-	-
U	-	-	-	-	-	-		-	-	-

Table 2.2.2.3.2  
 Table of Predictions of Crystal Structure Type  
 II IV III  
 for Compounds of Composition A Ge B O  
 2 2 7

	A	Be	Mg	Ca	Zn	Sr	Cd	Ba	Hg	Pb	Ra
B											
Al	?	?	(M)	?	(M)	?	(*)	M	M	M	
Sc	?	M	M	M	M	M		M	M	M	
Ti	M	M	M	M	M	M		M	M	M	
V	M	M	M	M	M	M		M	M	M	
Cr	M	M	M	M	M	M		M	M	M	
Mn	M	M	M	M	M	M		M	M	M	
Fe	M	M	*	M	(M)	M	(M)	M	M	M	
Co	M	M	M	M	M	M	*	M	M	M	
Ga	M	M	(M)	M	(M)	M	(M)	M	M	M	
As	M	M	M	M	M	M		M	M	M	
Y	(M)	M	M	M	M	M		M	M	M	
Rh	M	M	M	M	M	M		M	M	M	
In	?	M	M	M	M	M		M	M	M	
Sb	M	M	M	M	M	M		M	M	M	
La	(M)	?	?	?	(M)	?	?	-	-	-	
Ce	M	?	?	?	?	?	?	-	-	-	
Pr	(M)	?	?	?	?	?	?	-	-	-	
Nd	(M)	?	?	?	?	?	?	-	-	-	

A	Be	Mg	Ca	Zn	Sr	Cd	Ba	Hg	Pb	Ra
B										
Pm	M	M	M	M	M	M		M	M	M
Sm	(M)	M	M	M	M	M		M	M	M
Eu	(M)	M	M	M	M	M		M	M	M
Gd	(M)	M	M	M	M	M		M	M	M
Tb	(M)	M	M	M	M	M		M	M	M
Dy	(M)	M	M	M	M	M		M	M	M
Ho	(M)	M	M	M	M	M		M	M	M
Er	(M)	M	M	M	M	M		M	M	M
Tm	(M)	M	M	M	M	M		M	M	M
Yb	(M)	M	M	M	M	M		M	M	M
Lu	(M)	M	M	M	M	M		M	M	M
Tl							-			
Bi							-			
Ac	-	-	-	-	-	-	-	-	-	-
Th							-			
Pa	-	-	-	-	-	-	-	-	-	-
U	-	-	-	-	-	-	-	-	-	-
Np							-			
Pu							-			
Am							-			

Table 2.2.2.3.3  
 Table of Predictions of Crystal Structure Type  
 for Compounds of Composition A<sub>x</sub>Ti<sub>y</sub>B<sub>z</sub>O<sub>w</sub>  
 II   IV   III  
 2      2    7



### 2.3. PREDICTION OF NEW COMPOUNDS OF COMPOSITION AD (BO<sub>3</sub>)<sub>3</sub> 3 4

In last years much attention has been concentrated on the search for compounds having polyfunctional properties: high EO, piezoelectric, nonlinear optical, and other important characteristics. The purposeful search for such crystals is carried out, in particular, among borates with skeleton structures.

Compounds, LnAl (BO<sub>3</sub>)<sub>3</sub> (Ln = Y or Gd), with hantite structure (space group R32, Z=3) attract the attention of experts on the laser materials already for a long time.

These compounds have unique properties among laser crystals. For example, the quantum luminescence efficiency in self-activated crystals

with neodymium concentration 5.4\*10<sup>-3</sup> cm<sup>-3</sup> is equal to not less than 0.1 and the average attenuation factor of luminescence remains on the level of tens microseconds. Moreover crystals of these hantites are electrical and optical nonlinear that provides the operation of self-doubling of laser generation frequency [2,24,27-29].

The physical and chemical properties of borates with hantite structure are closely related with their crystal structure. For example, weak concentration quenching in NdAl (BO<sub>3</sub>)<sub>3</sub> is determined by the record

large distance (5.92 Å) between the most nearest ions Nd<sup>3+</sup> [28,29]. It is possible to recognize the layers of two kinds: L<sub>2n</sub> and L<sub>2n+1</sub> in

the hantite structure. The layers of first kind, L<sub>2n</sub>, are formed by pairs of D-octahedra connected by edges and incorporated to layer by B-triangles. The formula of layer is [D B O<sub>10</sub>] and its symmetry is

higher than symmetry of each structure and can be described by group of symmetry C<sub>2/m</sub>. The layers of second kind, L<sub>2n+1</sub>, are formed by A-trigonal prisms and D-octahedra connected by vertices to pillars located along axis "a"; the pillars are also connected by B-triangles. The formula of layer is [ADB O<sub>12</sub>], and its symmetry is C<sub>2</sub>.

If two layers join in structure, 16 atoms of oxygen collectivize and the result is the compound with formula AD B O<sub>12</sub>. In case of hantite the subsequent odd layers L<sub>2n+1</sub> are formed from initial layer by symmet-

rical duplication of even layers L by axes 2 [24].

2n

Such outline of formation of borates polytypes causes that there are some high-temperature crystal modifications for compounds, for example, with composition  $\text{LnAl}(\text{BO}_3)_3$  [24,29]. Thus the higher is crystallizing temperature, the more complicated are the polytypes. The strict ordered polytypes form at low-speed cooling and the disordered structure arises at large speed cooling on background of ordered hantite structure that results in the loss of nonlinear optical and laser properties.

Authors of papers [24,29] mentioned the importance of account of size factors for prediction of possibility of hantite structure formation for complicated borates and its stability at various conditions of crystallization. However the limits of existence of hantite structure did not be found.

### 2.3.1. DATA FOR COMPUTER LEARNING

The data for computer learning was extracted from our the cardfile on quaternary inorganic compound properties. On the base of analysis of these data it may be concluded that only compounds  $\text{AD}(\text{BO}_3)_3$  with bo-

ron can crystallize in hantite structure (exception - hantite with composition  $\text{CaMg}(\text{CO}_3)_3$ ). Therefore this structure at room state and

normal pressure was predicted only for complicated borates. The table 2.3.1.1 contains a learning set.

Table 2.3.1.1  
Learning Set for Prediction of the Crystal Structure Type  
of Compounds with Composition  $\text{AD}(\text{BO}_3)_3$

Composition	Crystal type	Space group
YAl <sub>3</sub> B <sub>4</sub> O <sub>12</sub>	hantite	
PrAl <sub>3</sub> B <sub>4</sub> O <sub>12</sub>	hantite	
NdAl <sub>3</sub> B <sub>4</sub> O <sub>12</sub>	hantite	
SmAl <sub>3</sub> B <sub>4</sub> O <sub>12</sub>	hantite	
EuAl <sub>3</sub> B <sub>4</sub> O <sub>12</sub>	hantite	
GdAl <sub>3</sub> B <sub>4</sub> O <sub>12</sub>	hantite	
TbAl <sub>3</sub> B <sub>4</sub> O <sub>12</sub>	hantite	
DyAl <sub>3</sub> B <sub>4</sub> O <sub>12</sub>	hantite	

Composition	Crystal type	Space group
HoAl <sub>3</sub> B4O <sub>12</sub>	hantite	
ErAl <sub>3</sub> B4O <sub>12</sub>	hantite	
TmAl <sub>3</sub> B4O <sub>12</sub>	hantite	
YbAl <sub>3</sub> B4O <sub>12</sub>	hantite	
LuAl <sub>3</sub> B4O <sub>12</sub>	hantite	
CeSc <sub>3</sub> B4O <sub>12</sub>	hantite	
PrSc <sub>3</sub> B4O <sub>12</sub>	hantite	
NdSc <sub>3</sub> B4O <sub>12</sub>	hantite	
SmSc <sub>3</sub> B4O <sub>12</sub>	hantite	
EuSc <sub>3</sub> B4O <sub>12</sub>	hantite	
YCr <sub>3</sub> B4O <sub>12</sub>	hantite	
NdCr <sub>3</sub> B4O <sub>12</sub>	hantite	
SmCr <sub>3</sub> B4O <sub>12</sub>	hantite	
GdCr <sub>3</sub> B4O <sub>12</sub>	hantite	
YFe <sub>3</sub> B4O <sub>12</sub> ,	hantite	
LaFe <sub>3</sub> B4O <sub>12</sub>	hantite	
CeFe <sub>3</sub> B4O <sub>12</sub>	hantite	
PrFe <sub>3</sub> B4O <sub>12</sub>	hantite	
NdFe <sub>3</sub> B4O <sub>12</sub>	hantite	
SmFe <sub>3</sub> B4O <sub>12</sub>	hantite	
EuFe <sub>3</sub> B4O <sub>12</sub>	hantite	
GdFe <sub>3</sub> B4O <sub>12</sub>	hantite	
TbFe <sub>3</sub> B4O <sub>12</sub>	hantite	
DyFe <sub>3</sub> B4O <sub>12</sub>	hantite	
HoFe <sub>3</sub> B4O <sub>12</sub>	hantite	
YGa <sub>3</sub> B4O <sub>12</sub>	hantite	
NdGa <sub>3</sub> B4O <sub>12</sub>	hantite	
SmGa <sub>3</sub> B4O <sub>12</sub>	hantite	
EuGa <sub>3</sub> B4O <sub>12</sub>	hantite	
GdGa <sub>3</sub> B4O <sub>12</sub>	hantite	
TbGa <sub>3</sub> B4O <sub>12</sub>	hantite	
DyGa <sub>3</sub> B4O <sub>12</sub>	hantite	
ScSc <sub>3</sub> B4O <sub>12</sub>	calcite	
TiTi <sub>3</sub> B4O <sub>12</sub>	calcite	
VV <sub>3</sub> B4O <sub>12</sub>	calcite	
CrCr <sub>3</sub> B4O <sub>12</sub>	calcite	
FeFe <sub>3</sub> B4O <sub>12</sub>	calcite	
GaGa <sub>3</sub> B4O <sub>12</sub>	calcite	
YY <sub>3</sub> B4O <sub>12</sub>	calcite	
RhRh <sub>3</sub> B4O <sub>12</sub>	calcite	
InIn <sub>3</sub> B4O <sub>12</sub>	calcite	
LuLu <sub>3</sub> B4O <sub>12</sub>	calcite	
T1T1 <sub>3</sub> B4O <sub>12</sub>	calcite	

Composition	Crystal type	Space group
LaLa3B4O12	aragonite	
CeCe3B4O12	aragonite	
PrPr3B4O12	aragonite	
NdNd3B4O12	aragonite	
PmPm3B4O12	aragonite	
AmAm3B4O12	aragonite	
SmSm3B4O12	vaterite	
EuEu3B4O12	vaterite	
GdGd3B4O12	vaterite	
TbTb3B4O12	vaterite	
DyDy3B4O12	vaterite	
HoHo3B4O12	vaterite	
ErEr3B4O12	vaterite	
TmTm3B4O12	vaterite	
YbYb3B4O12	vaterite	
AlAl3B4O12		P6(3)/m, Z=12
LaSc3B4O12		C2/c
YBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -YBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -NdBO <sub>3</sub>	without compound	
NdBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -SmBO <sub>3</sub>	without compound	
SmBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -EuBO <sub>3</sub>	without compound	
EuBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -GdBO <sub>3</sub>	without compound	
GdBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -DyBO <sub>3</sub>	without compound	
DyBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -HoBO <sub>3</sub>	without compound	
HoBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -ErBO <sub>3</sub>	without compound	
ErBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -TmBO <sub>3</sub>	without compound	
TmBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -YbBO <sub>3</sub>	without compound	
YbBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
LaBO <sub>3</sub> -LuBO <sub>3</sub>	without compound	
LuBO <sub>3</sub> -LaBO <sub>3</sub>	without compound	
NdBO <sub>3</sub> -SmBO <sub>3</sub>	without compound	
SmBO <sub>3</sub> -NdBO <sub>3</sub>	without compound	

### 2.3.2. SELECTION OF FEATURES

On the basis of physical-chemical grounds two sets of chemical elements features and set of simple oxides feature were selected for the description of these systems.

#### 2.3.2.1. FEATURE SET 2.3.1

The first feature set (feature set 2.3.1) includes information about the number of electrons in energy shells of isolated atoms and Shannon effective ionic radii of elements A (C.N.=6) or D (C.N.=6) in the compound of composition AD (BO<sub>3</sub>4<sub>3</sub>). The grouping of energy shell

information corresponds to the number of electrons for each shell. The quasi-continuous properties - the ionic radii - were divided using the special program of discretization [18]. Table 2.3.2.1.1 contains the gradations for Feature Set 2.3.1.

Table 2.3.2.1.1  
Gradations for Feature Set 2.3.1

Feature	Gradation	Feature	Gradation
A-element			
3p-shell		5s-shell	
p1	p3_0_1	s0	s5_0_1
p6	p3_6_1	s1	s5_1_1
3d-shell		s2	s5_2_1
d0	d3_0_1	5p-shell	
d1	d3_1_1	p0	p5_0_1
d2	d3_2_1	p1	p5_1_1
d3	d3_3_1	p3	p5_3_1
d5	d3_5_1	p6	p5_6_1
d6	d3_6_1	5d-shell	
d7	d3_7_1	d0	d5_0_1
d8	d3_8_1	d1	d5_1_1
d10	d3_10_1	d7	d5_7_1
4s-shell		d10	d5_10_1
s0	s4_0_1	5f-shell	
s1	s4_1_1	f0	f5_0_1
s2	s4_2_1	f2	f5_2_1
4p-shell		f3	f5_3_1
p0	p4_0_1	f4	f5_4_1
p1	p4_1_1	f6	f5_6_1
p3	p4_3_1	f7	f5_7_1
p6	p4_6_1	f8	f5_8_1

Feature	Gradation	Feature	Gradation
4d-shell1		f10	f5_10_1
d0	d4_0_1	6s-shell1	
d1	d4_1_1	s0	s6_0_1
d8	d4_8_1	s2	s6_2_1
d10	d4_10_1	6p-shell1	
4f-shell1		p0	p6_0_1
f0	f4_0_1	p1	p6_1_1
f2	f4_2_1	p3	p6_3_1
f3	f4_3_1	p6	p6_6_1
f4	f4_4_1	6d-shell1	
f5	f4_5_1	d0	d6_0_1
f6	f4_6_1	d1	d6_1_1
f7	f4_7_1	7s-shell1	
f8	f4_8_1	s0	s7_0_1
f10	f4_10_1	s2	s7_2_1
f11	f4_11_1	Ionic	
f12	f4_12_1	radius, A	
f13	f4_13_1	[0.27-0.54991]	Rs_1_1
f14	f4_14_1	[0.58-0.6841]	Rs_2_1
		[0.7338-0.76]	Rs_3_1
		[0.78847-0.81332]	Rs_4_1
		[0.85308-0.8829]	Rs_5_1
		(0.8829-0.88787]	Rs_6_1
		(0.88787-0.89781]	Rs_7_1
		(0.89781-0.9673899]	Rs_8_1
		(0.9673899-0.9822999]	Rs_9_1
		(0.9822999-1.00218]	Rs_10_1
		(1.00218-1.02206]	Rs_11_1
		(1.02206-1.12]	Rs_12_1
D-element			
3p-shell1		Ionic	
p1	p3_1_2	radius, A	
p6	p3_6_2	[0.27-0.54991]	Rs_1_1
3d-shell1		[0.58-0.6344]	Rs_2_1
d0	d3_0_2	(0.6344-0.64434]	Rs_3_1
d1	d3_1_2	(0.64434-0.65925]	Rs_4_1
d2	d3_2_2	(0.65925-0.6841]	Rs_5_1
d3	d3_3_2	[0.7338-0.76	Rs_6_1
d5	d3_5_2	[0.78847-0.81332]	Rs_7_1
d6	d3_6_2	[0.85308-0.8829]	Rs_8_1
d7	d3_7_2	(0.8829-0.88787]	Rs_9_1
d8	d3_8_2	(0.88787-0.92266]	Rs_10_1

Feature	Gradation	Feature	Gradation
d10	d3_10_2	(0.92266-0.93757]	Rs_11_1
4s-shell		(0.93757-0.9673899]	Rs_12_1
s0	s4_0_2	(0.9673899-0.9822999]	Rs_13_1
s1	s4_1_2	(0.9822999-0.9872699]	Rs_14_1
s2	s4_2_2	(0.9872699-1.02206]	Rs_15_1
4p-shell		(1.02206-1.12]	Rs_16_1
p0	p4_0_2		
p1	p4_1_2		
p3	p4_3_2		
p6	p4_6_2		

### 2.3.2.2. FEATURE SET 2.3.2

The second feature set (feature set 2.3.2) includes the following information: the first three ionization potentials, the electronegativities by Pauling, the entropies of the individual substances at 298 K, the isobaric thermal capacities at 298 K, the temperatures and the heats of melting and boiling, Debye (characteristic) temperatures, the energies of the crystal lattice, the ionic radii by Shannon, the ratio of the atomic number to the average atomic mass for atoms of elements A, B and X. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.3.2.2.1 contains the gradations for Feature Set 2.3.2.

Table 2.3.2.2.1  
Gradations for Feature Set 2.3.2

Feature	Gradation	Feature	Gradation
A-element			
First ionization potential, eV		Boiling point, K	
[5.2-5.450764]	I1_1_1	[885-1657.5]	Tb_1_1
(5.450764-5.525056]	I1_2_1	(1657.5-1743.5]	Tb_2_1
(5.525056-5.574584]	I1_3_1	(1743.5-1825]	Tb_3_1
(5.574584-5.624112]	I1_4_1	[1894-1980]	Tb_4_1
(5.624112-5.723168]	I1_5_1	(1980-2044.5]	Tb_5_1
(5.723168-5.846988]	I1_6_1	[2259.5-2350]	Tb_6_1
(5.846988-5.970808]	I1_7_1	[2431.5-2539]	Tb_7_1
(5.970808-5.995572]	I1_8_1	(2539-2646.5]	Tb_8_1
(5.995572-6.144156]	I1_9_1	(2646.5-2732.5]	Tb_9_1
(6.144156-6.16892]	I1_10_1	(2732.5-2754]	Tb_10_1
		(2754-2775.5]	Tb_11_1

Feature	Gradation	Feature	Gradation
(6.16892-6.193684]	I1_11_1	(2775.5-2840]	Tb_12_1
(6.193684-6.243212]	I1_12_1	(2840-2883]	Tb_13_1
(6.243212-6.317504]	I1_13_1	(2883-2947.5]	Tb_14_1
[6.515616-6.614672]	I1_14_1	(2947.5-3012]	Tb_15_1
[6.713728-6.887076]	I1_15_1	(3012-3119.5]	Tb_16_1
[7.2853-7.637]	I1_16_1	(3119.5-3205.5]	Tb_17_1
[7.828108-9.789]	I1_17_1	[3230-3442]	Tb_18_1
Second ionization potential, eV		(3442-3528] [3571-3635.5]	Tb_19_1 Tb_20_1
[10.6-10.7983]	I2_1_1	(3635.5-3678.5]	Tb_21_1
(10.7983-10.89745]	I2_2_1	(3678.5-3721.5]	Tb_22_1
(10.89745-11.09575]	I2_3_1	(3721.5-4650]	Tb_23_1
(11.09575-11.1949]	I2_4_1	Heat of melting, kJ/mol	
(11.1949-11.7898]	I2_5_1	[2.8-4.84384]	
(11.7898-12.08725]	I2_6_1	[5.2388-6.02872]	Hm_1_1
(12.08725-12.48385]	I2_7_1	[8.79344-10.57076]	Hm_2_1
[12.68215-13.07875]	I2_8_1	(10.57076-10.76824]	Hm_3_1
[13.47535-13.87195]	I2_9_1	(10.76824-11.1632]	Hm_4_1
(13.87195-14.1694]	I2_10_1	(11.1632-11.75564]	Hm_5_1
[14.3677-14.86345]	I2_11_1	[12.05-13.138]	Hm_6_1
[15.64-16.7473]	I2_12_1	[13.53296-14.32288]	Hm_7_1
[17.08-18.3337]	I2_13_1	[14.32288-14.91532]	Hm_8_1
[18.532-18.82945]	I2_14_1	[14.91532-15.31028]	Hm_9_1
(18.82945-19.1269]	I2_15_1	(15.31028-15.90272]	Hm_10_1
[20.3167-25.155]	I2_16_1	(15.90272-16.29768]	Hm_11_1
Third ionization potential, eV		(16.29768-17.68004]	Hm_12_1
[19.18-19.5376]	I3_1_1	[18.075-19.65484]	Hm_13_1
[20.0144-20.4912]	I3_2_1	[20.085-22.0246]	Hm_14_1
(20.4912-20.8488]	I3_3_1	[22.41956-52]	Hm_15_1
(20.8488-21.2064]	I3_4_1	Heat of boiling, kJ/mol	Hm_16_1
[21.4448-22.2792]	I3_5_1	[31.798-174.0386]	
(22.2792-22.6368]	I3_6_1	(174.0386-180.6053]	Hb_1_1
(22.6368-22.756]	I3_7_1	(180.6053-190.4552]	Hb_2_1
(22.756-23.5904]	I3_8_1	[203.5885-223.2884]	Hb_3_1
(23.5904-23.948]	I3_9_1	(223.2884-229.8551]	Hb_4_1
[24.4248-24.7824]	I3_10_1	(229.8551-239.705]	Hb_5_1
(24.7824-25.0208]	I3_11_1	(239.705-249.555]	Hb_6_1
(25.0208-25.56]	I3_12_1	(249.555-262.6883]	Hb_7_1
[27.2856-28.2392]	I3_13_1	[288.9548-295.5215]	Hb_8_1
(28.2392-28.716]	I3_14_1	(295.5215-328.3547]	Hb_9_1
[28.9544-30.1464]	I3_15_1	[334.9213-354.6212]	Hb_10_1
[30.3848-37.931]	I3_16_1		Hb_11_1

Feature	Gradation	Feature	Gradation
Electronegativity		(354.6212-364.4712]	Hb_12_1
[1.1-1.133]	X_1_1	[369.866-385.186]	Hb_13_1
[1.177-1.232]	X_2_1	[403.871-417.0043]	Hb_14_1
[1.276-1.331]	X_3_1	[417.0043-426.8543]	Hb_15_1
[1.485-1.529]	X_4_1	[439.9875-460.548]	Hb_16_1
[1.573-1.628]	X_5_1	[485.954-612.538]	Hb_17_1
[1.672-1.727]	X_6_1	Energy of the	
[1.771-1.9]	X_7_1	crystal lattice,	
[2.178-2.2]	X_8_1	-6	
Entropies of		E*10 J/kg*mol	
individual		[182.8-208]	E_1_1
substances at 298 K		[234.241-254.4]	E_2_1
kJ/kg*mol*K		[269.854-286]	E_3_1
[5.853-25.17534]	S_1_1	[309.424-325.252]	E_4_1
[26.19891-28.24603]	S_2_1	[333.166-348.994]	E_5_1
(28.24603-28.75781)	S_3_1	[348.994-360.865]	E_6_1
(28.75781-32.85206)	S_4_1	[360.865-368.779]	E_7_1
[35.48-38.99343]	S_5_1	[368.779-380.65]	E_8_1
[40.017-42.5759]	S_6_1	[380.65-416.263]	E_9_1
[44.62303-47.18193]	S_7_1	[424.177-440.005]	E_10_1
[48.2055-51.91632]	S_8_1	[463.747-479.575]	E_11_1
[56.394-57.41756]	S_9_1	[495.403-524]	E_12_1
(57.41756-58.9529]	S_10_1	[566.629-641.5]	E_13_1
[62.02359-64.07072]	S_11_1	Debye	
(64.07072-65.60606]	S_12_1	temperature, K	
(65.60606-69.18853]	S_13_1	[89-93.96]	Td_1_1
(69.18853-70.72387]	S_14_1	(93.96-108.84]	Td_2_1
(70.72387-71.23565]	S_15_1	(108.84-118.76]	Td_3_1
(71.23565-71.74744]	S_16_1	(118.76-128.68]	Td_4_1
(71.74744-72.771]	S_17_1	(128.68-143.56]	Td_5_1
(72.771-74.81812]	S_18_1	(143.56-158.44]	Td_6_1
Isobaric thermal		(158.44-178.28]	Td_7_1
capacity at 298 K,		[200-232.84]	Td_8_1
kJ/kg*mol*K		[291-346.92]	Td_9_1
[11.088-23.74089]	Cp_1_1	[366.76-391.56]	Td_10_1
[24.00415-24.66229]	Cp_2_1	[411.4-426.28]	Td_11_1
(24.66229-25.05718]	Cp_3_1	(426.28-450]	Td_12_1
(25.05718-25.45206]	Cp_4_1	[461-490.76]	Td_13_1
[25.71532-25.97858]	Cp_5_1	[570.12-1219]	Td_14_1
(25.97858-26.76835]	Cp_6_1	Ratio of the	
(26.76835-27.82139]	Cp_7_1	atomic number	
(27.82139-28.08464]	Cp_8_1	to the average	
(28.08464-28.21627]	Cp_9_1	atomic mass	

Feature	Gradation	Feature	Gradation
(28.21627-31.2]	Cp_10_1	[0.39-0.3927]	NM_1_1
[36.24564-36.5089]	Cp_11_1	[0.3981-0.4026]	NM_2_1
Melting point, K		[0.408-0.4125]	NM_3_1
[303-360.99]	Tm_1_1	[0.4179-0.4224]	NM_4_1
[399.65-476.97]	Tm_2_1	[0.4278-0.4323]	NM_5_1
[544.5-631.61]	Tm_3_1	[0.4377-0.4422]	NM_6_1
[902.23-979.55]	Tm_4_1	[0.4476-0.4521]	NM_7_1
[1056.87-1095.53]	Tm_5_1	[0.4575-0.462]	NM_8_1
(1095.53-1153.52]	Tm_6_1	[0.4674-0.4719]	NM_9_1
(1153.52-1250.17]	Tm_7_1	[0.4773-0.48]	NM_10_1
(1250.17-1406]	Tm_8_1	Ionic radius, A	
[1500-1733.42]	Tm_9_1	[0.27-0.54991]	Rs_1_1
(1733.42-1772.08]	Tm_10_1	[0.58-0.6841]	Rs_2_1
(1772.08-1810.74]	Tm_11_1	[0.7338-0.76]	Rs_3_1
(1810.74-1868.73]	Tm_12_1	[0.78847-0.81332]	Rs_4_1
[1907.39-1984.71]	Tm_13_1	[0.85308-0.8829]	Rs_5_1
[2139.35-2720]	Tm_14_1	(0.8829-0.88787] [0.88787-0.89781] [0.89781-0.9673899] [0.9673899-0.9822999] [0.982299901.00218] (1.0021801.02206] (1.0220601.12]	Rs_6_1 Rs_7_1 Rs_8_1 Rs_9_1 Rs_10_1 Rs_11_1 Rs_12_1
D-element			
First ionization potential, eV		Boiling point, K	
[5.2-5.450764]	I1_1_2	[885-1743.5]	Tb_1_2
(5.450764-5.500292]	I1_2_2	(1743.5-1825]	Tb_2_2
(5.500292-5.525056]	I1_3_2	[1894-2044.5]	Tb_3_2
(5.525056-5.574584]	I1_4_2	[2259.5-2350]	Tb_4_2
(5.574584-5.624112]	I1_5_2	[2431.5-2539]	Tb_5_2
(5.624112-5.723168]	I1_6_2	(2539-2732.5]	Tb_6_2
(5.723168-5.846988]	I1_7_2	(2732.5-2754]	Tb_7_2
(5.846988-5.92128]	I1_8_2	(2754-2775.5]	Tb_8_2
(5.92128-5.970808]	I1_9_2	(2775.5-2840]	Tb_9_2
(5.970808-6.020336]	I1_10_2	(2840-2883]	Tb_10_2
(6.020336-6.317504]	I1_11_2	(2883-3012]	Tb_11_2
[6.317504-6.614672]	I1_12_2	(3012-3119.5]	Tb_12_2
[6.614672-6.713728]	I1_13_2	(3119.5-3205.5]	Tb_13_2
[6.713728-6.763256]	I1_14_2	[3230-3442]	Tb_14_2
(6.763256-6.812784]	I1_15_2	(3442-3528]	Tb_15_2
(6.812784-7.5763]	I1_16_2	[3571-3635.5]	Tb_16_2
[7.36-7.53094]		(3635.5-3678.5]	Tb_17_2

Feature	Gradation	Feature	Gradation
[7.6-9.789] Second ionization potential, eV	I1_17_2	(3678.5-3721.5] (3721.5-5770] Heat of melting, kJ/mol	Tb_18_2 Tb_19_2
[10.6-10.69915] (10.69915-10.7983]	I2_1_2	[2.8-4.84384]	Hm_1_2
(10.7983-11.09575]	I2_2_2	[5.2388-6.02872]	Hm_2_2
(11.09575-11.1949]	I2_3_2	[8.79344-9.78084]	Hm_3_2
(11.1949-11.49235]	I2_4_2	[9.78084-10.37328]	Hm_4_2
(11.49235-11.69065]	I2_5_2	[10.37328-10.57076]	Hm_5_2
(11.69065-12.48385]	I2_6_2	[10.57076-10.76824]	Hm_6_2
[12.68215-13.07875]	I2_7_2	[10.76824-11.1632]	Hm_7_2
[13.47535-13.87195]	I2_8_2	[11.1632-11.75564]	Hm_8_2
(13.87195-14.1694]	I2_9_2	[12.04-13.138]	Hm_9_2
[14.31-14.86345]	I2_10_2	[13.53296-14.32288]	Hm_10_2
[15.63-16.76]	I2_11_2	[14.32288-14.91532]	Hm_11_2
[17.08-18.3337]	I2_12_2	[14.91532-15.31028]	Hm_12_2
[18.532-18.82945]	I2_13_2	[15.31028-15.90272]	Hm_13_2
(18.82945-19.43]	I2_14_2	[15.90272-16.29768]	Hm_14_2
[20.292-25.155] Third ionization potential, eV	I2_15_2	[16.29768-16.89012]	Hm_15_2
	I2_16_2	[16.89012-17.68004]	Hm_16_2
		[18.075-20.085]	Hm_17_2
[19.18-19.5376]	I3_1_2	[20.44476-21.43216]	Hm_18_2
[20.0144-20.4912]	I3_2_2	[21.43216-22.0246]	Hm_19_2
(20.4912-21.2064]	I3_3_2	[22.41956-52]	Hm_20_2
[21.4448-21.8024]	I3_4_2	Heat of boiling, kJ/mol	
(21.8024-22.0408]	I3_5_2	[31.798-174.0386]	Hb_1_2
(22.0408-22.2792]	I3_6_2	[174.0386-180.6053]	Hb_2_2
(22.2792-22.6368]	I3_7_2	[180.6053-190.4552]	Hb_3_2
(22.6368-23.948]	I3_8_2	[203.5885-223.2884]	Hb_4_2
[24.4248-24.7824]	I3_9_2	[223.2884-229.8551]	Hb_5_2
(24.7824-25.56]	I3_10_2	[229.8551-239.705]	Hb_6_2
[27.2-28.2392]	I3_11_2	[239.705-249.555]	Hb_7_2
(28.2392-28.716]	I3_12_2	[249.555-262.6883]	Hb_8_2
[28.9544-30.1464]	I3_13_2	[288.9548-295.5215]	Hb_9_2
[30.3848-37.931]	I3_14_2	[295.5215-298.8048]	Hb_10_2
Electronegativity		[298.8048-308.6548]	Hb_11_2
[1.1-1.133]	X_1_2	[308.6548-318.5047]	Hb_12_2
[1.177-1.232]	X_2_2	[318.5047-330.954]	Hb_13_2
[1.276-1.331]	X_3_2	[334.9213-354.6212]	Hb_14_2
[1.485-1.529]	X_4_2	[354.6212-364.4712]	Hb_15_2
[1.573-1.628]	X_5_2	[369-385.186]	Hb_16_2
[1.672-1.727]	X_6_2	[403.871-417.0043]	Hb_17_2
[1.771-1.9]	X_7_2		

Feature	Gradation	Feature	Gradation
[2.178-2.4] Entropies of individual substances at 298 K kJ/kg*mol*K	X_8_2	[(417.0043-426.8543] [439.9875-460.548] [485.954-744.752] Energy of the crystal lattice, -6	Hb_18_2 Hb_19_2 Hb_20_2
[5.853-25.17534]	S_1_2	E*10 J/kg*mol	
[26.19891-28.75781]	S_2_2	[25.2-208]	E_1_2
(28.75781-32.85206)	S_3_2	[234.241-254.4]	E_2_2
[33.1-38.99343]	S_4_2	[269.854-290]	E_3_2
[40.017-42.5759]	S_5_2	[309.424-325.252]	E_4_2
[44.62303-47.405]	S_6_2	[333.166-348.994]	E_5_2
[48.2055-51.91632]	S_7_2	[348.994-360.865]	E_6_2
[56.394-57.41756]	S_8_2	[360.865-380.65]	E_7_2
(57.41756-58.9529]	S_9_2	[380.65-416.263]	E_8_2
[62.02359-64.07072]	S_10_2	[424.177-440.005]	E_9_2
(64.07072-65.60606]	S_11_2	[463.747-479.575]	E_10_2
(65.60606-69.18853]	S_12_2	[495.403-524]	E_11_2
(69.18853-70.72387]	S_13_2	[566.629-775]	E_12_2
(70.72387-71.74744]	S_14_2	Debye	
(71.74744-72.771]	S_15_2	temperature, K	
(72.771-74.81812]	S_16_2	[89-93.96]	Td_1_2
Isobaric thermal capacity at 298 K, kJ/kg*mol*K		(93.96-108.84)	Td_2_2
		(108.84-118.76]	Td_3_2
[11.088-23.74089]	Cp_1_2	(118.76-128.68]	Td_4_2
[24.00415-24.66229]	Cp_2_2	(128.68-148.52]	Td_5_2
(24.66229-24.92555)	Cp_3_2	(148.52-178.28]	Td_6_2
(24.92555-25.45206)	Cp_4_2	[200-250]	Td_7_2
[25.71532-25.97858]	Cp_5_2	[275-346.92]	Td_8_2
(25.97858-26.24184]	Cp_6_2	[366.76-391.56]	Td_9_2
(26.24184-26.76835)	Cp_7_2	[411.4-426.28]	Td_10_2
(26.76835-27.29487]	Cp_8_2	[426.28-450]	Td_11_2
(27.29487-27.4265]	Cp_9_2	[461-475.88]	Td_12_2
(27.4265-27.82139]	Cp_10_2	[475.88-490.76]	Td_13_2
(27.82139-28.08464]	Cp_11_2	[570.12-1219]	Td_14_2
(28.08464-31.2]	Cp_12_2	Ratio of the	
[36.24564-36.5089]	Cp_13_2	atomic number	
Melting point, K		to the average	
[303-360.99]	Tm_1_2	atomic mass	
[399.65-476.97]	Tm_2_2	[0.39-0.3927]	NM_1_2
[544.5-631.61]	Tm_3_2	[0.3981-0.4026]	NM_2_2
[902.23-979.55]	Tm_4_2	[0.408-0.4125]	NM_3_2
[1056.87-1095.53]	Tm_5_2	[0.4179-0.4224]	NM_4_2

Feature	Gradation	Feature	Gradation
(1095.53-1153.52]	Tm_6_2	[0.4278-0.4323]	NM_5_2
(1153.52-1250.17]	Tm_7_2	[0.4377-0.4422]	NM_6_2
(1250.17-1406]	Tm_8_2	[0.4476-0.4521]	NM_7_2
[1500-1617.44]	Tm_9_2	[0.4575-0.462]	NM_8_2
(1617.44-1675.43]	Tm_10_2	[0.4674-0.4719]	NM_9_2
(1675.43-1810.74]	Tm_11_2	[0.4773-0.48]	NM_10_2
(1810.74-1868.73]	Tm_12_2	Ionic radius, A	
[1907.39-1984.71]	Tm_13_2	[0.27-0.54991]	Rs_1_2
[2139.35-2178.01]	Tm_14_2	[0.58-0.6344]	Rs_2_2
(2178.01-3287]	Tm_15_2	(0.6344-0.64434)	Rs_3_2
		(0.64434-0.65925]	Rs_4_2
		(0.65925-0.69]	Rs_5_2
		[0.72-0.76]	Rs_6_2
		[0.78847-0.81332]	Rs_7_2
		[0.85-0.8829]	Rs_8_2
		(0.8829-0.88787]	Rs_9_2
		(0.88787-0.92266]	Rs_10_2
		(0.92266-0.93757]	Rs_11_2
		(0.93757-0.9673899]	Rs_12_2
		(0.9673899-0.9822999]	Rs_13_2
		(0.9822999-0.9872699]	Rs_14_2
		(0.9872699-1.02206]	Rs_15_2
		(1.02206-1.12]	Rs_16_2

### 2.3.2.3. FEATURE SET 2.3.3

The third set of properties of simple oxides (feature set 2.3.3) includes the following information of simple oxides  $A^{2+}$  and  $O^{2-}$ : the

2 3            2 3

melting and boiling points, standard enthalpy of formation, standard isobaric thermal capacities, standard entropies, standard Gibbs energy, effective ionic radii of corresponding cations by Shannon. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.3.2.3.1 contains the gradations for Feature Set 2.3.3.

Table 2.3.2.3.1

Gradations for Feature Set 2.3.3  
(Properties of Simple Oxides)

Feature	Gradation	Feature	Gradation
	A O 2 3		
Standard enthalpy of formation for corresponding simple oxides, kcal/mol		Standard isobaric thermal capacity for simple oxides, cal/mol*K	
[85-103.525]	H_1_1	[7.83-14.084]	Cp_1_1
[138.1-207.265]	H_2_1	[17.852-20.364]	Cp_2_1
[214.675-229.495]	H_3_1	(20.364-24.132]	Cp_3_1
[251.725-304.23]	H_4_1	(24.132-26.016]	Cp_4_1
[351.76-370.285]	H_5_1	(26.016-27.272]	Cp_5_1
[387-411.04]	H_6_1	(27.272-27.9]	Cp_6_1
(411.04-429.565]	H_7_1	(27.9-29.784]	Cp_7_1
(429.565-433.27]	H_8_1	[73.744-75]	Cp_8_1
(433.27-444.385]	H_9_1	Melting point of simple oxides, K	
(444.385-451.795]	H_10_1	[583-1155.99]	Tm_1_1
(451.795-455.5]	H_11_1	[1580.57-1662.22]	Tm_2_1
Standard Gibbs energy for simple oxides, kcal/mol		[1923.5-1988.82]	Tm_3_1
[66.167-84.96365]	G_1_1	[1988.82-2037.81]	Tm_4_1
[118.867-186.4656]	G_2_1	[2070.47-2282.76]	Tm_5_1
[193.9842-205.2622]	G_3_1	[2282.76-2364.41]	Tm_6_1
[205.2622-216.5402]	G_4_1	[2429.73-2478.72]	Tm_7_1
[231.5775-285.325]	G_5_1	[2478.72-2527.71]	Tm_8_1
[333.0794-351.8761]	G_6_1	[2527.71-2560.37]	Tm_9_1
[366.9134-385.7101]	G_7_1	[2560.37-2576.7]	Tm_10_1
[400.7474-408.266]	G_8_1	[2576.7-2593.03]	Tm_11_1
[408.266-427.0627]	G_9_1	[2593.03-2658.35]	Tm_12_1
[427.0627-430.822]	G_10_1	[2658.35-2674.68]	Tm_13_1
[430.822-438.3407]	G_11_1	[2674.68-2723.67]	Tm_14_1
(438.3407-442.1]	G_12_1	[2723.67-2740]	Tm_15_1
Standard entropy for corresponding simple oxides, cal/mol*K		Boiling point of simple oxides, K	
[12.7-13.453]	So_1_1	[730.2-3047.19]	Tb_1_1
[17.971-20.983]	So_2_1	[4431.43-4510.08]	Tb_2_1
		[4541.54-4573]	Tb_3_1
		Ionic radii, A	
		[0.27-0.54991]	Rs_1_1
		[0.58-0.6841]	Rs_2_1
		[0.7338-0.76]	Rs_3_1

Feature	Gradation	Feature	Gradation
[22.991-23.493]	So_3_1	[0.78847-0.81332]	Rs_4_1
(23.493-24.246]	So_4_1	[0.85308-0.8829]	Rs_5_1
[24.748-26.505]	So_5_1	(0.8829-0.88787]	Rs_6_1
[27.89-29.015]	So_6_1	(0.88787-0.89781]	Rs_7_1
[30.019-31.023]	So_7_1	(0.89781-0.9673899]	Rs_8_1
[31.525-32.529]	So_8_1	(0.9673899-0.9822999]	Rs_9_1
[33.533-35.29]	So_9_1	(0.9822999-1.00218]	Rs_10_1
(35.29-36.043]	So_10_1	(1.00218-1.02206]	Rs_11_1
(36.043-36.796]	So_11_1	(1.02206-1.12]	Rs_12_1
(36.796-37.047]	So_12_1		
(37.047-37.298]	So_13_1		
(37.298-37.549]	So_14_1		
(37.549-58.81]	So_15_1		
	D O 2 3		
Standard enthalpy of formation for corresponding simple oxides, kcal/mol		Standard isobaric thermal capacity for simple oxides, cal/mol*K	
[85-138.1]	H_1_2	[7.83-14.084]	Cp_1_2
[157-207.265]	H_2_2	[17.852-22.876]	Cp_2_2
[214.675-229.495]	H_3_2	(22.876-24.132]	Cp_3_2
[251.725-281.365]	H_4_2	(24.132-26.016]	Cp_4_2
(281.365-304.23]	H_5_2	(26.016-27.272]	Cp_5_2
[351.76-370.285]	H_6_2	(27.272-27.9]	Cp_6_2
[387-411.04]	H_7_2	(27.9-29.784]	Cp_7_2
(411.04-429.565]	H_8_2	[73.744-75]	Cp_8_2
(429.565-433.27]	H_9_2	Melting point of simple oxides, K	
(433.27-444.385]	H_10_2	[583-1155.99]	Tm_1_2
(444.385-451.795]	H_11_2	[1580.57-1662.22]	Tm_2_2
(451.795-455.5]	H_12_2	[1923.5-1988.82]	Tm_3_2
Standard Gibbs energy for simple oxides, kcal/mol		(1988.82-2037.81]	Tm_4_2
		[2070.47-2282.76]	Tm_5_2
		(2282.76-2364.41]	Tm_6_2
		[2429.73-2478.72]	Tm_7_2
[66.167-118.867]	G_1_2	(2478.72-2560.37]	Tm_8_2
[137.7-186.4656]	G_2_2	(2560.37-2576.7]	Tm_9_2
[193.9842-205.2622]	G_3_2	(2576.7-2593.03]	Tm_10_2
(205.2622-216.5402]	G_4_2	(2593.03-2609.36]	Tm_11_2
[231.5775-261.6522]	G_5_2	(2609.36-2674.68]	Tm_12_2
(261.6522-285.325]	G_6_2	(2674.68-2723.67]	Tm_13_2

Feature	Gradation	Feature	Gradation
[333.0794-351.8761]	G_7_2	(2723.67-2740]	Tm_14_2
[366.9134-385.7101]	G_8_2	Boiling point of simple oxides, K	
[400.7474-412.0254]	G_9_2	[730.2-3047.19]	Tb_1_2
(412.0254-438.3407]	G_10_2	[4431.43-4510.08]	Tb_2_2
(438.3407-442.1]	G_11_2	[4541.54-4573]	Tb_3_2
Standard entropy for corresponding simple oxides, cal/mol*K		Ionic radii, A	
		[0.27-0.54991]	Rs_1_2
		[0.58-0.6344]	Rs_2_2
[12.7-13.453]	So_1_2	(0.6344-0.64434]	Rs_3_2
[17.971-18.724]	So_2_2	(0.64434-0.65925]	Rs_4_2
(18.724-20.983]	So_3_2	(0.65925-0.6841]	Rs_5_2
[22.991-23.493]	So_4_2	[0.7338-0.76]	Rs_6_2
(23.493-24.246]	So_5_2	[0.78847-0.81332]	Rs_7_2
[24.748-26.505]	So_6_2	[0.85308-0.8829]	Rs_8_2
[27.89-29.015]	So_7_2	[0.8829-0.88787]	Rs_9_2
[30.019-31.023]	So_8_2	[0.88787-0.92266]	Rs_10_2
[31.525-32.529]	So_9_2	[0.92266-0.93757]	Rs_11_2
[33.533-34.286]	So_10_2	[0.93757-0.9673899]	Rs_12_2
(34.286-34.788]	So_11_2	[0.9673899-0.9822999]	Rs_13_2
(34.788-35.29]	So_12_2	[0.9822999-0.9872699]	Rs_14_2
(35.29-36]	So_13_2	[0.9872699- 1.02206]	Rs_15_2
[36.043-36.796]	So_14_2	(1.02206-1.12]	Rs_16_2
(36.796-37.047]	So_15_2		
(37.047-37.298]	So_16_2		
(37.298-37.549]	So_17_2		
(37.549-58.81]	So_18_2		

### 2.3.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE

The computer learning is carried out for three learning sets in which the compounds from Table 2.3.1.1 were described in terms of the sets of the component properties 2.3.1, 2.3.2 and 2.3.3. The system of concept formation CONFOR [18-20] was used for computer learning and prediction.

The table of predictions of the crystal structure type for the compounds of composition AD (BO<sub>3</sub>)<sub>4</sub> (Table 2.3.3.1) results from the comparison of the results of prediction with use of the descriptions in terms of the Features Sets 2.3.1, 2.3.2 and 2.3.3. The following designations are used:

3 4 3

parison of the results of prediction with use of the descriptions in terms of the Features Sets 2.3.1, 2.3.2 and 2.3.3. The following de-signations are used:

H - hantite;

C - calcite (space group R3(-)c, Z=3);

A - aragonite (space group Pbnm, Z=4);

- - the crystal structure differing from those listed above;

\* - the compound of composition AD (BO<sub>3</sub>) does not form.

3 4 3

The physical-chemical systems, which were investigated experimentally, were marked by round brackets. The empty square corresponds to the lack of coincidence of the predictions, which have been obtained using different feature sets. The designation "?" corresponds to the indeterminate result of predicting. According to our results the many new compounds with Al, Sc, Y, Fe, Co, Ni, Ga, and As have the crystal structure of hantite at normal pressure and room temperature. These compounds hold the promise for searching for new EO, nonlinear optical and laser materials.

Table 2.3.3.1

Table of Predictions of Crystal Structure Type  
for Compounds of Composition AD (BO<sub>3</sub>)

3 4 3

D	Al	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Ga	As
A											
Al	(-)	H	H	H	H	H	H	H	H	H	
Sc	H	(C)				H	H	H	H	H	
Ti	H	H	(C)			H	H		H		
V	H			(C)		H	H		H		
Cr	H				(C)	H	H		H		
Mn	H	H				H	H		H		
Fe	H					(C)	H		H		
Co	H	H			H	H	H		H		
Ni	H	H			H	H	H	H		H	
Ga	H	H				H	H	H	(C)		

D	Al	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Ga	As
A											
As	H	H					H	H	H	H	
Y	(H)	H	H	H	(H)	H	(H)	H	H	(H)	H
Rh	H	H					H	H	H	H	
In	H	H					H	H	H	H	
Sb	H	H		H	H	H	H	H	H	H	
La	?	(-)	*	*	*	*	(H)	?	?	?	*
Ce	H	(H)	A	A	?	?	(H)	?	?	H	H
Pr	(H)	(H)			H	H	(H)	?	?	H	H
Nd	(H)	(H)	A	A	(H)	?	(H)	?	?	(H)	H
Pm			A	A	?	?	H	?	?	H	H
Sm	(H)	(H)	H	H	(H)	H	(H)	H	H	(H)	H
Eu	(H)	(H)					(H)	?	?	(H)	
Gd	(H)	H	H	H	(H)	H	(H)	H	H	(H)	
Tb	(H)	H			H	H	(H)	?	?	(H)	H
Dy	(H)	H			H	H	(H)	?	?	(H)	H
Ho	(H)				?	?	(H)	?	?	H	H
Er	(H)	H	H	H	H	H	H	H	H	H	
Tm	(H)					H	?	?	H	H	
Yb	(H)	H		H	H	H	H	H	H	H	
Lu	(H)		?	A	?	?	H	?	?	H	?
Ir	H	?	C	C	?	?	H	?	?	H	

D	Al	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Ga	As
A											
Tl					H	H	H	H	H	H	H
Bi			H	H	H	H	H	H	H	H	H
Ac	H	H			H	H	H	H	H	H	H
Pa	H	H	H	H	H	H	H	H	H	H	H
U	H	H			H	H	H	H	H	H	H
Np	H	H	H	H	H	H	H	H	H	H	H
Pu		H	H	H	H	H	H	H	H	H	H
Am		H	H	H	H	H	H	H	H	H	H
Cm	H	H	H	H	H	H	H	H	H	H	H
Bk	H	H	H	H	H	H	H	H	H	H	H
Cf	H	H	H	H	H	H	H	H	H	H	H

I II III

#### 2.4. PREDICTION OF NEW COMPOUNDS OF COMPOSITION A B C F

6

Complicated fluorides with composition ABCF are of great interest

6

because they offer a potential basis for many applications (i.e., laser crystals (compounds NaCaYF<sub>6</sub>, NaCaCeF<sub>6</sub>, NaCaErF<sub>6</sub>, colquirite

(LiCaAlF<sub>6</sub>)) [27,28], EO materials and materials for vacuum ultraviolet optics (limahalfite (LiMgAlF<sub>6</sub>) and colquirite (LiCaAlF<sub>6</sub>)) [2]).

I II III

Ravez mentions that compounds of composition A Mn M F can have

6

piezoelectric and nonlinear optical properties [30].

The most widespread for compounds ABCF crystal structure types are:

6

modified from pyrochlore structure (RbNiCrF<sub>6</sub>) (space group Fd3m, Z=8), Na<sub>2</sub>SiF<sub>6</sub> (space group P321, Z=3), trirutile (space group P4<sub>2</sub>/mm, Z=2), colquirite (space group P3(-)1c, Z=2), and CsAgFeF<sub>6</sub> (space group Pnma, Z=4). Only compounds with crystal structure types Na<sub>2</sub>SiF<sub>6</sub> and colquirite can have potentially EO, piezoelectric and 2<sub>6</sub> nonlinear optical properties because they have acentric space groups.

Common features of Na<sub>2</sub>SiF<sub>6</sub> and colquirite structures are quasi-hcp of 2<sub>6</sub> anions and an occupancy of half the octahedral sites by cations. Differences arise from the type of sharing between MF<sub>6</sub> octahedra: in

Na<sub>2</sub>SiF<sub>6</sub>, for instance, SiF<sub>6</sub> units share three edges with NaF<sub>6</sub> octa-

hedra, whereas in LiCaAlF<sub>6</sub> only corners are shared between LiF<sub>6</sub> and AlF<sub>6</sub> octahedra [31,32]. It is possible to consider Na<sub>2</sub>SiF<sub>6</sub> and trirutile structures as different versions of colquirite structure [32]. The authors of [32] obtained the stability fields for colqu-

rite, trirutile and Na<sub>2</sub>SiF<sub>6</sub>-structure types of compounds Li<sub>2</sub>B<sub>6</sub>C<sub>2</sub>F<sub>6</sub>.

Trirutile structure forms if ratios r<sub>II</sub>/r<sub>Li</sub>, r<sub>III</sub>/r<sub>Li</sub>, and r<sub>II</sub>/r<sub>III</sub> lie within 0.9-1.2. Na<sub>2</sub>SiF<sub>6</sub> structure forms if one or two ratios lie

within 1.2-1.4. The colquirite structure forms for large B<sub>2+</sub> cations if r<sub>II</sub>/r<sub>M</sub> or r<sub>III</sub>/r<sub>M</sub> are more than 1.4.

II    Li        II    III  
M              M    M

I    II    III

It should be pointed out that compounds A<sub>2</sub>B<sub>6</sub>C<sub>2</sub>F<sub>6</sub> are a result of

heterovalent substitution of B<sub>2+</sub>-ion in compounds A<sub>2</sub>B<sub>6</sub>F<sub>6</sub>. Previously we predicted the formation or non-formation of such compounds and

their crystal structure type at normal state [33] including  $\text{Na}_2\text{SiF}_6$  -

structure type. Solution of the problem of the computer design of multi-component compounds on the base of substitution of ions in more simple compounds allows to obtain the new substances with more interesting for practice properties than for an initial compound.

#### 2.4.1. DATA FOR COMPUTER LEARNING

The data for computer learning was extracted from our the cardfile on quaternary inorganic compound properties. On the base of analysis of these data it may be concluded that only compounds  $\text{ABCF}_6$  with  $A = \text{Li}$

and  $\text{Na}$  can crystallize in colquirite or  $\text{Na}_2\text{SiF}_6$  structures. Therefore

this structure at room state and normal pressure was predicted only for  $A = \text{Li}$ ,  $\text{Na}$  and their analogs in Periodical Table:  $\text{K}$ ,  $\text{Rb}$  and  $\text{Cs}$ . The table 2.4.1.1 contains a learning set.

Table 2.4.1.1  
Learning Set for Prediction of the Crystal Structure Type  
of Compounds with Composition  $\text{ABCF}_6$

Composition	Crystal type	Space group
$\text{LiMgAlF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiMnAlF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiMgInF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiCaInF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiMnTiF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiMnVF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiMnCrF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiMnFeF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiMnGaF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiMnRhF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiMnInF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiFeGaF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiCoInF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiNiInF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiZnInF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{LiCdInF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{NaMnAlF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{NaCaAlF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{NaMnCrF}_6$	$\text{Na}_2\text{SiF}_6$	
$\text{NaMnFeF}_6$	$\text{Na}_2\text{SiF}_6$	

Composition	Crystal type	Space group
LiMgTiF <sub>6</sub>	Trirutile	
LiMgVF <sub>6</sub>	Trirutile	
LiMgCrF <sub>6</sub>	Trirutile	
LiMgFeF <sub>6</sub>	Trirutile	
LiMgCoF <sub>6</sub>	Trirutile	
LiMgGaF <sub>6</sub>	Trirutile	
LiMgRhF <sub>6</sub>	Trirutile	
LiFeTiF <sub>6</sub>	Trirutile	
LiCoTiF <sub>6</sub>	Trirutile	
LiNiTiF <sub>6</sub>	Trirutile	
LiZnTiF <sub>6</sub>	Trirutile	
LiNiVF <sub>6</sub>	Trirutile	
LiZnVF <sub>6</sub>	Trirutile	
LiFeCrF <sub>6</sub>	Trirutile	
LiCoCrF <sub>6</sub>	Trirutile	
LiNiCrF <sub>6</sub>	Trirutile	
LiCuCrF <sub>6</sub>	Trirutile	
LiZnCrF <sub>6</sub>	Trirutile	
LiFeFeF <sub>6</sub>	Trirutile	
LiCoFeF <sub>6</sub>	Trirutile	
LiNiFeF <sub>6</sub>	Trirutile	
LiCuFeF <sub>6</sub>	Trirutile	
LiZnFeF <sub>6</sub>	Trirutile	
LiCoNiF <sub>6</sub>	Trirutile	
LiNiCoF <sub>6</sub>	Trirutile	
LiCuCoF <sub>6</sub>	Trirutile	
LiZnCoF <sub>6</sub>	Trirutile	
LiCoGaF <sub>6</sub>	Trirutile	
LiCoRhF <sub>6</sub>	Trirutile	
LiNiGaF <sub>6</sub>	Trirutile	
LiNiRhF <sub>6</sub>	Trirutile	
LiCuGaF <sub>6</sub>	Trirutile	
LiCuRhF <sub>6</sub>	Trirutile	
LiZnRhF <sub>6</sub>	Trirutile	
LiCaAlF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiSrAlF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaTiF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaVF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaCrF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaFeF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaCoF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaNiF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaGaF <sub>6</sub>	LiCaAlF <sub>6</sub>	

Composition	Crystal type	Space group
LiCaRhF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiSrTiF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdTiF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiSrVF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdVF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiPbVF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiSrCrF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdCrF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiPbCrF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdFeF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiPbFeF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdCoF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiSrNiF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiSrGaF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiPbGaF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdRhF <sub>6</sub>	LiCaAlF <sub>6</sub>	
RbMgAlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgAlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgTiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgVF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbMgCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbMgCoF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbMgNiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgNiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgCuF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgGaF <sub>6</sub>	RbNiCrF <sub>6</sub>	
KNiAlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbNiAlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsNiAlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
KNiCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsVScF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsPdScF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsAgScF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCoTiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsNiTiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCuTiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsZnTiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsVCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsVMnF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbVFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsVFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	

Composition	Crystal type	Space group
CsCoVF6	RbNiCrF6	
CsNiVF6	RbNiCrF6	
CsCuVF6	RbNiCrF6	
CsZnVF6	RbNiCrF6	
RbMnCrF6	RbNiCrF6	
CsMnCrF6	RbNiCrF6	
RbFeCrF6	RbNiCrF6	
CsFeCrF6	RbNiCrF6	
RbCoCrF6	RbNiCrF6	
CsCoCrF6	RbNiCrF6	
RbNiCrF6	RbNiCrF6	
CsNiCrF6	RbNiCrF6	
RbCuCrF6	RbNiCrF6	
CsCuCrF6	RbNiCrF6	
RbZnCrF6	RbNiCrF6	
CsZnCrF6	RbNiCrF6	
CsMnFeF6	RbNiCrF6	
RbZnMnF6	RbNiCrF6	
CsZnMnF6	RbNiCrF6	
CsMnGaF6	RbNiCrF6	
CsCoFeF6	RbNiCrF6	
RbNiFeF6	RbNiCrF6	
CsNiFeF6	RbNiCrF6	
RbCuFeF6	RbNiCrF6	
CsCuFeF6	RbNiCrF6	
CsZnFeF6	RbNiCrF6	
CsPdFeF6	RbNiCrF6	
RbNiCoF6	RbNiCrF6	
RbCoNiF6	RbNiCrF6	
CsNiCoF6	RbNiCrF6	
CsCoNiF6	RbNiCrF6	
RbCuCoF6	RbNiCrF6	
RbZnCoF6	RbNiCrF6	
CsZnNiF6	RbNiCrF6	
CsNiGaF6	RbNiCrF6	
CsNiInF6	RbNiCrF6	
CsZnCuF6	RbNiCrF6	
CsCuGaF6	RbNiCrF6	
CsCuInF6	RbNiCrF6	
CsCuTlF6	RbNiCrF6	
CsZnInF6	RbNiCrF6	
CsPdRhF6	RbNiCrF6	
CsPdInF6	RbNiCrF6	

Composition	Crystal type	Space group
CsAgInF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsAgTlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbCuAlF <sub>6</sub>	CsAgAlF <sub>6</sub>	
CsCuAlF <sub>6</sub>	CsAgAlF <sub>6</sub>	
CsZnAlF <sub>6</sub>	CsAgAlF <sub>6</sub>	
RbAgAlF <sub>6</sub>	CsAgAlF <sub>6</sub>	
CsAgAlF <sub>6</sub>	CsAgAlF <sub>6</sub>	
RbCuVF <sub>6</sub>	CsAgAlF <sub>6</sub>	
RbAgFeF <sub>6</sub>	CsAgAlF <sub>6</sub>	
CsAgFeF <sub>6</sub>	CsAgAlF <sub>6</sub>	
RbAgGaF <sub>6</sub>	CsAgAlF <sub>6</sub>	
CsAgGaF <sub>6</sub>	CsAgAlF <sub>6</sub>	
LiBaAlF <sub>6</sub>		P2(1)/c, Z=4
LiBaTiF <sub>6</sub>		P2(1)/c, Z=4
LiBaVF <sub>6</sub>		P2(1)/c, Z=4
LiBaCrF <sub>6</sub>		P2(1)/c, Z=4
LiBaFeF <sub>6</sub>		P2(1)/c, Z=4
LiBaCoF <sub>6</sub>		P2(1)/c, Z=4
LiBaGaF <sub>6</sub>		P2(1)/c, Z=4
KBeYF <sub>6</sub>		P2(1)/m, Z=2
KBeSmF <sub>6</sub>		P2(1)/m, Z=2
KBeEuF <sub>6</sub>		P2(1)/m, Z=2
KBeGdF <sub>6</sub>		P2(1)/m, Z=2
KBeTbF <sub>6</sub>		P2(1)/m, Z=2
KBeDyF <sub>6</sub>		P2(1)/m, Z=2
KBeHoF <sub>6</sub>		P2(1)/m, Z=2
KBeErF <sub>6</sub>		P2(1)/m, Z=2
KBeTmF <sub>6</sub>		P2(1)/m, Z=2
KBeYbF <sub>6</sub>		P2(1)/m, Z=2
KBeLuF <sub>6</sub>		P2(1)/m, Z=2
NaCaCeF <sub>6</sub>	UC13	P6(3)/m, Z=1
NaBaCeF <sub>6</sub>	UC13	P6(3)/m, Z=1
KCaCeF <sub>6</sub>	UC13	P6(3)/m, Z=1
KCrMnF <sub>6</sub>	bronze	P4/mbm, Z=5
KCrFeF <sub>6</sub>	bronze	P4/mbm, Z=5
KCuCrF <sub>6</sub>		P2(1)/c, Z=4
KCoFeF <sub>6</sub>	bronze	P4/mbm, Z=5
KBaCeF <sub>6</sub>	UC13	P6(3)/m, Z=1
RbMnFeF <sub>6</sub>	NH <sub>4</sub> MnFeF <sub>6</sub>	Pb2n
CsNiMnF <sub>6</sub>	CsNiMnF <sub>6</sub>	R3(-)m
KEuCeF <sub>6</sub>		P3(-), Z=1

LiF-BeF<sub>2</sub>-CeF<sub>3</sub>

without compound ABCF<sub>6</sub>

Composition	Crystal type	Space group
KF-BeF <sub>2</sub> -LaF <sub>3</sub>	without compound	ABCF <sub>6</sub>
NaF-PbF <sub>2</sub> -BiF <sub>3</sub>	without compound	ABCF <sub>6</sub>
KF-CuF <sub>2</sub> -YbF <sub>3</sub>	without compound	ABCF <sub>6</sub>
KF-CuF <sub>2</sub> -LuF <sub>3</sub>	without compound	ABCF <sub>6</sub>
KF-CuF <sub>2</sub> -BiF <sub>3</sub>	without compound	ABCF <sub>6</sub>

#### 2.4.2. SELECTION OF FEATURES

On the basis of physical-chemical grounds two sets of chemical elements features and set of simple fluorides feature were selected for the description of these systems.

##### 2.4.2.1. FEATURE SET 2.4.1

The first feature set (feature set 2.4.1) includes information about the number of electrons in energy shells of isolated atoms and Shannon effective ionic radii of elements A (C.N.=6), B (C.N.=6) or C (C.N.=6) in the compound of composition ABCF. The grouping of energy

<sup>6</sup>

shell information corresponds to the number of electrons for each shell. The quasi-continuous properties - the ionic radii - were divided using the special program of discretization [18]. Table 2.4.2.1.1 contains the gradations for Feature Set 2.4.1.

Table 2.4.2.1.1  
Gradations for Feature Set 2.4.1

Feature	Gradation	Feature	Gradation
A-element			
2s-shell		4d-shell	
s1	s2_1_1	d0	d4_0_1
s2	s2_2_1	d10	d4_10_1
2p-shell		5s-shell	
p0	p2_0_1	s0	s5_0_1
p6	p2_6_1	s1	s5_1_1
3s-shell		s2	s5_2_1
s0	s3_0_1	5p-shell	
s1	s3_1_1	p0	p5_0_1
s2	s3_2_1	p6	p5_6_1
3p-shell		6s-shell	
p0	p3_0_1	s0	s6_0_1

Feature	Gradation	Feature	Gradation
p6	p3_6_1	s1	s6_1_1
3d-shell		Ionic	
d0	d3_0_1	radius, A	
d10	d3_10_1	[0.76-0.7873]	R1_1
4s-shell		[1.0057-1.0421]	R2_1
s0	s4_0_1	[1.3697-1.4061]	R3_1
s1	s4_1_1	[1.4971-1.5426]	R4_1
s2	s4_2_1	[1.6518-1.671]	R5_1
4p-shell			
p0	p4_0_1		
p6	p4_6_1		
B-element			
3s-shell		5s-shell	
s2	s3_2_2	s0	s5_0_2
3p-shell		s1	s5_1_2
p0	p3_0_2	s2	s5_2_2
p6	p3_6_2	5p-shell	
3d-shell		p0	p5_0_2
d0	d3_0_2	p6	p5_6_2
d2	d3_2_2	5d-shell	
d3	d3_3_2	d0	d5_0_2
d5	d3_5_2	d10	d5_10_2
d6	d3_6_2	6s-shell	
d7	d3_7_2	s0	s6_0_2
d8	d3_8_2	s2	s6_2_2
d10	d3_10_2	6p-shell	
4s-shell		p0	p6_0_2
s0	s4_0_2	p2	p6_2_2
s1	s4_1_2	Ionic	
s2	s4_2_2	radius, A	
4p-shell		[0.45-0.477]	R1_2
p0	p4_0_2	[0.675-0.765]	R2_2
p6	p4_6_2	(0.765-0.783]	R3_2
4d-shell		(0.783-0.792]	R4_2
d0	d4_0_2	(0.792-0.819]	R5_2
d10	d4_10_2	(0.819-0.855]	R6_2
4f-shell		(0.855-0.882]	R7_2
f0	f4_0_2	[0.918-0.945]	R8_2
f14	f4_14_2	(0.945-0.972]	R9_2
		[0.99-1.026]	R10_2
		[1.152-1.179]	R11_2
		(1.179-1.188]	R12_2

Feature	Gradation	Feature	Gradation
		(1.188-1.215] [1.323-1.35]	R13_2 R14_2
C-element			
3p-shell		5p-shell	
p1	p3_1_3	p0	p5_0_3
p6	p3_6_3	p1	p5_1_3
3d-shell		p6	p5_6_3
d0	d3_0_3	5d-shell	
d1	d3_1_3	d0	d5_0_3
d2	d3_2_3	d10	d5_10_3
d3	d3_3_3	6s-shell	
d5	d3_5_3	s0	s6_0_3
d6	d3_6_3	s2	s6_2_3
d7	d3_7_3	6p-shell	
d8	d3_8_3	p0	p6_0_3
d10	d3_10_3	p1	p6_1_3
4s-shell		Ionic	
s0	s4_0_3	radius, A	
s1	s4_1_3	[0.27-0.53997]	R1_3
s2	s4_2_3	[0.53997-0.55488]	R2_3
4p-shell		[0.58-0.60955]	R3_3
p0	p4_0_3	(0.60955-0.61452)	R4_3
p1	p4_1_3	(0.61452-0.61949)	R5_3
p3	p4_3_3	(0.61949-0.64434)	R6_3
p6	p4_6_3	(0.64434-0.65925)	R7_3
4d-shell		(0.65925-0.66919)	R8_3
d0	d4_0_3	(0.66919-0.6841)	R9_3
d1	d4_1_3	[0.69-0.75865]	R10_3
d8	d4_8_3	[0.76-0.81332]	R11_3
d10	d4_10_3	[0.85-0.87793]	R12_3
4f-shell		(0.87793-0.8829)	R13_3
f0	f4_0_3	(0.8829-0.88787)	R14_3
f14	f4_14_3	(0.88787-0.97236)	R15_3
5s-shell		[0.975-1.02206]	R16_3
s0	s5_0_3	(1.02206-1.12)	R17_3
s1	s5_1_3		
s2	s5_2_3		

#### 2.4.2.2. FEATURE SET 2.4.2

The second feature set (feature set 2.4.2) includes the following in-

formation: the first three ionization potentials, the electronegativities by Pauling, the entropies of the individual substances at 298 K, the isobaric thermal capacities at 298 K, the temperatures and the heats of melting and boiling, Debye temperatures, the energies of the crystal lattice; the ionic radii by Shannon, the ratio of the atomic number to the average atomic mass for atoms of elements A, B and C. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.4.2.2.1 contains the gradations for Feature Set 2.4.2.

Table 2.4.2.2.1

Gradations for Feature Set 2.4.2

Feature	Gradation	Feature	Gradation
A-element			
First ionization potential, eV		Boiling point, K	
[3.89391-3.938847]	I1_1_1	[945-978.4]	Tb_1_1
[4.148551-4.208467]	I1_2_1	[1018.48-1051.88]	Tb_2_1
[4.29834-4.373235]	I1_3_1	[1145.4-1178.8]	Tb_3_1
[5.12218-5.182096]	I1_4_1	[1592.96-1613]	Tb_4_1
[5.361842-5.3918]	I1_5_1	Heat of melting, kJ/mol	
Second ionization potential, eV		[2.096-2.24816]	Hm_1_1
[23.1575-24.732]	I2_1_1	[2.29888-2.40032]	Hm_2_1
[25.78167-28.40585]	I2_2_1	[2.55248-2.65392]	Hm_3_1
[30.50519-33.12936]	I2_3_1	[4.58128-4.632]	Hm_4_1
[45.7254-48.34958]	I2_4_1	Heat of boiling, kJ/mol	
[74.59133-75.641]	I2_5_1	[76.442-78.2909]	Hb_1_1
Third ionization potential, eV		[79.5235-81.9887]	Hb_2_1
[33.4-36.0715]	I3_1_1	[86.91911-90.0006]	Hb_3_1
[37.8525-41.4145]	I3_2_1	[106.0244-108.4896]	Hb_4_1
[43.1955-47.648]	I3_3_1	[136.8394-138.072]	Hb_5_1
[69.02-73.4725]	I3_4_1	Energy of the crystal lattice,	
[119.7785-122.45]	I3_5_1	-6 E*10 J/kg*mol	
Electronegativity			
[0.7-0.709]	X_1_1	[79-81.286]	E_1_1
[0.793-0.808]	X_2_1	[84.334-88.144]	E_2_1
[0.892-0.907]	X_3_1	(88.144-91.954)	E_3_1
[0.991-1]	X_4_1	[107.194-111.004]	E_4_1
Entropies of individual substances at 298 K		[153.676-155.2]	E_5_1
kJ/kg*mol*K		Debye temperature, K	
[29.121-30.80421]	S_1_1	[39.2-62.356]	Td_1_1
		[82.204-98.744]	Td_2_1

Feature	Gradation	Feature	Gradation
[49.88059-52.68594]	S_2_1	[151.672-168.212]	Td_3_1
[63.90734-66.15162]	S_3_1	[360.076-370]	Td_4_1
[75.12874-77.93409]	S_4_1	Ratio of the atomic number	
[83.54478-85.228]	S_5_1	to the average atomic mass	
Isobaric thermal capacity at 298 K, kJ/kg*mol*K		[0.41-0.4124]	NM_1_1
[24.853-25.07266]	Cp_1_1	[0.4284-0.4316]	NM_2_1
[28.00146-28.36756]	Cp_2_1	[0.478-0.482]	NM_3_1
[29.39264-29.68552]	Cp_3_1	[0.4884-0.49]	NM_4_1
[30.85704-31.22314]	Cp_4_1	Ionic radius, A	
[31.95534-32.175]	Cp_5_1	[0.76-0.7873]	Rs_1_1
Melting point, K		[1.0057-1.0421]	Rs_2_1
[301.67-306.2309]	Tm_1_1	[1.3697-1.4061]	Rs_3_1
[309.2715-316.873]	Tm_2_1	[1.4971-1.5426]	Rs_4_1
[335.1166-341.1978]	Tm_3_1	[1.6518-1.67]	Rs_5_1
[368.5632-374.6444]	Tm_4_1		
[450.6594-453.7]	Tm_5_1		
B-element			
First ionization potential, eV		Boiling point, K	
[5.21166-5.337139]	I1_1_2	[630-1118.86]	Tb_1_2
[5.588098-5.671751]	I1_2_2	(1118.86-1250.878)	Tb_2_2
(5.671751-5.79723)	I1_3_2	[1303.685-1435.703]	Tb_3_2
[6.048188-6.215494]	I1_4_2	[1593-1699.738]	Tb_4_2
[6.254-6.759237]	I1_5_2	(1699.738-1752.545)	Tb_5_2
(6.759237-6.884716)	I1_6_2	[1752.545-1831.755]	Tb_6_2
[7.30298-7.428459]	I1_7_2	[1990.176-2095.79]	Tb_7_2
(7.428459-7.553938)	I1_8_2	(2095.79-2201.404)	Tb_8_2
(7.553938-7.595765)	I1_9_2	[2307.018-2412.632]	Tb_9_2
(7.595765-7.846724)	I1_10_2	(2412.632-2491.843)	Tb_10_2
(7.846724-8.014029)	I1_11_2	[2491.843-2703.071]	Tb_11_2
[8.264987-8.432293]	I1_12_2	(2703.071-2808.685)	Tb_12_2
[8.93421-9.101516]	I1_13_2	(2808.685-2887.895)	Tb_13_2
[9.268821-9.352474]	I1_14_2	[2887.895-2940.702]	Tb_14_2
(9.352474-10.4376)	I1_15_2	(2940.702-3019.913)	Tb_15_2
Second ionization potential, eV		(3019.913-3072.719)	Tb_16_2
[10.004-10.34858]	I2_1_2	(3072.719-3151.93)	Tb_17_2
[10.80802-11.1526]	I2_2_2	(3151.93-3204.737)	Tb_18_2
(11.1526-11.49718)	I2_3_2	(3204.737-3283.948)	Hm_1_2
[11.7269-12.18634]	I2_4_2	[3283.948-3600-4100]	Hm_2_2

Feature	Gradation	Feature	Gradation
[13.57-14.94298]	I2_5_2	(6.600626-7.147672]	Hm_3_2
(14.94298-15.28756]	I2_6_2	(7.147672-7.694717]	Hm_4_2
[15.51728-15.97672]	I2_7_2	[8.059415-8.424112]	Hm_5_2
(15.97672-16.43616]	I2_8_2	(8.424112-8.971158]	Hm_6_2
(16.43616-16.78074]	I2_9_2	[9.21096-10.97699]	Hm_7_2
(16.78074-17.01046]	I2_10_2	(10.97699-11.70639]	Hm_8_2
(17.01046-17.35504]	I2_11_2	(11.70639-12.43578]	Hm_9_2
[17.81448-18.50364]	I2_12_2	(12.43578-12.80048]	Hm_10_2
[18.56-19.7671]	I2_13_2	(12.80048-13.34752]	Hm_11_2
[19.99682-20.57112]	I2_14_2	(13.34752-14.25927]	Hm_12_2
[21.26028-21.49]	I2_15_2	[15.061-16.6298]	Hm_13_2
Third ionization potential, eV		(16.6298-17.17684]	Hm_14_2
		(17.17684-17.90624]	Hm_15_2
[24.9-28.77]	I3_1_2	[19.665-21.37086]	Hm_16_2
(28.77-30.06]	I3_2_2	[22.46495-31.81968]	Hm_17_2
(30.06-31.35]	I3_3_2	Heat of boiling,	
(31.35-32.64]	I3_4_2	kJ/mol	
(32.64-33.93]	I3_5_2	[59.229-109.9344]	Hb_1_2
(33.93-35.22]	I3_6_2	(109.9344-123.7416]	Hb_2_2
(35.22-41.67]	I3_7_2	[137.5488-151.356]	Hb_3_2
(41.67-45.54]	I3_8_2	(151.356-161.7114]	Hb_4_2
[48.12-54.57]	I3_9_2	(161.7114-175.5186]	Hb_5_2
[77.79-82.95]	I3_10_2	(175.5186-182.4222]	Hb_6_2
[150.03-153.9]	I3_11_2	(182.4222-192.7776]	Hb_7_2
Electronegativity		[220.392-234.1992]	Hb_8_2
[0.9-0.939]	X_1_2	[241.1028-258.3618]	Hb_9_2
[0.965-1.03]	X_2_2	[292.8798-310.1388]	Hb_10_2
[1.082-1.134]	X_3_2	(310.1388-323.946]	Hb_11_2
[1.186-1.238]	X_4_2	[330.8496-348.1086]	Hb_12_2
[1.472-1.537]	X_5_2	(348.1086-351.5604]	Hb_13_2
[1.563-1.628]	X_6_2	(351.5604-361.9158]	Hb_14_2
[1.68-1.732]	X_7_2	(361.9158-372.2712]	Hb_15_2
[1.784-1.836]	X_8_2	(372.2712-382.6266]	Hb_16_2
[1.862-1.927]	X_9_2	[410.44-510.448]	Hb_17_2
[2.161-2.2]	X_10_2	Energy of the crystal lattice,	
Entropies of individual substances at 298 K		-6 E*10 J/kg*mol	
kJ/kg*mol*K		[116-127.61]	E_1_2
[9.498-11.34833]	S_1_2	(127.61-158.57]	E_2_2
[22.4503-24.9174]	S_2_2	(158.57-174.05]	E_3_2
[26.15095-28.61806]	S_3_2	(174.05-185.66]	E_4_2
(28.61806-29.85161]	S_4_2	(185.66-205.01]	E_5_2

Feature	Gradation	Feature	Gradation
(29.85161-31.70193]	S_5_2	[274.67-286.28]	E_6_2
(31.70193-32.31871]	S_6_2	(286.28-297.89]	E_7_2
(32.31871-34.78582]	S_7_2	[313.37-332.72]	E_8_2
[36.01937-39.10325]	S_8_2	(332.72-340.46]	E_9_2
[40.3368-42.18713]	S_9_2	(340.46-352.07]	E_10_2
(42.18713-44.03746]	S_10_2	[359.81-375.29]	E_11_2
[50.20522-53.2891]	S_11_2	[383.03-398.51]	E_12_2
[54.52265-57.60653]	S_12_2	(398.51-413.99]	E_13_2
[61.30718-63.77429]	S_13_2	[421.73-429.47]	E_14_2
[66.24139-69.32527]	S_14_2	(429.47-441.08]	E_15_2
(69.32527-79.898]	S_15_2	[470-510]	E_16_2
Isobaric thermal capacity at 298 K, kJ/kg*mol*K		Debye temperature, K [75-126.95]	Td_1_2
[16.443-16.79196]	Cp_1_2	(126.95-158.9]	Td_2_2
[23.07324-23.65484]	Cp_2_2	(158.9-222.8]	Td_3_2
[24.12012-24.70172]	Cp_3_2	(222.8-254.75]	Td_4_2
(24.70172-24.81804]	Cp_4_2	(254.75-297.35]	Td_5_2
(24.81804-24.93436]	Cp_5_2	(297.35-371.9]	Td_6_2
(24.93436-25.28332]	Cp_6_2	(371.9-403.85]	Td_7_2
(25.28332-25.39964]	Cp_7_2	(403.85-435.8]	Td_8_2
(25.39964-25.7486]	Cp_8_2	(435.8-446.45]	Td_9_2
(25.7486-25.86492]	Cp_9_2	(446.45-457.1]	Td_10_2
(25.86492-25.98124]	Cp_10_2	[465-489.05]	Td_11_2
(25.98124-26.21388]	Cp_11_2	[574.25-616.85]	Td_12_2
(26.21388-26.3302]	Cp_12_2	[1128.05-1160]	Td_13_2
(26.3302-26.67916]	Cp_13_2	Ratio of the atomic number	
(26.67916-26.79548]	Cp_14_2	to the average atomic mass	
(26.79548-27.14444]	Cp_15_2		
[27.84236-28.075]	Cp_16_2		
Melting point, K		[0.4-0.403]	NM_1_2
[234-641.88]	Tm_1_2	[0.407-0.412]	NM_2_2
[673.8-737.64]	Tm_2_2	[0.428-0.432]	NM_3_2
[897.24-961.08]	Tm_3_2	[0.438-0.442]	NM_4_2
(961.08-1040.88]	Tm_4_2	[0.448-0.452]	NM_5_2
(1040.88-1088.76]	Tm_5_2	[0.458-0.462]	NM_6_2
(1088.76-1104.72]	Tm_6_2	[0.468-0.472]	NM_7_2
(1104.72-1152.6]	Tm_7_2	[0.478-0.482]	NM_8_2
[1210.4-1280.28]	Tm_8_2	[0.488-0.492]	NM_9_2
[1312.2-1392]	Tm_9_2	[0.498-0.5]	NM_10_2
[1519.68-1599.48]	Tm_10_2	Ionic radius, A	
[1695.24-1759.08]	Tm_11_2	[0.45-0.477]	Rs_1_2
(1759.08-1822.92]	Tm_12_2	[0.675-0.765]	Rs_2_2

Feature	Gradation	Feature	Gradation
(1822.92-1941]	Tm_13_2	(0.765-0.783]	Rs_3_2
[2045-2174.04]	Tm_14_2	(0.783-0.792]	Rs_4_2
(2174.04-2190]	Tm_15_2	(0.792-0.819]	Rs_5_2
		(0.819-0.855]	Rs_6_2
		(0.855-0.882]	Rs_7_2
		[0.918-0.945]	Rs_8_2
		(0.945-0.972]	Rs_9_2
		[0.99-1.026]	Rs_10_2
		[1.152-1.179]	Rs_11_2
		(1.179-1.188]	Rs_12_2
		(1.188-1.215]	Rs_13_2
		[1.323-1.35]	Rs_14_2
C-element			
First ionization potential, eV		Boiling point, K	
[5.2-5.500292]	I1_1_3	[885-1657.5]	Tb_1_3
(5.500292-5.574584]	I1_2_3	(1657.5-1743.5]	Tb_2_3
(5.574584-5.624112]	I1_3_3	(1743.5-1808]	Tb_3_3
(5.624112-5.723168]	I1_4_3	(1808-1872.5]	Tb_4_3
(5.723168-5.846988]	I1_5_3	[1906-2044.5]	Tb_5_3
(5.846988-5.970808]	I1_6_3	[2259.5-2345.5]	Tb_6_3
(5.970808-6.020336]	I1_7_3	(2345.5-2410]	Tb_7_3
(6.020336-6.094628]	I1_8_3	[2432-2539]	Tb_8_3
(6.094628-6.144156]	I1_9_3	(2539-2775.5]	Tb_9_3
(6.144156-6.243212]	I1_10_3	(2775.5-2797]	Tb_10_3
(6.243212-6.317504]	I1_11_3	(2797-2861.5]	Tb_11_3
[6.515616-6.614672]	I1_12_3	(2861.5-3012]	Tb_12_3
[6.713728-6.763256]	I1_13_3	(3012-3119.5]	Tb_13_3
(6.763256-6.812784]	I1_14_3	(3119.5-3227]	Tb_14_3
(6.812784-6.887076]	I1_15_3	(3227-3384]	Tb_15_3
[7.0923-7.357592]	I1_16_3	[3472-3635.5]	Tb_16_3
[7.365-7.456648]	I1_17_3	(3635.5-3678.5]	Tb_17_3
(7.456648-7.53094]	I1_18_3	Heat of melting,	
[7.5762-7.704288]	I1_19_3	kJ/mol	
(7.704288-7.77858]	I1_20_3	[2.8-3.85644]	Hm_1_3
[7.828108-7.877636]	I1_21_3	(3.85644-4.84384]	Hm_2_3
(7.877636-9.789]	I1_22_3	[5.2388-6.02872]	Hm_3_3
Second ionization potential, eV		[8.79344-9.78084]	Hm_4_3
[10.6-11.09145]	I2_1_3	[10.04831-10.57076]	Hm_5_3
(11.09145-11.1886]	I2_2_3	(10.57076-11.1632]	Hm_6_3
(11.1886-12.1601]	I2_3_3	(11.1632-11.75564]	Hm_7_3
		(11.75564-12.54556]	Hm_8_3

Feature	Gradation	Feature	Gradation
(12.1601-12.45155]	I2_4_3	(12.54556-13.53296]	Hm_9_3
[12.64585-13.03445]	I2_5_3	(13.53296-14.4]	Hm_10_3
[13.42305-14.1031]	I2_6_3	[14.6537-15.31028]	Hm_11_3
[14.31-14.8803]	I2_7_3	(15.31028-15.90272]	Hm_12_3
[15.4632-15.8518]	I2_8_3	(15.90272-16.29768]	Hm_13_3
[16.0461-16.629]	I2_9_3	(16.29768-16.89012]	Hm_14_3
[16.629-16.92045]	I2_10_3	(16.89012-17.48256]	Hm_15_3
(16.92045-17.30905]	I2_11_3	(17.48256-18.075]	Hm_16_3
[17.89195-18.08625]	I2_12_3	(18.075-18.86492]	Hm_17_3
(18.08625-18.3777]	I2_13_3	(18.86492-19.65484]	Hm_18_3
[18.572-18.86345]	I2_14_3	[20.084-21.43216]	Hm_19_3
(18.86345-19.1549]	I2_15_3	(21.43216-22.0246]	Hm_20_3
[19.42-20.41785]	I2_16_3	[22.41956-52]	Hm_21_3
(20.41785-25.155]	I2_17_3	Heat of boiling, kJ/mol	
Third ionization potential, eV		[31.798-180.6053]	Hb_1_3
[19.18-19.7098]	I3_1_3	(180.6053-190.4552]	Hb_2_3
(19.7098-20.4162]	I3_2_3	[203.5885-223.2884]	Hb_3_3
(20.4162-20.946]	I3_3_3	(223.2884-236.4217]	Hb_4_3
(20.946-21.4758]	I3_4_3	(236.4217-249.555]	Hb_5_3
(21.4758-24.1248]	I3_5_3	(249.555-262.6883]	Hb_6_3
[24.478-24.8312]	I3_6_3	[288.9548-295.5215]	Hb_7_3
(24.8312-25.0078]	I3_7_3	(295.5215-298.8048]	Hb_8_3
(25.0078-25.5376]	I3_8_3	(298.8048-308.6548]	Hb_9_3
(25.5376-26.0674]	I3_9_3	(308.6548-318.5047]	Hb_10_3
[27-27.8334]	I3_10_3	(318.5047-330.954]	Hb_11_3
(27.8334-28.3632]	I3_11_3	[334.9213-357.9046]	Hb_12_3
(28.3632-29.776]	I3_12_3	[364.4712-374.3212]	Hb_13_3
(29.776-30.3058]	I3_13_3	(374.3212-385.186]	Hb_14_3
(30.3058-30.659]	I3_14_3	[403.871-417.0043]	Hb_15_3
(30.659-30.8356]	I3_15_3	(417.0043-426.8543]	Hb_16_3
(30.8356-31.0122]	I3_16_3	[439.9875-453.1208]	Hb_17_3
(31.0122-31.542]	I3_17_3	[460.547-744.752]	Hb_18_3
[32.8-34.191]	I3_18_3	Energy of the crystal lattice,	
[34.7-35.7804]	I3_19_3		
[36.4868-37.931]	I3_20_3	-6 E*10 J/kg*mol	
Electronegativity			
[1.1-1.133]	X_1_3	[182.8-194.671]	E_1_3
[1.177-1.232]	X_2_3	[202.585-218.413]	E_2_3
[1.276-1.331]	X_3_3	[234.241-254.4]	E_3_3
[1.485-1.529]	X_4_3	[269.854-297.553]	E_4_3
[1.573-1.628]	X_5_3	[305.467-325.252]	E_5_3
[1.672-1.727]	X_6_3	[333.166-341.08]	E_6_3

Feature	Gradation	Feature	Gradation
[1.771-1.826]	X_7_3	(341.08-352.951]	E_7_3
[1.87-1.925]	X_8_3	(352.951-368.779]	E_8_3
[2.167-2.4]	X_9_3	(368.779-380.65]	E_9_3
Entropies of individual substances at 298 K		(380.65-400.435] (400.435-428.134] (428.134-440.005] [463.747-479.575]	E_10_3 E_11_3 E_12_3 E_13_3
[5.853-25.17534]	S_1_3	[495.403-524]	E_14_3
[26.19891-28.24603]	S_2_3	[566.629-775]	E_15_3
(28.24603-29.78137]	S_3_3	Debye	
(29.78137-30.29316]	S_4_3	temperature, K	
(30.29316-31.31672]	S_5_3	[89-93.96]	Td_1_3
(31.31672-31.8285]	S_6_3	(93.96-108.84]	Td_2_3
(31.8285-32.85206]	S_7_3	(108.84-113.8]	Td_3_3
(32.85206-34.38741]	S_8_3	(113.8-118.76]	Td_4_3
[35.47-38.99343]	S_9_3	(118.76-128.68]	Td_5_3
[40.017-42.5759]	S_10_3	(128.68-143.56]	Td_6_3
[44.62303-47.405]	S_11_3	(143.56-163.4]	Td_7_3
[48.2055-50.25262]	S_12_3	(163.4-178.28]	Td_8_3
[50.3671-57.41756]	S_13_3	[199-232.84]	Td_9_3
(57.41756-58.9529]	S_14_3	[244-341.96]	Td_10_3
[62.02359-64.07072]	S_15_3	(341.96-356.84]	Td_11_3
(64.07072-65.60606]	S_16_3	[366.76-391.56]	Td_12_3
(65.60606-69.18853]	S_17_3	[411.4-441.16]	Td_13_3
(69.18853-70.72387]	S_18_3	(441.16-461]	Td_14_3
(70.72387-74.81812]	S_19_3	(461-475.88] (475.88-490.76] [570.12-1219]	Td_15_3 Td_16_3 Td_17_3
Isobaric thermal capacity at 298 K, kJ/kg*mol*K		Ratio of the atomic number to the average atomic mass	
[11.088-21.25769]	Cp_1_3		
[23.14443-23.77335]	Cp_2_3		
[24.057-24.40227]	Cp_3_3		
(24.40227-24.71672]	Cp_4_3	[0.39-0.4024]	NM_1_3
(24.71672-24.87395]	Cp_5_3	[0.4088-0.412]	NM_2_3
(24.87395-25.50287]	Cp_6_3	[0.42-0.432]	NM_3_3
[25.81733-26.13179]	Cp_7_3	[0.4384-0.4416]	NM_4_3
(26.13179-26.28901]	Cp_8_3	[0.448-0.452]	NM_5_3
(26.28901-26.60347]	Cp_9_3	[0.4584-0.4624]	NM_6_3
(26.60347-26.7607]	Cp_10_3	[0.4688-0.472]	NM_7_3
(26.7607-26.91793]	Cp_11_3	[0.4784-0.48]	NM_8_3
(26.91793-27.23239]	Cp_12_3	Ionic radius, A	
(27.23239-27.70407]	Cp_13_3	[0.27-0.53997]	Rs_1_3
(27.70407-28.01853]	Cp_14_3	(0.53997-0.55488]	Rs_2_3

Feature	Gradation	Feature	Gradation
(28.01853-28.64745]	Cp_15_3	[0.57-0.60955]	Rs_3_3
[29.45-36.5089]	Cp_16_3	(0.60955-0.61452]	Rs_4_3
Melting point, K		(0.61452-0.61949]	Rs_5_3
[303-360.99]	Tm_1_3	(0.61949-0.64434]	Rs_6_3
[399.65-476.97]	Tm_2_3	(0.64434-0.65925]	Rs_7_3
[515.63-573.62]	Tm_3_3	(0.65925-0.66919]	Rs_8_3
(573.62-631.61]	Tm_4_3	(0.66919-0.6841]	Rs_9_3
[902.23-979.55]	Tm_5_3	[0.69-0.75865]	Rs_10_3
[1056.87-1095.53]	Tm_6_3	[0.76-0.81332]	Rs_11_3
(1095.53-1153.52]	Tm_7_3	[0.84-0.87793]	Rs_12_3
(1153.52-1250.17]	Tm_8_3	(0.87793-0.8829]	Rs_13_3
[1288.83-1346.82]	Tm_9_3	(0.8829-0.88787]	Rs_14_3
(1346.82-1406]	Tm_10_3	(0.88787-0.975]	Rs_15_3
[1499-1578.78]	Tm_11_3	[0.982-1.02206]	Rs_16_3
(1578.78-1714.09]	Tm_12_3	(1.02206-1.12]	Rs_17_3
(1714.09-1733.42]	Tm_13_3		
(1733.42-1752.75]	Tm_14_3		
(1752.75-1772.08]	Tm_15_3		
(1772.08-1810.74]	Tm_16_3		
(1810.74-1868.73]	Tm_17_3		
[1907.39-1984.71]	Tm_18_3		
[2139.35-2178.01]	Tm_19_3		
(2178.01-2216.67]	Tm_20_3		
(2216.67-3287]	Tm_21_3		

#### 2.4.2.3. FEATURE SET 2.4.3

The third set of properties of simple fluorides (feature set 2.4.3) includes the following information of simple fluorides AF, BF and

CF :

the melting point, standard enthalpy of formation, standard iso-

3

baric thermal capacities, standard entropies, effective ionic radii of corresponding cations by Shannon. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.4.2.3.1 contains the gradations for Feature Set 2.4.3.

Table 2.4.2.3.1

Gradations for Feature Set 2.4.3  
(Properties of Simple Fluorides)

Feature	Gradation	Feature	Gradation
	AF		
Standard enthalpy of formation for corresponding simple fluorides, kcal/mol		Standard isobaric thermal capacity for simple fluorides, cal/mol*K	
[78-80.0673]	H_1_1	[9.99-10.0833]	Cp_1_1
[131.0607-134.5062]	H_2_1	[11.1407-11.2651]	Cp_2_1
(134.5062-136.5735]	H_3_1	[11.6383-11.7938]	Cp_3_1
(136.5735-138.6408]	H_4_1	[12.0426-12.167]	Cp_4_1
[145.5318-146.91]	H_5_1	(12.167-12.2914]	Cp_5_1
Standard entropy for corresponding simple fluorides, cal/mol*K		Melting point of simple fluorides, K	
[8.523-8.95341]	So_1_1	[600-620.04]	Tm_1_1
[11.82281-12.54016]	So_2_1	[967.4-994.12]	Tm_2_1
[15.6965-16.27038]	So_3_1	[1034.2-1067.6]	Tm_3_1
[18.27896-18.99631]	So_4_1	[1107.68-1127.72]	Tm_4_1
[21.86571-22.58306]	So_5_1	[1127.72-1147.76]	Tm_5_1
(22.58306-22.87]	So_6_1	[1254.64-1268]	Tm_6_1
		Ionic radii, A	
		[0.76-0.7873]	Rs_1_1
		[1.0057-1.0421]	Rs_2_1
		[1.3697-1.4061]	Rs_3_1
		[1.4789-1.5153]	Rs_4_1
		(1.5153-1.5426]	Rs_5_1
		[1.6518-1.67]	Rs_6_1
	BF		
Standard enthalpy of formation for corresponding simple fluorides, kcal/mol		Standard isobaric thermal capacity for simple fluorides, cal/mol*K	
[82-95]	H_1_2	[12.39-12.5493]	Cp_1_2
[108.549-116.785]	H_2_2	[14.1423-14.3547]	Cp_2_2
[125.021-140]	H_3_2	[14.5671-14.8326]	Cp_3_2
[153.847-157.965]	H_4_2	[15.1512-15.4167]	Cp_4_2
(157.965-160.024]	H_5_2	[15.6291-15.8415]	Cp_5_2
(160.024-172.378]	H_6_2	[15.9477-16.1601]	Cp_6_2
		(16.1601-16.2663]	Cp_7_2

Feature	Gradation	Feature	Gradation
[180.614-184.732]	H_7_2	(16.2663-16.5849]	Cp_8_2
(184.732-190.909]	H_8_2	(16.5849-16.7973]	Cp_9_2
[195.027-201.204]	H_9_2	(16.7973-16.9566]	Cp_10_2
(201.204-207.381]	H_10_2	(16.9566-17.1159]	Cp_11_2
[240.325-250.62]	H_11_2	[17.5407-17.7]	Cp_12_2
[262.974-273.269]	H_12_2	Melting point of	
[281.505-289.741]	H_13_2	simple fluorides, K	
(289.741-291.8]	H_14_2	[385-991.63]	Tm_1_2
Standard entropy		[1034.89-1063.73]	Tm_2_2
for corresponding		(1063.73-1085.36]	Tm_3_2
simple fluorides,		(1085.36-1114.2]	Tm_4_2
cal/mol*K		(1114.2-1143.04]	Tm_5_2
[12.75-13.1775]	So_1_2	(1143.04-1164.67]	Tm_6_2
[13.4625-14.0325]	So_2_2	(1164.67-1186.3]	Tm_7_2
[16.0275-16.74]	So_3_2	[1215.14-1250]	Tm_8_2
[17.31-18.0225]	So_4_2	[1330.5-1366.55]	Tm_9_2
[18.8775-19.4475]	So_5_2	(1366.55-1417.02]	Tm_10_2
(19.4475-19.59]	So_6_2	(1417.02-1445.86]	Tm_11_2
(19.59-19.875]	So_7_2	[1517.96-1554.01]	Tm_12_2
(19.875-20.3025]	So_8_2	[1582.85-1597.27]	Tm_13_2
(20.3025-21.1575]	So_9_2	(1597.27-1618.9]	Tm_14_2
[22.0125-22.44]	So_10_2	[1662.16-1683.79]	Tm_15_2
(22.44-22.8675]	So_11_2	(1683.79-1691]	Tm_16_2
(22.8675-24]	So_12_2	Ionic radii, A	
[26.5-27]	So_13_2	[0.45-0.477]	Rs_1_2
		[0.675-0.765]	Rs_2_2
		(0.765-0.783]	Rs_3_2
		(0.783-0.792]	Rs_4_2
		(0.792-0.819]	Rs_5_2
		(0.819-0.855]	Rs_6_2
		(0.855-0.882]	Rs_7_2
		[0.918-0.945]	Rs_8_2
		(0.945-0.972]	Rs_9_2
		[0.99-1.026]	Rs_10_2
		[1.17-1.188]	Rs_11_2
		(1.188-1.215]	Rs_12_2
		[1.323-1.355]	Rs_13_2

Feature	Gradation	Feature	Gradation
	CF 3		
Standard enthalpy of formation for corresponding simple fluorides, kcal/mol		Standard isobaric thermal capacity for simple fluorides, cal/mol*K	
[103.1-194.128]	H_1_3	[8.22-8.622001]	Cp_1_3
[213.256-222.82]	H_2_3	[17.734-18.27]	Cp_2_3
[228.7-244.339]	H_3_3	[18.538-19.208]	Cp_3_3
(244.339-253.903]	H_4_3	[21.352-30.25]	Cp_4_3
(253.903-261.076]	H_5_3	Melting point of simple fluorides, K	
[265.858-282.595]	H_6_3	[267-853.06]	Tm_1_3
[339.979-349.543]	H_7_3	[973.3-1023.4]	Tm_2_3
[354.325-366.28]	H_8_3	[1203.76-1253.86]	Tm_3_3
[374.3-392.581]	H_9_3	[1273.9-1374.1]	Tm_4_3
(392.581-394.972]	H_10_3	[1394.14-1434.22]	Tm_5_3
(394.972-406.927]	H_11_3	(1434.22-1444.24]	Tm_6_3
(406.927-411.709]	H_12_3	(1444.24-1454.26]	Tm_7_3
(411.709-414.1]	H_13_3	(1454.26-1484.32]	Tm_8_3
Standard entropy for corresponding simple fluorides, cal/mol*K		(1484.32-1504.36]	Tm_9_3
[15.89-17.1629]	So_1_3	(1504.36-1534.42]	Tm_10_3
(17.1629-18.8601]	So_2_3	(1534.42-1574.5]	Tm_11_3
[20.5573-22.2545]	So_3_3	(1574.5-1604.56]	Tm_12_3
(22.2545-23.9517]	So_4_3		
(23.9517-24.8003]	So_5_3	[1650-1704.76]	Tm_13_3
(24.8003-25.6489]	So_6_3	(1704.76-1734.82]	Tm_14_3
(25.6489-26.4975]	So_7_3	[1750-1794.94]	Tm_15_3
(26.4975-27.3461]	So_8_3	(1794.94-1825]	Tm_16_3
(27.3461-27.7704]	So_9_3	Ionic radii, A	
(27.7704-28.1947]	So_10_3	[0.27-0.54991]	Rs_1_3
(28.1947-29.8919]	So_11_3	[0.58-0.61452]	Rs_2_3
[30.14-33.7106]	So_12_3	(0.61452-0.61949]	Rs_3_3
(33.7106-43.3]	So_13_3	(0.61949-0.6344]	Rs_4_3
[57.0471-60.7]	So_14_3	(0.6344-0.65925]	Rs_5_3
		(0.65925-0.66919]	Rs_6_3
		(0.66919-0.6841]	Rs_7_3
		[0.72-0.76]	Rs_8_3
		[0.78847-0.81332]	Rs_9_3
		[0.85-0.87793]	Rs_10_3
		(0.87793-0.8829]	Rs_11_3
		(0.8829-0.88787]	Rs_12_3
		(0.88787-0.975]	Rs_13_3
		[0.983-1.02206]	Rs_14_3

Feature	Gradation	Feature	Gradation
		(1.02206-1.12)	Rs_15_3

It should be noted that great number of gradations for features is connected with closeness of crystal structures of colquirite, trirutile and Na SiF .

2 6

#### 2.4.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE

The computer learning is carried out for three learning sets in which the compounds from Table 2.4.1.1 were described in terms of the sets of the component properties 2.4.1, 2.4.2 and 2.4.3. The system of concept formation CONFOR [18-20] was used for computer learning and prediction.

The tables of predictions of the crystal structure type for the compounds of composition ABCF (Tables 2.4.3.1 - 2.4.3.5) result from

6

the comparison of the results of prediction with use of the descriptions in terms of the Features Sets 2.4.1, 2.4.2 and 2.4.3. The following designations are used:

L - colquirite (LiCaAlF );

6

N - Na SiF ;

2 6

T - trirutile;

R - RbNiCrF ;

6

C - CsAgFeF ;

6

-- the crystal structure differing from those listed above; +

\* - the compound of composition ABCF does not form.

6

The physical-chemical systems, which were investigated experimentally, were marked by round brackets. The empty square corresponds to the lack of coincidence of the predictions, which have been obtained using different feature sets. The designation "?" corresponds to the indeterminate result of predicting. According to our results the new compounds of the composition LiCaCF (C = Sc, Mn, Cu, As, Y, or Tl),

6

LiVGaF , LiSrCF (C = Sc, Mn, Fe, Co, Cu, As, Y, Rh, or Tl), LiCdCF

6 6

6

(C = Al, Sc, Mn, Ni, Cu, Ga, As, Y, or Tl), LiHgCF (C = V, Mn, Ni,  
Cu, or Ga), LiPbCF (C = Mn, Ni, or Cu) have the colquirite crystal  
structure of at normal pressure and room temperature. We predicted  
new compounds of the composition LiMnCF (C = Mn, As, Y, or Tl),  
LiBInF (B = Ti, V, Cr, Fe, Cu, Pd, Ag, Hg, or Pb), NaMgCF (C = Al,  
Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Ga, As, Y, Rh, In, or Tl), NaCaCF  
(C = Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Ga, As, Y, Rh, In, or Tl),  
NaTiCF (C = Al, Sc, V, Mn, Ga, As, Y, Rh, In, or Tl), NaVCF (C = Al,  
Sc, Ti, Mn, Ga, As, Y, Rh, In, or Tl), NaCrCF (C = Al, Sc, Ti, V,  
Mn, Ga, As, Y, Rh, or In), NaMnCF (C = Sc, Ti, V, Ga, As, Y, Rh, In,  
or Tl), NaFeCF (C = Al, Sc, Ti, V, Mn, Ga, As, Y, Rh, In, or Tl),  
NaBCF (B = Co or Ni; C = Al, Sc, Ti, Ga, As, Y, Rh, In, or Tl),  
NaCuCF (C = Al, Sc, Ti, V, Mn, Co, Ni, Ga, As, Y, Rh, or In),  
NaZnCF (C = Al, Sc, Ti, Co, Ga, As, Y, Rh, In, or Tl), NaSrCF (C =  
Sc, Ti, V, Mn, Co, Ni, Cu, Ga, As, Y, Rh, In, or Tl), NaPdCF (C =  
Al, Sc, Ti, V, Mn, Ga, As, Y, Rh, In, or Tl), NaAgCF (C = Al, Sc,  
Ti, V, Mn, Co, Ni, Cu, Ga, As, Y, Rh, In, or Tl), NaCdCF (C = Sc,  
Ti, V, Mn, Co, Ni, Cu, Ga, As, Y, Rh, In, or Tl), NaBaCF (C = Sc,  
Mn, Co, Ni, Cu, As, Y, Rh, In, or Tl), NaBCF (B = Hg or Pb; C = Al,  
Sc, Ti, V, Mn, Co, Ni, Cu, Ga, As, Y, Rh, In, or Tl), KTiVF<sub>6</sub>, KCrVF<sub>6</sub>,  
KMnCF (C = Al, Ti, V, Ga, As, Y, Rh, In, or Tl) with Na SiF<sub>2</sub> crystal  
structure at normal pressure and room temperature. These compounds  
hold the promise for searching for new EO, piezoelectric and non-linear  
materials. Compounds with Rb and Cs do not have crystal structures of colquirite and Na SiF<sub>2</sub> at normal pressure and room temperatu-  
re.

Table 2.4.3.1

Table of Predictions of Crystal Structure Type  
for Compounds of Composition LiBCF

6

B	Mg	Ca	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Sr	Pd	Ag	Cd	Ba	Hg	Pb
C																		
A1	(N)	(L)		N		(N)			?			(L)			L	(-)		
Sc	T	L	T	T	T	N	T	T	T	T	T	L	T	T	L	-		
Ti	(T)	(L)		T	T	(N)	(T)	(T)	(T)	T	(T)	(L)	T	T	(L)	(-)		
V	(T)	(L)				(N)		T	(T)	T	(T)	(L)			(L)	(-)	L	(L)
Cr	(T)	(L)	T	T		(N)	(T)	(T)	(T)	(T)	(T)	(L)	T	T	(L)	(-)		(L)
Mn	T	L	T	?	T		T	T	T	?	?	L	T	T	L	-	L	L
Fe	(T)	(L)	T	T	(T)	(N)	(T)	(T)	(T)	(T)	(T)	L	T	T	(L)	(-)		(L)
Co	(T)	(L)						T	(T)	(T)	L	T	T	(L)	(-)			
Ni	T	(L)		?						T	(L)	T	T	L	-	L	L	
Cu	T	L		?						T	L	T	T	L	-	L	L	
Ga	(T)	(L)	L		(N)	(N)	(T)	(T)	(T)		(L)			L	(-)	L	(L)	
As	T	L	T	T	T	N	T	T	T	T	T	L	T	T	L	-		
Y	T	L	T	T	T	N	T	T	T	T	T	L	T	T	L	-		
Rh	(T)	(L)	T	T	T	(N)	T	(T)	(T)	(T)	(T)	L	T	T	(L)	-		
In	(N)	(N)	N	N	N	(N)	N	(N)	(N)	N	(N)	?	N	N	(N)	?	N	N
Tl	T	L	T	T		N	T	T	T		T	L	T	T	L	-		

Table of Predictions of Crystal Structure Type  
for Compounds of Composition  $\text{NaBCF}$

6

Table 2.4.3.3

## Table of Predictions of Crystal Structure Type for Compounds of Composition KBCF

6

Table 2.4.3.4

Table of Predictions of Crystal Structure Type  
for Compounds of Composition RbBCF

6

B	Mg	Ca	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Sr	Pd	Ag	Cd	Ba	Hg	Pt
C																		
A1	(R)	C	C	C	C	?	C	C	(R)	(C)	C	C	C	(C)	C	C	C	C
Sc	R	C	C	C	C	?	C	R	R	R	R	C	C	C	C	C	C	C
Ti	R	C		C	C	?	C	R	R		R	C	C	C	C	C	C	C
V	R	C	?	?	?	?	(R)	?	?	(C)	?	C	C	C	C	C	C	C
Cr	(R)	?	?	?	(R)	(R)	(R)	(R)	(R)	(R)	C	?	C	C	C	C	C	C
Mn	R	C	?	?	(R)	?	C	?	?	(R)	C	C	C	C	C	C	C	C
Fe	R	?	?	(R)	(R)	(-)	?	R	(R)	(R)	R	C	?	(C)	C	C	C	C
Co	(R)	C				?			(R)	(R)	(R)	C		C	C	C	C	C
Ni	(R)	C	?	?	?	?				C	?	C		C	C	C	C	C
Cu	R	C	?	?	?	?			?	?		?	C		C	C	C	C
Ga	R	C	C	C	C	?	C	R	R		R	C	C	(C)	C	C	C	C
As	R	C	C	C	C	?	C	R	R		R	C	C	C	C	C	C	C
Y	R	C	C	C	C	?	C	R	R		R	C	C	C	C	C	C	C
Rh	R	C	C	C	C	?	C	R	R		R	C	C	C	C	C	C	C
In	R	C	C	C	C	?	C	R	R	R	R	C	C	C	C	C	C	C
Tl	R	C	C	C	C	?	C	R	R		R	C	C	C	C	C	C	C

Table 2.4.3.5

Table of Predictions of Crystal Structure Type  
for Compounds of Composition CsBCF

6

	B	Mg	Ca	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Sr	Pd	Ag	Cd	Ba	Hg	Pb
C																			
A1	(R)	R	R	R	R	R	R	R	?	(R)	C	(C)	R	R	(C)	R	R	R	R
Sc	R	R	R	(R)	R	R	R	R	R	R	R	(R)	(R)	(R)	R	R	R	R	
Ti	(R)	R		R	R	R	R	(R)	(R)	(R)	(R)	R	R		R	R	R	R	
V	(R)	R	R		(R)	R	R	R	R	R	R	R							
Cr	(R)	R	R	(R)		(R)	(R)	(R)	(R)	(R)	(R)	R	R	R	R	R	R	R	
Mn	R	R	?	(R)	(R)	?	R	?	(-)	R	(R)	R	R	R	R	R	R	R	
Fe	(R)	R	R	(R)	(R)		(R)	(R)	(R)	(R)	(R)	R	(R)	(C)	R	R	R	R	
Co	R	R							(R)	R	R	R			R	R	R	R	
Ni	(R)	R	?		?	?				R	(R)	R			R	R	R	R	
Cu	(R)	R	?		?	?				(R)	R				R	R	R	R	
Ga	(R)	R	R	R	R	(R)	R	R	(R)	(R)	R	R	R	(C)	R	R	R	R	
As	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	
Y	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	
Rh	R	R	R	R	R	R	R	R	R	R	R	R	(R)		R	R	R	R	
In	R	R	R	R	R	R	R	R	(R)	(R)	R	(R)	(R)	R	R	R	R	R	
Tl	R	R	R	R	R	R	R	R	R	(R)	R	R	R	(R)	R	R	R	R	

I II III

2.5. PREDICTION OF NEW COMPOUNDS OF COMPOSITION A B C F  
2 7

Complicated fluorides with composition A BCF<sub>2</sub> are of great interest  
because the experts suppose that they can have EO, nonlinear optical  
and piezoelectric properties [2,30]. For example, compounds Na BCF<sub>2</sub>  
have a transition ferroelectric->paraelectric above 700 K [30]. In  
addition, these crystals are piezoelectric and generate second harmonics  
at room temperature [30].

I II III

The most widespread for compounds A B C F crystal structure types  
2 7  
are: orthorhombic weberite (Na MgAlF<sub>2</sub>, space group Imm2, Z=4), dis-  
torted trigonal weberite (Na MnFeF<sub>2</sub>, space group P3 21, Z=6) and flu-  
orite (space group Fm3m, Z=1).

In the structure of orthorhombic weberite the framework of octahedra  
II III II -  
contains B and C ions in different positions. The (B F<sub>6</sub>) octahedra share trans corners to form chains along [100], which are  
linked together by isolated (C F<sub>2</sub> F<sub>4</sub>) octahedra possessing two terminal anions in a trans position. The 3D framework results from the  
intersection of layers which lie parallel to the (011) and (011) planes of the lattice. The same layers occur in the trigonal weberites also [30,34].

The trigonal weberite structure is obviously favored by larger B ions. The main difference between the trigonal and orthorhombic types is that neighboring layers, which extend parallel to the trigonal plane, are rotated by 60° relative to each other. The (C F<sub>2</sub> F<sub>4</sub>) octahedron, which makes the interlayer connection, consequently has its terminal ligands in a cis position instead of a trans one [30].

The both types of weberites are of immediate interest for search for

new EO, nonlinear optical, lazer and piezoelectric materials [2,30]. But closeness of their crystal structures poses great difficulties for prediction of new compounds.

#### 2.5.1. DATA FOR COMPUTER LEARNING

The data for computer learning was extracted from our the cardfile on quaternary inorganic compound properties. On the base of analysis of these data it may be concluded that only compounds A BCF with A = Na

2 7

and Ag can crystallize in weberite structure and Ag BCF can crystal-

2 7

lize in Na MnFeF . Therefore these structures at room state and nor-

2 7

mal pressure was predicted only for A = Na and Ag. The table 2.5.1.1 contains a learning set.

Table 2.5.1.1  
Learning Set for Prediction of the Crystal Structure Type  
of Compounds with Composition A BCF

2 7

Composition	Crystal type
Na <sub>2</sub> MgAlF <sub>7</sub>	weberite
Na <sub>2</sub> MgScF <sub>7</sub>	weberite
Na <sub>2</sub> MgVF <sub>7</sub>	weberite
Na <sub>2</sub> MgCrF <sub>7</sub>	weberite
Na <sub>2</sub> MgFeF <sub>7</sub>	weberite
Na <sub>2</sub> MgGaF <sub>7</sub>	weberite
Na <sub>2</sub> MgInF <sub>7</sub>	weberite
Na <sub>2</sub> MgT <sub>1</sub> F <sub>7</sub>	weberite
Na <sub>2</sub> CoAlF <sub>7</sub>	weberite
Na <sub>2</sub> NiAlF <sub>7</sub>	weberite
Na <sub>2</sub> ZnAlF <sub>7</sub>	weberite
Na <sub>2</sub> CoScF <sub>7</sub>	weberite
Na <sub>2</sub> NiScF <sub>7</sub>	weberite
Na <sub>2</sub> CuScF <sub>7</sub>	weberite
Na <sub>2</sub> CoCrF <sub>7</sub>	weberite
Na <sub>2</sub> NiCrF <sub>7</sub>	weberite
Na <sub>2</sub> CuCrF <sub>7</sub>	weberite
Na <sub>2</sub> ZnCrF <sub>7</sub>	weberite
Na <sub>2</sub> MnT <sub>1</sub> F <sub>7</sub>	weberite
Na <sub>2</sub> CoFeF <sub>7</sub>	weberite
Na <sub>2</sub> NiFeF <sub>7</sub>	weberite
Na <sub>2</sub> CuFeF <sub>7</sub>	weberite

Composition	Crystal type
Na <sub>2</sub> ZnFeF <sub>7</sub>	weberite
Na <sub>2</sub> CoNiF <sub>7</sub>	weberite
Na <sub>2</sub> CoGaF <sub>7</sub>	weberite
Na <sub>2</sub> CoInF <sub>7</sub>	weberite
Na <sub>2</sub> NiGaF <sub>7</sub>	weberite
Na <sub>2</sub> NiInF <sub>7</sub>	weberite
Na <sub>2</sub> CuGaF <sub>7</sub>	weberite
Na <sub>2</sub> CuInF <sub>7</sub>	weberite
Na <sub>2</sub> ZnGaF <sub>7</sub>	weberite
Na <sub>2</sub> ZnInF <sub>7</sub>	weberite
Na <sub>2</sub> ZnT <sub>1</sub> F <sub>7</sub>	weberite
Ag <sub>2</sub> MgScF <sub>7</sub>	weberite
Ag <sub>2</sub> MgCrF <sub>7</sub>	weberite
Ag <sub>2</sub> MgFeF <sub>7</sub>	weberite
Ag <sub>2</sub> MgT <sub>1</sub> F <sub>7</sub>	weberite
Ag <sub>2</sub> MnAlF <sub>7</sub>	weberite
Ag <sub>2</sub> NiAlF <sub>7</sub>	weberite
Ag <sub>2</sub> CoCrF <sub>7</sub>	weberite
Ag <sub>2</sub> NiCrF <sub>7</sub>	weberite
Ag <sub>2</sub> CuCrF <sub>7</sub>	weberite
Ag <sub>2</sub> ZnCrF <sub>7</sub>	weberite
Ag <sub>2</sub> MnFeF <sub>7</sub>	weberite
Ag <sub>2</sub> FeMnF <sub>7</sub>	weberite
Ag <sub>2</sub> CuMnF <sub>7</sub>	weberite
Ag <sub>2</sub> ZnMnF <sub>7</sub>	weberite
Ag <sub>2</sub> CoFeF <sub>7</sub>	weberite
Ag <sub>2</sub> NiFeF <sub>7</sub>	weberite
Ag <sub>2</sub> CuFeF <sub>7</sub>	weberite
Ag <sub>2</sub> ZnFeF <sub>7</sub>	weberite
Ag <sub>2</sub> CoInF <sub>7</sub>	weberite
Ag <sub>2</sub> NiInF <sub>7</sub>	weberite
Ag <sub>2</sub> CuGaF <sub>7</sub>	weberite
Ag <sub>2</sub> CuInF <sub>7</sub>	weberite
Na <sub>2</sub> MnAlF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> TiMnF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> MnTiF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> MnVF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> VMnF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> FeVF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> VFeF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> CrMnF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> MnCrF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> MnFeF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>

Composition	Crystal type
Na <sub>2</sub> FeMnF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> MnGaF <sub>7</sub>	Na <sub>2</sub> MnFeF <sub>7</sub>
Na <sub>2</sub> CaTmF <sub>7</sub>	Fluorite
Na <sub>2</sub> CaYbF <sub>7</sub>	Fluorite
Na <sub>2</sub> CaLuF <sub>7</sub>	Fluorite
Na <sub>2</sub> CdTmF <sub>7</sub>	Fluorite
Na <sub>2</sub> CdYbF <sub>7</sub>	Fluorite
Na <sub>2</sub> CdLuF <sub>7</sub>	Fluorite
Ag <sub>2</sub> CaErF <sub>7</sub>	Fluorite
Ag <sub>2</sub> CaTmF <sub>7</sub>	Fluorite
Ag <sub>2</sub> CaYbF <sub>7</sub>	Fluorite
Ag <sub>2</sub> CaLuF <sub>7</sub>	Fluorite
Ag <sub>2</sub> CdErF <sub>7</sub>	Fluorite
Ag <sub>2</sub> CdTmF <sub>7</sub>	Fluorite
Ag <sub>2</sub> CdYbF <sub>7</sub>	Fluorite
Ag <sub>2</sub> CdLuF <sub>7</sub>	Fluorite
NaF-BaF <sub>2</sub> -AlF <sub>3</sub>	without compound A <sub>2</sub> BCF <sub>7</sub>
NaF-PbF <sub>2</sub> -BiF <sub>3</sub>	without compound A <sub>2</sub> BCF <sub>7</sub>
KF-BeF <sub>2</sub> -LaF <sub>3</sub>	without compound A <sub>2</sub> BCF <sub>7</sub>
KF-CuF <sub>2</sub> -YbF <sub>3</sub>	without compound A <sub>2</sub> BCF <sub>7</sub>
KF-CuF <sub>2</sub> -LuF <sub>3</sub>	without compound A <sub>2</sub> BCF <sub>7</sub>
KF-CuF <sub>2</sub> -BiF <sub>3</sub>	without compound A <sub>2</sub> BCF <sub>7</sub>

### 2.5.2. SELECTION OF FEATURES

On the basis of physical-chemical grounds two sets of chemical elements features and set of simple fluorides feature were selected for the description of these systems.

#### 2.5.2.1. FEATURE SET 2.5.1

The first feature set (feature set 2.5.1) includes information about the number of electrons in energy shells of isolated atoms and sum of Shannon effective ionic radii of element A with (C.N.=7) and with (C.N.=8), Shannon effective ionic radii of elements B (C.N.=6) and C (C.N.=6) in the compound of composition A BCF. The grouping of energy shell information corresponds to the number of electrons for each shell. The quasi-continuous properties - the ionic radii and sum of the ionic radii - were divided using the special program of discretization [18]. Table 2.5.2.1.1 contains the gradation for Feature Set

2.5.1.

Table 2.5.2.1.1  
Gradations for Feature Set 2.5.1

Feature	Gradation	Feature	Gradation
A-element			
3s-shell		4d-shell	
s1	s3_1_1	d0	d4_0_1
s2	s3_2_1	d10	d4_10_1
3p-shell		5s-shell	
p0	p3_0_1	s0	s5_0_1
p6	p3_6_1	s1	s5_1_1
3d-shell		Sum of Ionic radii, A	
d0	d3_0_1	[2.24-2.258]	
d10	d3_10_1	[2.354-2.384]	
4s-shell		[2.828-3.08]	
s0	s4_0_1	R1_1	
s2	s4_2_1	R2_1	
4p-shell		R3_1	
p0	p4_0_1		
p6	p4_6_1		
B-element			
3s-shell		5s-shell	
s2	s3_2_2	s0	s5_0_2
3p-shell		s2	s5_2_2
p0	p3_0_2	5p-shell	
p6	p3_6_2	p0	p5_0_2
3d-shell		p6	p5_6_2
d0	d3_0_2	5d-shell	
d2	d3_2_2	d0	d5_0_2
d3	d3_3_2	d10	d5_10_2
d5	d3_5_2	6s-shell	
d6	d3_6_2	s0	s6_0_2
d7	d3_7_2	s2	s6_2_2
d8	d3_8_2	6p-shell	
d10	d3_10_2	p0	p6_0_2
4s-shell		p2	p6_2_2
s0	s4_0_2	Ionic	
s1	s4_1_2	radius, A	
s2	s4_2_2	[0.45-0.477]	R1_2
4p-shell		[0.675-0.729]	R2_2
p0	p4_0_2	(0.729-0.738]	R3_2
p6	p4_6_2	(0.738-0.765]	R4_2

Feature	Gradation	Feature	Gradation
4d-shell		(0.765-0.783]	R5_2
d0	d4_0_2	(0.783-0.819]	R6_2
d10	d4_10_2	(0.819-0.855]	R7_2
4f-shell		(0.855-0.882]	R8_2
f0	f4_0_2	[0.936-0.972]	R9_2
f14	f4_14_2	[0.99-1.026]	R10_2
		[1.17-1.215]	R11_2
		[1.323-1.35]	R12_2
C-element			
3p-shell		5p-shell	
p1	p3_1_3	p0	p5_0_3
p6	p3_6_3	p1	p5_1_3
3d-shell		p6	p5_6_3
d0	d3_0_3	5d-shell	
d1	d3_1_3	d0	d5_0_3
d2	d3_2_3	d10	d5_10_3
d3	d3_3_3	6s-shell	
d5	d3_5_3	s0	s6_0_3
d6	d3_6_3	s2	s6_2_3
d7	d3_7_3	6p-shell	
d8	d3_8_3	p0	p6_0_3
d10	d3_10_3	p1	p6_1_3
4s-shell		Ionic	
s0	s4_0_3	radius, A	
s1	s4_1_3	[0.27-0.54991]	R1_3
s2	s4_2_3	(0.54991-0.61452]	R2_3
4p-shell		(0.61452-0.6344]	R3_3
p0	p4_0_3	(0.6344-0.64434]	R4_3
p1	p4_1_3	(0.64434-0.65925]	R5_3
p6	p4_6_3	(0.65925-0.6841]	R6_3
4d-shell		(0.6841-0.75865]	R7_3
d0	d4_0_3	(0.75865-0.81332]	R8_3
d1	d4_1_3	(0.81332-0.87793]	R9_3
d8	d4_8_3	(0.87793-0.8829]	R10_3
d10	d4_10_3	(0.8829-0.88787]	R11_3
4f-shell		(0.88787-0.9027799]	R12_3
f0	f4_0_3	(0.9027799-1.12]	R13_3
f14	f4_14_3		
5s-shell			
s0	s5_0_3		
s1	s5_1_3		
s2	s5_2_3		

### 2.5.2.2. FEATURE SET 2.5.2

The second feature set (feature set 2.5.2) includes the following information: the first three ionization potentials, the electronegativities by Pauling, the entropies of the individual substances at 298 K, the isobaric thermal capacities at 298 K, the temperatures and the heats of melting and boiling, Debye temperatures, the energies of the crystal lattice, sum of Shannon effective ionic radii of element A with (C.N.=7) and with (C.N.=8), Shannon effective ionic radii of elements B (C.N.=6) and C (C.N.=6), the ratio of the atomic number to the average atomic mass for atoms of elements A, B and C. The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.5.2.2.1 contains the gradations for Feature Set 2.5.2.

Table 2.5.2.2.1  
Gradations for Feature Set 2.5.2

Feature	Gradation	Feature	Gradation
A-element			
First ionization potential, ev		Boiling point, K	
[4.17717-4.437768]	I1_1_1	[963-1076.06]	Tb_1_1
[5.084888-5.214312]	I1_2_1	[1132.14-1188.22]	Tb_2_1
[7.479232-7.5763]	I1_3_1	[2393.94-2436]	Tb_3_1
Second ionization potential, ev		Heat of melting, kJ/mol	
[21.49-22.26391]	I2_1_1	[2.192-2.51424]	Hm_1_1
(22.26391-32.32474)	I2_2_1	(2.51424-2.7831]	Hm_2_1
[46.77106-47.287]	I2_3_1	[11.02814-11.297]	Hm_3_1
Third ionization potential, ev		Heat of boiling, kJ/mol	
[34.8-35.9046]	I3_1_1	[30.751-93.42075]	Hb_1_1
(35.9046-46.5824]	I3_2_1	[103.1962-111.3425]	Hb_2_1
[70.88361-71.62]	I3_3_1	[248.1995-251.458]	Hb_3_1
Electronegativity		Energy of the crystal lattice,	
[0.8-0.833]	X_1_1	-6	
[0.877-0.932]	X_2_1	E*10 J/kg*mol	
[1.878-1.9]	X_3_1	[86-96.194]	E_1_1
Entropies of individual substances at 298 K		[104.186-114.176]	E_2_1
kJ/kg*mol*K		[286.00-4290]	E_3_1
[42.551-43.21502]	S_1_1	Debye temperature, K	
		[55-94.05]	Td_1_1

Feature	Gradation	Feature	Gradation
[50.74058-51.84728]	S_2_1	[156.15-162.9]	Td_2_1
[64.24232-76.735]	S_3_1	[222.3-225]	Td_3_1
Isobaric thermal capacity at 298 K, kJ/kg*mol*K		Ratio of the atomic number to the average atomic mass	
[25.355-25.48052]	Cp_1_1	[0.43-0.4415]	NM_1_1
[28.0746-28.2838]	Cp_2_1	[0.4785-0.481]	NM_2_1
[29.45532-31.045]	Cp_3_1	[0.489-0.49]	NM_3_1
Melting point, K		Sum of Ionic radius, A	
[312.47-363.5802]	Tm_1_1	[2.24-2.258]	Rs_1_1
(363.5802-390.5004]	Tm_2_1	[2.354-2.384]	Rs_2_1
[1216.053-1234]	Tm_3_1	[2.828-3.08]	Rs_3_1
B-element			
First ionization potential, eV		Boiling point, K	
[5.21166-5.337139]	I1_1_2	[630-1118.86]	Tb_1_2
(5.337139-6.215494]	I1_2_2	(1118.86-1250.878]	Tb_2_2
(6.215494-6.926542]	I1_3_2	[1303.685-1435.703]	Tb_3_2
[7.344807-7.428459]	I1_4_2	(1435.703-1831.755]	Tb_4_2
(7.428459-7.553938]	I1_5_2	[1990.176-2201.404]	Tb_5_2
(7.553938-7.721244]	I1_6_2	[2307.018-2412.632]	Tb_6_2
(7.721244-7.846724]	I1_7_2	(2412.632-2808.685]	Tb_7_2
(7.846724-7.88855]	I1_8_2	(2808.685-2887.895]	Tb_8_2
(7.88855-8.014029]	I1_9_2	(2887.895-3019.913]	Tb_9_2
(8.014029-9.101516]	I1_10_2	[3072.719-3151.93]	Tb_10_2
[9.268821-9.352474]	I1_11_2	[3151.93-3283.948]	Tb_11_2
(9.352474-10.4376]	I1_12_2	Heat of melting, kJ/mol	
Second ionization potential, eV		[2.295-5.324186]	Hm_1_2
[10.004-10.31267]	I2_1_2	[5.688883-6.600626]	Hm_2_2
(10.31267-12.16469]	I2_2_2	(6.600626-7.147672]	Hm_3_2
(12.16469-13.81093]	I2_3_2	(7.147672-7.694717]	Hm_4_2
[14.42827-14.94272]	I2_4_2	[8.059415-8.971158]	Hm_5_2
(14.94272-15.25139]	I2_5_2	(8.971158-12.43578]	Hm_6_2
[15.45717-15.86873]	I2_6_2	(12.43578-12.80048]	Hm_7_2
(15.86873-16.48607]	I2_7_2	(12.80048-13.34752]	Hm_8_2
(16.48607-16.79474]	I2_8_2	(13.34752-14.25927]	Hm_9_2
(16.79474-17.00052]	I2_9_2	[14.62396-15.53571]	Hm_10_2
(17.00052-17.30919]	I2_10_2	[15.9004-16.81215]	Hm_11_2
[17.72075-18.13231]	I2_11_2	[17.17684-17.90624]	Hm_12_2

Feature	Gradation	Feature	Gradation
(18.13231-18.44098]	I2_12_2	(17.90624-21.37086]	Hm_13_2
(18.44098-21.49]	I2_13_2	[22.46495-31.81968]	Hm_14_2
Third ionization potential, eV		Heat of boiling, kJ/mol	
[24.9-30.0182]	I3_1_2	[59.229-109.9344]	Hb_1_2
(30.0182-31.2823]	I3_2_2	(109.9344-123.7416]	Hb_2_2
(31.2823-32.5464]	I3_3_2	[137.5488-151.356]	Hb_3_2
(32.5464-38.8669]	I3_4_2	(151.356-175.5186]	Hb_4_2
(38.8669-42.6592]	I3_5_2	(175.5186-185.874]	Hb_5_2
(42.6592-54.0361]	I3_6_2	[220.392-234.1992]	Hb_6_2
[76.7899-83.1104]	I3_7_2	(234.1992-310.1388]	Hb_7_2
[151.3718-153.9]	I3_8_2	(310.1388-323.946]	Hb_8_2
Electronegativity		[330.8496-348.1086]	Hb_9_2
[0.9-0.9299999]	X_1_2	(348.1086-358.464]	Hb_10_2
[0.97-1.02]	X_2_2	[365.3676-382.6266]	Hb_11_2
(1.02-1.23]	X_3_2	[403.3374-420.5964]	Hb_12_2
[1.47-1.52]	X_4_2	[434.4036-510.448]	Hb_13_2
[1.58-1.63]	X_5_2	Energy of the crystal lattice,	
[1.69-1.73]	X_6_2		
[1.77-1.82]	X_7_2	-6	
[1.88-2.2]	X_8_2	E*10 J/kg*mol	
Entropies of individual		[116-127.61]	E_1_2
substances at 298 K		(127.61-158.57]	E_2_2
kJ/kg*mol*K		(158.57-185.66]	E_3_2
(9.498-11.24598]	S_1_2	(185.66-205.01]	E_4_2
[22.89918-25.22982]	S_2_2	[274.67-294.02]	E_5_2
[26.39514-28.72578]	S_3_2	[317.24-332.72]	E_6_2
(28.72578-29.30844]	S_4_2	(332.72-340.46]	E_7_2
(29.30844-30.47376]	S_5_2	(340.46-352.07]	E_8_2
(30.47376-31.63908]	S_6_2	(352.07-413.99]	E_9_2
(31.63908-32.22174]	S_7_2	[421.73-441.08]	E_10_2
(32.22174-32.8044]	S_8_2	[464.3-479.78]	E_11_2
(32.8044-34.55238]	S_9_2	[495.26-510]	E_12_2
(34.55238-43.29228]	S_10_2	Debye	
[50.2842-53.1975]	S_11_2	temperature, K	
(53.1975-63.68538]	S_12_2	[75-126.95]	Td_1_2
[66.01602-79.898]	S_13_2	(126.95-244.1]	Td_2_2
Isobaric thermal capacity at 298 K,		(244.1-329.3]	Td_3_2
kJ/kg*mol*K		(329.3-371.9]	Td_4_2
[16.443-16.79196]	Cp_1_2	(371.9-403.85]	Td_5_2
[23.07324-23.65484]	Cp_2_2	(403.85-425.15]	Td_6_2
		(425.15-435.8]	Td_7_2
		(435.8-446.45]	Td_8_2

Feature	Gradation	Feature	Gradation
[24.12012-24.70172]	Cp_3_2	(446.45-457.1]	Td_9_2
(24.70172-24.81804]	Cp_4_2	(457.1-489.05]	Td_10_2
(24.81804-24.93436]	Cp_5_2	[574.25-616.85]	Td_11_2
(24.93436-25.05068]	Cp_6_2	[1128.05-1160]	Td_12_2
(25.05068-25.39964]	Cp_7_2	Ratio of the	
(25.39964-25.7486]	Cp_8_2	atomic number	
(25.7486-25.98124]	Cp_9_2	to the average	
(25.98124-26.21388]	Cp_10_2	atomic mass	
(26.21388-26.3302]	Cp_11_2	[0.4-0.403]	NM_1_2
(26.3302-26.67916]	Cp_12_2	[0.407-0.412]	NM_2_2
(26.67916-28.075]	Cp_13_2	[0.428-0.432]	NM_3_2
Melting point, K		[0.438-0.442]	NM_4_2
[234.29-641.88]	Tm_1_2	[0.448-0.452]	NM_5_2
[673.8-737.64]	Tm_2_2	[0.458-0.462]	NM_6_2
[897.24-961.08]	Tm_3_2	[0.468-0.472]	NM_7_2
(961.08-1040.88]	Tm_4_2	[0.478-0.482]	NM_8_2
(1040.88-1152.6]	Tm_5_2	[0.488-0.492]	NM_9_2
(1152.6-1392]	Tm_6_2	[0.498-0.5]	NM_10_2
[1519.68-1599.48]	Tm_7_2	Ionic radius, A	
[1695.24-1806.96]	Tm_8_2	[0.45-0.477]	Rs_1_2
(1806.96-1854.84]	Tm_9_2	[0.675-0.729]	Rs_2_2
[1918.68-1982.52]	Tm_10_2	(0.729-0.738]	Rs_3_2
(1982.52-2190]	Tm_11_2	(0.738-0.765]	Rs_4_2
		(0.765-0.783]	Rs_5_2
		(0.783-0.819]	Rs_6_2
		(0.819-0.855]	Rs_7_2
		(0.855-0.882]	Rs_8_2
		[0.936-0.972]	Rs_9_2
		[0.99-1.026]	Rs_10_2
		[1.17-1.21]	Rs_11_2
		[1.323-1.3]	Rs_12_2
C-element			
First ionization potential, eV		Boiling point, K	
[5.2-5.500292]	I1_1_3	[885-1655.61]	Tb_1_3
(5.500292-5.648876]	I1_2_3	[1697.35-1801.7]	Tb_2_3
(5.648876-5.846988]	I1_3_3	(1801.7-1885.18]	Tb_3_3
(5.846988-6.16892]	I1_4_3	[1885.18-2052.14]	Tb_4_3
(6.16892-6.243212]	I1_5_3	[2260.84-2344.32]	Tb_5_3
(6.243212-6.317504]	I1_6_3	(2344.32-2406.93]	Tb_6_3
[6.515616-6.614672]	I1_7_3	(2406.93-2532.15]	Tb_7_3
[6.713728-6.763256]	I1_8_3	(2532.15-2740.85]	Tb_8_3
		(2740.85-2845.2]	Tb_9_3

Feature	Gradation	Feature	Gradation
(6.763256-6.812784]	I1_9_3	(2845.2-2949.55]	Tb_10_3
(6.812784-6.887076]	I1_10_3	(2949.55-3012.16]	Tb_11_3
(6.887076-7.357592]	I1_11_3	(3012.16-3158.25]	Tb_12_3
(7.357592-7.506176]	I1_12_3	(3158.25-3220.86]	Tb_13_3
(7.506176-7.704288]	I1_13_3	(3220.86-3325.21]	Tb_14_3
(7.704288-9.789]	I1_14_3	(3325.21-3638.26]	Tb_15_3
Second ionization potential, eV		(3638.26-3659.13] (3659.13-5770]	Tb_16_3 Tb_17_3
[10.6-11.38245]	I2_1_3	Heat of melting, kJ/mol	
(11.38245-12.13565]	I2_2_3	[2.8-4.84384]	Hm_1_3
(12.13565-12.4181]	I2_3_3	[5.2388-6.02872]	Hm_2_3
[12.6064-13.07715]	I2_4_3	[8.79344-9.78084]	Hm_3_3
[13.45375-13.83035]	I2_5_3	(9.78084-10.96572]	Hm_4_3
(13.83035-14.1128]	I2_6_3	(10.96572-11.75564]	Hm_5_3
(14.1128-14.866]	I2_7_3	(11.75564-12.54556]	Hm_6_3
[15.4309-15.90165]	I2_8_3	(12.54556-14.32288]	Hm_7_3
[16.08995-16.65485]	I2_9_3	(14.32288-15.50776]	Hm_8_3
(16.65485-16.9373]	I2_10_3	[15.90272-16.69264]	Hm_9_3
(16.9373-18.4437]	I2_11_3	(16.69264-17.48256]	Hm_10_3
[18.4437-19.10275]	I2_12_3	(17.48256-18.075]	Hm_11_3
(19.10275-25.155] Third ionization potential, eV	I2_13_3	(18.075-18.86492] (18.86492-19.65484]	Hm_12_3 Hm_13_3
[19.18-19.6636]	I3_1_3	(19.65484-21.43216]	Hm_14_3
(19.6636-21.4368]	I3_2_3	[21.548-52]	Hm_15_3
(21.4368-23.0488]	I3_3_3	Heat of boiling, kJ/mol	
[23.3712-24.1772]	I3_4_3	[31.798-173.0177]	Hb_1_3
[24.4996-24.9832]	I3_5_3	(173.0177-175.7906]	Hb_2_3
(24.9832-25.4668]	I3_6_3	(175.7906-184.1092]	Hb_3_3
(25.4668-25.9504]	I3_7_3	(184.1092-234.0209]	Hb_4_3
(25.9504-27.8848]	I3_8_3	[239.5666-250.6581]	Hb_5_3
(27.8848-28.3684]	I3_9_3	(250.6581-261.7496]	Hb_6_3
(28.3684-28.852]	I3_10_3	[289.4783-300.5698]	Hb_7_3
(28.852-29.658]	I3_11_3	(300.5698-325.5256]	Hb_8_3
(29.658-30.3028]	I3_12_3	(325.5256-339.39]	Hb_9_3
(30.3028-31.4312]	I3_13_3	(339.39-356.0272]	Hb_10_3
(31.4312-34.0104]	I3_14_3	(356.0272-375.4373]	Hb_11_3
(34.0104-37.931] Electronegativity	I3_15_3	(375.4373-417.0303]	Hb_12_3
[1.1-1.124]	X_1_3	(417.0303-425.3489]	Hb_13_3
(1.124-1.316]	X_2_3	[436.4404-744.752]	Hb_14_3
[1.476-1.516]	X_3_3	Energy of the crystal lattice,	
[1.58-1.62]	X_4_3		

Feature	Gradation	Feature	Gradation
[1.684-1.724]	X_5_3	-6	
[1.788-1.82]	X_6_3	E*10 J/kg*mol	
[1.884-2.4]	X_7_3	[[182.8-192.406]	E_1_3
Entropies of individual		[[198.81-214.82]	E_2_3
substances at 298 K		[[240.436-253.244]	E_3_3
kJ/kg*mol*K		((253.244-285.264]	E_4_3
		((285.264-294.87]	E_5_3
[5.853-25.12636]	S_1_3	[[307.678-323.688]	E_6_3
[26.11726-28.59452]	S_2_3	[[330.092-346.102]	E_7_3
(28.59452-29.58543]	S_3_3	((346.102-368.516]	E_8_3
(29.58543-30.57634]	S_4_3	((368.516-378.122]	E_9_3
(30.57634-31.56724]	S_5_3	[[384.526-397.334]	E_10_3
(31.56724-33.0536]	S_6_3	((397.334-413.344]	E_11_3
(33.0536-38.99903]	S_7_3	[[419.748-432.556]	E_12_3
[39.98993-42.4672]	S_8_3	[[464.576-477.384]	E_13_3
[42.0548-50.39444]	S_9_3	[[496.596-775]	E_14_3
(50.39444-57.33078]	S_10_3	Debye	
(57.33078-58.81713]	S_11_3	temperature, K	
[61.78985-63.77166]	S_12_3	[[89-93.96]	Td_1_3
(63.77166-65.25802]	S_13_3	((93.96-108.84]	Td_2_3
(65.25802-74.81812]	S_14_3	((108.84-113.8]	Td_3_3
Isobaric thermal capacity at 298 K,		((113.8-143.56]	Td_4_3
kJ/kg*mol*K		((143.56-163.4]	Td_5_3
		((163.4-178.28]	Td_6_3
[11.088-21.00648]	Cp_1_3	((178.28-346.92]	Td_7_3
[23.21127-23.50524]	Cp_2_3	[[366.76-391.56]	Td_8_3
(23.50524-24.53414]	Cp_3_3	[[411.4-426.28]	Td_9_3
(24.53414-24.9751]	Cp_4_3	((426.28-441.16]	Td_10_3
(24.9751-25.04859]	Cp_5_3	((441.16-461]	Td_11_3
(25.04859-25.12209]	Cp_6_3	((461-465.96]	Td_12_3
(25.12209-25.34257]	Cp_7_3	((465.96-480.84]	Td_13_3
(25.34257-26.22448]	Cp_8_3	[[570.12-1219]	Td_14_3
(26.22448-26.29797]	Cp_9_3	Ratio of the	
(26.29797-26.88592]	Cp_10_3	atomic number	
(26.88592-27.17989]	Cp_11_3	to the average	
(27.17989-28.06181]	Cp_12_3	atomic mass	
(28.06181-36.5089]	Cp_13_3	[[0.39-0.4024]	NM_1_3
Melting point, K		[[0.4088-0.412]	NM_2_3
[303-359.61]	Tm_1_3	((0.412-0.432]	NM_3_3
[397.35-472.83]	Tm_2_3	[[0.4384-0.4416]	NM_4_3
[510.57-567.18]	Tm_3_3	[[0.448-0.452]	NM_5_3
(567.18-623.79]	Tm_4_3	[[0.4584-0.4624]	NM_6_3
[887.97-982.32]	Tm_5_3	[[0.4688-0.472]	NM_7_3

Feature	Gradation	Feature	Gradation
[1057.8-1152.15]	Tm_6_3	[0.4784-0.48]	NM_8_3
(1152.15-1246.5]	Tm_7_3	Ionic radius, A	
(1246.5-1605.03]	Tm_8_3	[0.27-0.54991]	Rs_1_3
(1605.03-1755.99]	Tm_9_3	(0.54991-0.61452]	Rs_2_3
(1755.99-1793.73]	Tm_10_3	(0.61452-0.6344]	Rs_3_3
(1793.73-1812.6]	Tm_11_3	(0.6344-0.64434]	Rs_4_3
(1812.6-1869.21]	Tm_12_3	(0.64434-0.65925]	Rs_5_3
[1906.95-1982.43]	Tm_13_3	(0.65925-0.6841]	Rs_6_3
[2133.39-2171.13]	Tm_14_3	(0.6841-0.75865]	Rs_7_3
(2171.13-3287]	Tm_15_3	(0.75865-0.81332]  (0.81332-0.87793]  (0.87793-0.8829]  (0.8829-0.88787]  (0.88787-0.9027799]  (0.9027799-1.12]	Rs_8_3 Rs_9_3 Rs_10_3 Rs_11_3 Rs_12_3 Rs_13_3

### 2.5.2.3. FEATURE SET 2.5.3

The third set of properties of simple fluorides (feature set 2.5.3) includes the following information of simple fluorides AF, BF and

2

CF : the melting point, standard enthalpy of formation, standard iso-

3

baric thermal capacities, standard entropies, sum of Shannon effective ionic radii of element A with (C.N.=7) and with (C.N.=8), Shannon

2+

3+

effective ionic radii of corresponding cations B (C.N.=6) and C (C.N.=6). The all quasi-continuous properties were divided using the special program of discretization [18]. Table 2.5.2.3.1 contains the gradations for Feature Set 2.5.3.

Table 2.5.2.3.1  
 Gradations for Feature Set 2.5.3  
 (Properties of Simple Fluorides)

Feature	Gradation	Feature	Gradation
	AF		
Standard enthalpy of formation for corresponding simple fluorides, kcal/mol		Standard isobaric thermal capacity for simple fluorides, cal/mol*K	
[49.9-52.5103]	H_1_1	[11.19-11.518]	Cp_1_1
[132.83-136.0399]	H_2_1	[11.71-11.734]	Cp_2_1
(136.0399-136.91]	H_3_1	[12.082-12.1]	Cp_3_1
Standard entropy for corresponding simple fluorides, cal/mol*K		Melting point of simple fluorides, K	
[12.23-12.4631]	So_1_1	[708-724.8]	Tm_1_1
[15.7265-16.115]	So_2_1	(724.8-1144.8]	Tm_2_1
(16.115-20]	So_3_1	[1256.8-1268]	Tm_3_1
		Sum of ionic radii, A	
		[2.24-2.258]	Rs_1_1
		[2.354-2.384]	Rs_2_1
		[2.828-3.08]	Rs_3_1
	BF		
	2		
Standard enthalpy of formation for corresponding simple fluorides, kcal/mol		Standard isobaric thermal capacity for simple fluorides, cal/mol*K	
[82-133.399]	H_1_2	[12.39-12.5493]	Cp_1_2
[140-157.894]	H_2_2	[14.1423-14.3547]	Cp_2_2
(157.894-161.16]	H_3_2	[14.5671-14.8326]	Cp_3_2
(161.16-166.059]	H_4_2	[15.1512-15.4167]	Cp_4_2
(166.059-170.958]	H_5_2	[15.6291-15.8415]	Cp_5_2
[180.756-184.022]	H_6_2	[15.9477-16.1601]	Cp_6_2
(184.022-188.921]	H_7_2	(16.1601-16.2663]	Cp_7_2
[195.453-201.985]	H_8_2	(16.2663-16.4256]	Cp_8_2
(201.985-206.884]	H_9_2	(16.4256-16.5849]	Cp_9_2
[242.81-249.342]	H_10_2	[16.6911-16.9566]	Cp_10_2
[265.672-272.204]	H_11_2	(16.9566-17.1159]	Cp_11_2
		[17.5407-17.7]	Cp_12_2

Feature	Gradation	Feature	Gradation
[278.736-286.901] (286.901-291.8] Standard entropy for corresponding simple fluorides, cal/mol*K	H_12_2 H_13_2	Melting point of simple fluorides, K [385-1062.44] (1062.44-1114.28] (1114.28-1146.68] (1146.68-1166.12]	Tm_1_2 Tm_2_2 Tm_3_2 Tm_4_2
[12.75-13.1775]	So_1_2	(1166.12-1185.56]	Tm_5_2
[13.4625-14.0325]	So_2_2	[1225-1360.52]	Tm_6_2
[16.0275-16.74]	So_3_2	(1360.52-1392.92]	Tm_7_2
[17.31-17.88]	So_4_2	(1392.92-1444.76]	Tm_8_2
(17.88-18.3075]	So_5_2	[1522.52-1548.44]	Tm_9_2
[18.8775-19.4475]	So_6_2	(1548.44-1567.88]	Tm_10_2
(19.4475-19.875]	So_7_2	[1580.84-1593.8]	Tm_11_2
(19.875-20.3025]	So_8_2	(1593.8-1613.24]	Tm_12_2
(20.3025-20.73]	So_9_2	[1673-1691]	Tm_13_2
(20.73-21.1575]	So_10_2	Ionic radii, A	
[22.0125-22.5825]	So_11_2	[0.45-0.477]	Rs_1_2
[22.8675-23.4375]	So_12_2	[0.675-0.729]	Rs_2_2
[24-27]	So_13_2	(0.729-0.738] (0.738-0.765] (0.765-0.783] (0.783-0.819] (0.819-0.855] (0.855-0.882] [0.936-0.972] [0.9901.026] [1.1701.215] [1.32301.35]	Rs_3_2 Rs_4_2 Rs_5_2 Rs_6_2 Rs_7_2 Rs_8_2 Rs_9_2 Rs_10_2 Rs_11_2 Rs_12_2
Standard enthalpy of formation for corresponding simple fluorides, kcal/mol	CF 3	Standard isobaric thermal capacity for simple fluorides, cal/mol*K [8.22-8.622001]	Cp_1_3
[122-182.167]	H_1_3	[17.734-18.27]	Cp_2_3
(182.167-222.78]	H_2_3	[18.538-19.208]	Cp_3_3
(222.78-244.281]	H_3_3	[21.352-30.25]	Cp_4_3
(244.281-253.837]	H_4_3	Melting point of simple fluorides, K	
(253.837-261.004]	H_5_3	[267-853.06]	Tm_1_3
[265.782-275.338]	H_6_3	[973.3-1023.4]	Tm_2_3
(275.338-282.505]	H_7_3		

Feature	Gradation	Feature	Gradation
[339.841-349.397]	H_8_3	[1203.76-1253.86]	Tm_3_3
[354.175-366.12]	H_9_3	[1273.9-1324]	Tm_4_3
(366.12-394.788]	H_10_3	(1324-1374.1]	Tm_5_3
(394.788-411.511]	H_11_3	[1394.14-1434.22]	Tm_6_3
(411.511-414.1]	H_12_3	(1434.22-1444.24]	Tm_7_3
Standard entropy for corresponding simple fluorides, cal/mol*K		(1444.24-1454.26] (1454.26-1484.32] (1484.32-1524.4] (1524.4-1574.5]	Tm_8_3 Tm_9_3 Tm_10_3 Tm_11_3
[15.89-17.1629]	So_1_3	(1574.5-1704.76]	Tm_12_3
(17.1629-18.8601]	So_2_3	(1704.76-1794.94]	Tm_13_3
[20.5573-22.2545]	So_3_3	(1794.94-1825]	Tm_14_3
(22.2545-23.1031]	So_4_3	Ionic radii, A	
(23.1031-23.9517]	So_5_3	[0.27-0.54991]	Rs_1_3
(23.9517-24.8003]	So_6_3	(0.54991-0.6344]	Rs_2_3
(24.8003-26.0732]	So_7_3	(0.6344-0.64434]	Rs_3_3
(26.0732-27.7704]	So_8_3	(0.64434-0.65925]	Rs_4_3
(27.7704-28.619]	So_9_3	(0.65925-0.6841]	Rs_5_3
(28.619-29.8919]	So_10_3	(0.6841-0.75865]	Rs_6_3
(29.8919-34.9835]	So_11_3	(0.75865-0.81332]	Rs_7_3
(34.9835-60.7]	So_12_3	[0.85308-0.87793] (0.87793-0.8829] (0.8829-0.88787] (0.88787-0.9027799] (0.9027799-1.61]	Rs_8_3 Rs_9_3 Rs_10_3 Rs_11_3 Rs_12_3

It should be noted that great number of gradations for features is connected with closeness of crystal structures of orthorhombic and trigonal weberites.

#### 2.5.3. COMPUTER LEARNING AND PREDICTION OF CRYSTAL STRUCTURE

The computer learning is carried out for three learning sets in which the compounds from Table 2.5.1.1 were described in terms of the sets of the component properties 2.5.1, 2.5.2 and 2.5.3. The system of concept formation CONFOR [18-20] was used for computer learning and prediction.

The tables of predictions of the crystal structure type for the compounds of composition A BCF (Tables 2.5.3.1 and 2.5.3.2) result from

tions in terms of the Features Sets 2.5.1, 2.5.2 and 2.5.3. The following designations are used:

- W - orthorhombic weberite;
- N - trigonal weberite;
- F - fluorite;
- \* - the compound of composition A BCF does not form.

2 7

The physical-chemical systems, which were investigated experimentally, were marked by round brackets. The empty square corresponds to the lack of coincidence of the predictions, which have been obtained using different feature sets. The designation "?" corresponds to the indeterminate result of predicting. According to our results the new compounds of the composition Na MgCF (C = Ti, Mn, Co, Ni, Y, or Rh),

2 7

Na CaCF (C = Sc, Ga, In, or Tl), Na BCF (B = Ti or V; C = Sc, Ga,

2 7 2 7

or In), Na CrCF (C = Ga or In), Na MnInF, Na BCF (B = Co or Ni; C

2 7 2 7 2 7

= Ti, V, Mn, Y, Rh, or Tl), Na CuCF (C = Ti, V, Mn, Co, or Ni),

2 7

Na ZnCF (C = Sc, Ti, V, Mn, Co, Ni, Y, or Rh), Na BCF (B = Sr or

2 7 2 7

Cd; C = Sc, Cr, Ga, In, or Tl), Na BCF (B = Ba, Hg, or Pb; C = Sc,

2 7

Cr, Ga, or In), Ag MgCF (C = Al, Ti, V, Mn, Co, Ni, Ga, Y, Rh, or

2 7

In), Ag CaCF (C = Al, Sc, Cr, Mn, Fe, Co, Ni, or Ga), Ag BCF (B =

2 7 2 7

Ti or V; C = Al, Sc, Cr, Mn, Fe, Ga, or Tl), Ag CrCF (C = Al, Sc, Mn,

2 7

Fe, Ga, or Tl), Ag MnCF (C = Sc, Cr, Ga, or Tl), Ag FeCF (C = Al,

2 7 2 7

Sc, Ti, V, Cr, Ga, Y, Rh, In, or Tl), Ag CoCF (C = Al, Sc, Ti, V,

2 7

Mn, Ga, Y, Rh, or Tl), Ag NiCF (C = Sc, Ti, V, Mn, Ga, Y, Rh, or

2 7

Tl), Ag CuCF (C = Al, Sc, Ti, V, Co, Ni, Y, Rh, or Tl), Ag ZnCF (C =

2 7 2 7

Al, Sc, Ti, V, Co, Ni, Ga, Y, Rh, In, or Tl), Ag BCF (B = Sr, Cd,

2 7

Ba, Hg, or Pb; C = Al, Sc, Cr, Mn, Fe, Ni, Ga, or In) and Ag PdCF

2 7

(C = Al, Sc, Cr, Mn, Fe, Ga, or In) have the orthorhombic weberite crystal structure at normal pressure and room temperature. We pre-

dicted the new compounds of the composition  $\text{Na CaCF}_2$  ( $\text{C} = \text{Ti}, \text{V}, \text{Mn}, \text{Fe}, \text{Co}, \text{Ni}, \text{or Rh}$ ),  $\text{Na TiCF}_2$  ( $\text{C} = \text{V}, \text{Fe}, \text{or Rh}$ ),  $\text{Na VCF}_2$  ( $\text{C} = \text{Ti or Rh}$ ),  $\text{Na CrCF}_2$  ( $\text{C} = \text{Ti}, \text{V}, \text{Fe}, \text{or Rh}$ ),  $\text{Na MnRhF}_2$ ,  $\text{Na FeCF}_2$  ( $\text{C} = \text{Al}, \text{Ti}, \text{V}, \text{Cr}, \text{Mn}, \text{Y}, \text{or Rh}$ ) and  $\text{Na BCF}_2$  ( $\text{B} = \text{Sr}, \text{Cd}, \text{Ba}, \text{Hg}, \text{or Pb}; \text{C} = \text{Ti}, \text{V}, \text{Mn}, \text{Fe}, \text{Co}, \text{or Rh}$ ) with trigonal weberite crystal structure at normal pressure and room temperature also. The compounds with silver do not crystallize at normal state in trigonal weberite crystal structure. Compounds with weberite structure hold the promise for searching for new EO, piezoelectric, lazer and nonlinear materials.

Table 2.5.3.1

Table of Predictions of Crystal Structure Type  
for Compounds of Composition Na BCF

2 7

	B	Mg	Ca	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Sr	Cd	Ba	Hg	Pb
C																	
Al	(W)					(N)	N	(W)	(W)	W	W	(W)			(*)		
Sc	(W)	W	W	W			?	(W)	(W)	(W)	W	W	W	W	W	W	W
Ti	(W)	N		N	N	(N)	N	W	W	W	N	N	N	N	N	N	N
V	(W)	N	N		N	(N)	N	W	W	W	N	N	N	N	N	N	N
Cr	(W)				(N)	N	(W)	(W)	(W)	(W)	W	W	W	W	W	W	W
Mn	W	N	(N)	(N)	(N)		N	W	W	W	W	N	N	N	N	N	N
Fe	(W)	N	N	(N)	N	(N)		(W)	(W)	(W)	(W)	N	N	N	N	N	N
Co	W	N						(W)	W	W	N	N	N	N	N	N	N
Ni	W	N						(W)		W	W	?	?	?	?	?	?
Ga	(W)	W	W	W	W	(N)	?	(W)	(W)	(W)	(W)	W	W	W	W	W	W
Y	W						N	W	W		W						
Rh	W	N	N	N	N	N	N	W	W		W	N	N	N	N	N	N
In	(W)	W	W	W	W	W	W	?	(W)	(W)	(W)	(W)	W	W	W	W	W
Tl	(W)	W				(W)	?	W	W		(W)	W	W				

Table 2.5.3.2

Table of Predictions of Crystal Structure Type  
for Compounds of Composition Ag BCF

2 7

B	Mg	Ca	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Sr	Pd	Cd	Ba	Hg	Pb
C																	
Al	W	W	W	W	W	(W)	W	W	(W)	W	W	W	W	W	W	W	W
Sc	(W)	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W
Ti	W						W	W	W	W	W	F	F	F	F	F	F
V	W						W	W	W	W	W	F	F	F	F	F	F
Cr	(W)	W	W	W		W	W	(W)	(W)	(W)	(W)	W	W	W	W	W	W
Mn	W	W	W	W	W		(W)	W	W	(W)	(W)	W	W	W	W	W	W
Fe	(W)	W	W	W	W	(W)		(W)	(W)	(W)	(W)	W	W	W	W	W	W
Co	W	W									W	W	?	?	?	?	?
Ni	W	W									W	W	W		W	W	W
Ga	W	W	W	W	W	W	W	W	W	(W)	W	W	W	W	W	W	W
Y	W						W	W	W	W	W	F	F	F	F	?	?
Rh	W						W	W	W	W	W						
In	W						W	(W)	(W)	(W)	W	W	W	W	W	W	W
Tl	(W)		W	W	W	W	W	W	W	W							-

### 3. TEST OF DISCRETIZATION PROGRAM

In order to test an efficiency of developed program of discretization we chose a number of task using table of random numbers (an uniform distribution). This task is a prediction of crystal structure types

I II III

for compounds A B C F (using the simple fluorides properties).

nation included 76 objects (Table 3.2). The numbers of objects for examination were chosen using the table of random numbers (an uniform distribution).

Table 3.1

Learning Set

Composition	Crystal type	Space group
LiMgAlF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiMnAlF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiCaInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiMnTiF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiMnVF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiMnCrF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiMnRhF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiFeGaF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiCoInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiNiInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
NaCaAlF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
NaMnCrF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
NaMnFeF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
NaMnAlF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiMgCrF <sub>6</sub>	Trirutile	
LiMgGaF <sub>6</sub>	Trirutile	
LiMgRhF <sub>6</sub>	Trirutile	
LiNiTiF <sub>6</sub>	Trirutile	
LiNiVF <sub>6</sub>	Trirutile	
LiCoCrF <sub>6</sub>	Trirutile	
LiCuCrF <sub>6</sub>	Trirutile	
LiZnCrF <sub>6</sub>	Trirutile	
LiNiFeF <sub>6</sub>	Trirutile	
LiNiCoF <sub>6</sub>	Trirutile	
LiZnCoF <sub>6</sub>	Trirutile	
LiCoGaF <sub>6</sub>	Trirutile	
LiNiRhF <sub>6</sub>	Trirutile	
LiCuRhF <sub>6</sub>	Trirutile	
LiZnRhF <sub>6</sub>	Trirutile	
LiMgVF <sub>6</sub>	Trirutile	
LiFeCrF <sub>6</sub>	Trirutile	
LiCaAlF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiSrAlF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaVF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaCrF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaCoF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaRhF <sub>6</sub>	LiCaAlF <sub>6</sub>	

Composition	Crystal type	Space group
LiSrTiF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiSrCrF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdCrF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdFeF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiPbFeF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdCoF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiPbGaF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdRhF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdTiF <sub>6</sub>	LiCaAlF <sub>6</sub>	
CsMgAlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgTiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgVF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
TlMgFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbMgCoF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMgGaF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbNiAlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
KNiCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsPdScF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCoTiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsZnTiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsVMnF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbVFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCoVF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsNiVF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCuVF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsZnVF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMnCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
TlMnCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsFeCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
TlFeCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCoCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbNiCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
TlNiCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCuCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsZnCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMnFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbZnMnF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsZnMnF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCoFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsNiFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbCuFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	

Composition	Crystal type	Space group
CsZnFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbNiCoF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbCuCoF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsNiGaF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCuGaF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCuInF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCuTlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsPdRhF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsAgInF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCuAlF <sub>6</sub>	CsAgAlF <sub>6</sub>	
CsZnAlF <sub>6</sub>	CsAgAlF <sub>6</sub>	
CsAgAlF <sub>6</sub>	CsAgAlF <sub>6</sub>	
CsAgFeF <sub>6</sub>	CsAgAlF <sub>6</sub>	
RbAgGaF <sub>6</sub>	CsAgAlF <sub>6</sub>	
LiBaVF <sub>6</sub>		P2(1)/c, Z=4
LiBaCrF <sub>6</sub>		P2(1)/c, Z=4
LiBaCoF <sub>6</sub>		P2(1)/c, Z=4
KBeYF <sub>6</sub>		P2(1)/m, Z=2
KBeEuF <sub>6</sub>		P2(1)/m, Z=2
KBeGdF <sub>6</sub>		P2(1)/m, Z=2
KBeDyF <sub>6</sub>		P2(1)/m, Z=2
KBeTmF <sub>6</sub>		P2(1)/m, Z=2
KBeYbF <sub>6</sub>		P2(1)/m, Z=2
NaCaCeF <sub>6</sub>	UC13	P6(3)/m, Z=1
NaBaCeF <sub>6</sub>	UC13	P6(3)/m, Z=1
KCrMnF <sub>6</sub>	bronze	P4/mbm, Z=5
KCuCrF <sub>6</sub>		P2(1)/c, Z=4
KBaCeF <sub>6</sub>	UC13	P6(3)/m, Z=1
CsNiMnF <sub>6</sub>	CsNiMnF <sub>6</sub>	R3(-)m
LiF-BeF <sub>2</sub> -CeF <sub>3</sub>		without compound ABCF <sub>6</sub>
KF-BeF <sub>2</sub> -LaF <sub>3</sub>		without compound ABCF <sub>6</sub>
KF-CuF <sub>2</sub> -YbF <sub>3</sub>		without compound ABCF <sub>6</sub>
KF-CuF <sub>2</sub> -LuF <sub>3</sub>		without compound ABCF <sub>6</sub>

Table 3.2  
Set for Examination

Composition	Crystal type	Space group
LiMgInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiMnFeF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiMnGaF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiMnInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiZnInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiCdInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	
LiMgTiF <sub>6</sub>	Trirutile	
LiMgFeF <sub>6</sub>	Trirutile	
LiMgCoF <sub>6</sub>	Trirutile	
LiFeTiF <sub>6</sub>	Trirutile	
LiCoTiF <sub>6</sub>	Trirutile	
LiZnTiF <sub>6</sub>	Trirutile	
LiZnVF <sub>6</sub>	Trirutile	
LiNiCrF <sub>6</sub>	Trirutile	
LiFeFeF <sub>6</sub>	Trirutile	
LiCoFeF <sub>6</sub>	Trirutile	
LiCuFeF <sub>6</sub>	Trirutile	
LiZnFeF <sub>6</sub>	Trirutile	
LiCuCoF <sub>6</sub>	Trirutile	
LiCoRhF <sub>6</sub>	Trirutile	
LiNiGaF <sub>6</sub>	Trirutile	
LiCuGaF <sub>6</sub>	Trirutile	
LiCaTiF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaFeF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCaGaF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiSrVF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiCdVF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiPbVF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiPbCrF <sub>6</sub>	LiCaAlF <sub>6</sub>	
LiSrGaF <sub>6</sub>	LiCaAlF <sub>6</sub>	
RbMgAlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbMgCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
KNiAlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsNiAlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsVScF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsAgScF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsNiTiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCuTiF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsVCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsVFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbMnCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	

Composition	Crystal type	Space group
RbFeCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbCoCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsNiCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbCuCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbZnCrF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsMnGaF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbNiFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsCuFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsPdFeF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsNiCoF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbZnCoF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsNiInF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsZnInF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsPdInF <sub>6</sub>	RbNiCrF <sub>6</sub>	
CsAgTlF <sub>6</sub>	RbNiCrF <sub>6</sub>	
RbCuAlF <sub>6</sub>	CsAgAlF <sub>6</sub>	
RbAgAlF <sub>6</sub>	CsAgAlF <sub>6</sub>	
RbCuVF <sub>6</sub>	CsAgAlF <sub>6</sub>	
RbAgFeF <sub>6</sub>	CsAgAlF <sub>6</sub>	
CsAgGaF <sub>6</sub>	CsAgAlF <sub>6</sub>	
LiBaAlF <sub>6</sub>		P2(1)/c, Z=4
LiBaTiF <sub>6</sub>		P2(1)/c, Z=4
LiBaFeF <sub>6</sub>		P2(1)/c, Z=4
LiBaGaF <sub>6</sub>		P2(1)/c, Z=4
KBeSmF <sub>6</sub>		P2(1)/m, Z=2
KBeTbF <sub>6</sub>		P2(1)/m, Z=2
KBeHoF <sub>6</sub>		P2(1)/m, Z=2
KBeErF <sub>6</sub>		P2(1)/m, Z=2
KBeLuF <sub>6</sub>		P2(1)/m, Z=2
KCaCeF <sub>6</sub>	UC13	P6(3)/m, Z=1
KCrFeF <sub>6</sub>	bronze	P4/mbm, Z=5
KCoFeF <sub>6</sub>	bronze	P4/mbm, Z=5
RbMnFeF <sub>6</sub>	NH4MnFeF <sub>6</sub>	Pb2n
NaF-PbF <sub>2</sub> -BiF <sub>3</sub>	without compound ABCF <sub>6</sub>	
KF-CuF <sub>2</sub> -BiF <sub>3</sub>	without compound ABCF <sub>6</sub>	

In the former case the quantitative properties were quantized on the basis of uniform distribution of the values of the intervals (traditional way). Table 3.3 contains the gradations for Feature Set 3.1. In this case no clear-cut distinction exists between features of flu-

orides with compositions AF, BF<sub>2</sub> and CF<sub>3</sub>. Moreover if the feature values for different fluorides (components of the certain physical-chemical system) coincide then either of two values is eliminated from the description of this system.

Table 3.3  
Gradations for Feature Set 3.1  
(Properties of Simple Fluorides)  
(Traditional Way)

Feature	Gradation	Feature	Gradation
Standard enthalpy of formation for corresponding simple fluorides, kcal/mol [77-129]	H_1	Standard isobaric thermal capacity for simple fluorides, cal/mol*K [9-12.2]	Cp_1
(129-147]	H_2	(12.2-15.7]	Cp_2
(147-167]	H_3	(15.7-16.7]	Cp_3
(167-198]	H_4	Melting point of simple fluorides, K	Cp_4
(198-256]	H_5	[600-1048]	Tm_1
(256-292]	H_6	(1048-1148]	Tm_2
(292-395]	H_7	(1148-1300]	Tm_3
Standard entropy for corresponding simple fluorides, cal/mol*K [8-15.9]	So_1	(1300-1430]	Tm_4
(15.9-18]	So_2	(1430-1550]	Tm_5
(18-19.6]	So_3	(1550-1700]	Tm_6
(19.6-22.3]	So_4	Ionic radii, A [0.27-0.615]	Rs_1
(22.3-23.2]	So_5	(0.615-0.665]	Rs_2
(23.2-28]	So_6	(0.665-0.74]	Rs_3
(28-35]	So_7	(0.74-0.76]	Rs_4
		(0.76-0.80]	Rs_5
		(0.80-0.94]	Rs_6
		(0.94-1.19]	Rs_7
		(1.19-1.7]	Rs_8

In the latter case the quantitative properties were quantized on the basis of the use of the discretization program. Table 3.4 contains the gradations for Feature Set 3.2.

Table 3.4  
 Gradations for Feature Set 3.2  
 (Properties of Simple Fluorides)  
 (Use of Discretization Program)

Feature	Gradation	Feature	Gradation
Standard enthalpy of formation for corresponding simple fluorides, kcal/mol	AF	Standard isobaric thermal capacity for simple fluorides, cal/mol*K	
[78 - - 82.1346001625061] [128.993402004242- - 134.506202220917] (134.506202220917- - 135.884402275085] (135.884402275085- - 140.019002437592] [142.775402545929- - 146.910002708435]		[9.99 - - 10.1765999959409] [11.0473999769986- - 11.3583999702334] [11.6071999648213- - 11.8559999594092] [11.9803999567032- - 12.1669999526441] [(12.1669999526441- - 12.353599948585] Melting point of simple fluorides, K	Cp_1_1 Cp_2_1 Cp_3_1 Cp_4_1 Cp_5_1 Tm_1_1 Tm_2_1 Tm_3_1
Standard entropy for corresponding simple fluorides, cal/mol*K	H_1_1 H_2_1 H_3_1 H_4_1 H_5_1	[600 - - 640.079998970032] [960.719990730286 - - 1080.95998764038] [1107.67998695374- - 1268]	
[8.523 - - 9.38382002520561] [11.6793400924206- - 12.8271001260281] [15.122620193243- - 16.5573202352524] [18.2789602856636- - 19.4267203192711] [21.7222403864861- - 22.5830604116917] (22.5830604116917- - 22.8700004200935]	So_1_1 So_2_1 So_3_1 So_4_1 So_5_1 So_6_1	Ionic radii, A [0.76 - - 0.814600002244115] [0.996600009724498- - 1.06940001271665] [1.36060002468526- - 1.43340002767742] [1.46980002917349- - 1.50620003066957] [(1.50620003066957- - 1.56080003291369] [1.63360003590584- - 1.67000003740192]	Rs_1_1 Rs_2_1 Rs_3_1 Rs_4_1 Rs_5_1 Rs_6_1

Feature	Gradation	Feature	Gradation
	BF 2		
Standard enthalpy of formation for corresponding simple fluorides, kcal/mol		Standard isobaric thermal capacity for simple fluorides, cal/mol*K	
[85.9 - - 98.2540000915527] [106.490000152588- - 122.962000274658] (122.962000274658- - 139.434000396729] [147.670000457764- - 160.024000549316] (160.024000549316- - 176.496000671387] (176.496000671387- - 184.732000732422] (184.732000732422- - 197.086000823975] (197.086000823975- - 201.204000854492] (201.204000854492- - 213.558000946045] [238.26600112915- - 254.738001251221] [262.974001312256- - 279.446001434326] (279.446001434326- - 287.682001495361] (287.682001495361- - 291.800001525879] Standard entropy for corresponding simple fluorides, cal/mol*K			
[12.75 - - 13.6049999892712] (13.6049999892712- - 14.4599999785423] [15.5999999642372- - 18.4499999284744]	So_1_2 So_2_2 So_3_2	[[12.39 - - 12.7086000064015] [[13.9830000320077- - 14.5140000426769] ((14.5140000426769- - 14.9388000512123] [[15.15120005548- - 16.0008000725508] ((16.0008000725508- - 16.2132000768185] ((16.2132000768185- - 16.4256000810862] ((16.4256000810862- - 16.6380000853539] ((16.6380000853539- - 16.7442000874877] ((16.7442000874877- - 16.9566000917554] ((16.9566000917554- - 17.2752000981569] [[17.4876001024246- - 17.7000001066923] Melting point of simple fluorides, K [970 - - 1013.26000022888] ((1013.26000022888- - 1056.52000045776] ((1056.52000045776- - 1085.36000061035] ((1085.36000061035- - 1128.62000083923] ((1128.62000083923- - 1143.04000091553] ((1143.04000091553- - 1157.46000099182] ((1157.46000099182-	Cp_1_2 Cp_2_2 Cp_3_2 Cp_4_2 Cp_5_2 Cp_6_2 Cp_7_2 Cp_8_2 Cp_9_2 Cp_10_2 Cp_11_2 Tm_1_2 Tm_2_2 Tm_3_2 Tm_4_2 Tm_5_2 Tm_6_2

Feature	Gradation	Feature	Gradation
(18.4499999284744- - 19.5899999141693]	So_4_2	- 1200.7200012207] [(1200.7200012207- - 1258.40000152588]	Tm_7_2 Tm_8_2
(19.5899999141693- - 19.874999910593]	So_5_2	[1316.08000183106- - 1373.76000213623] [(1373.76000213623- - 1388.18000221252]	Tm_8_2 Tm_10_2
(19.874999910593- - 20.4449999034405]	So_6_2	[(1388.18000221252- - 1460.28000259399] [1517.96000289917-	Tm_11_2
(20.4449999034405- - 20.7299998998642]	So_7_2	[- 1575.64000320435] [(1575.64000320435- - 1633.32000350952]	Tm_12_2 Tm_13_2
(20.7299998998642- - 21.5849998891354]	So_8_2	[(1633.32000350952- - 1676.5800037384] [(1676.5800037384- - 1691.0000038147]	Tm_14_2 Tm_15_2
(21.5849998891354- - 22.4399998784065]	So_9_2	Ionic radii, A [0.45 - - 0.503999997675419] [0.647999991476536-	Rs_1_2
(22.4399998784065- - 23.009999871254]	So_10_2	[- 0.791999985277653] [(0.791999985277653- - 0.827999983727932] [(0.827999983727932- - 0.845999982953072]	Rs_2_2 Rs_3_2 Rs_4_2
(23.009999871254- - 27]	So_11_2	[(0.845999982953072- - 0.89999998062849] [(0.89999998062849- - 1.04399997442961] [[1.15199996978045- - 1.35]	Rs_5_2 Rs_6_2 Rs_7_2
CP			
3			
Standard enthalpy of formation for corresponding simple fluorides, kcal/mol		Standard isobaric thermal capacity for simple fluorides, cal/mol*K	
[175 - - 184.5640001297]	H_1_3	[8.22 - - 18.1701999947429] [[18.6105999842236- - 21.62]	Cp_1_3 Cp_2_3
(184.5640001297-)			

Feature	Gradation	Feature	Gradation
- 198.910000324249] (216 -	H_2_3	Melting point of simple fluorides, K [823-1000]	
- 246.730000972748] (246.730000972748-	H_3_3	[1203.76001739502- - 1344.04002380371]	Tm_1_3
- 251.512001037598] (251.512001037598-	H_4_3	(1344.04002380371- - 1404.16002655029]	Tm_2_3
- 289.768001556397] [337.588002204895-	H_5_3	(1404.16002655029- - 1444.24002838135]	Tm_3_3
- 371.062002658844] [380.626002788544-	H_6_3	(1444.24002838135- - 1504.36003112793]	Tm_4_3
- 390.190002918243] (390.190002918243-	H_7_3	(1504.36003112793- - 1544.44003295898]	Tm_5_3
- 394.972002983093] (394.972002983093-	H_8_3	(1544.44003295898- - 1604.56003570557]	Tm_6_3
- 409.318003177643] (409.318003177643-	H_9_3	[1644.64003753662- - 1704.7600402832]	Tm_7_3
- 414.100003242493] Standard entropy for corresponding simple fluorides, cal/mol*K [15.89 -	H_10_3	(1704.7600402832- - 1764.88004302979]	Tm_8_3
- 16.9765999758244] (16.9765999758244-	So_1_3	(1764.88004302979- - 1804.96004486084]	Tm_9_3
- 17.7009999597073] (17.7009999597073-	So_2_3	(1804.96004486084- - 1825.00004577637]	Tm_10_3
- 18.7875999355316] [20.2363999032974-	So_3_3	(1825.00004577637- - 0.564820000752807]	Tm_11_3
- 22.0473998630047] (22.0473998630047-	So_4_3	(0.564820000752807- - 0.584700001254678- - 0.614520002007485)	Rs_1_3
- 23.858399822712] (23.858399822712-	So_5_3	(0.614520002007485- - 0.664220003262162]	Rs_2_3
- 24.9449997985363] (24.9449997985363-	So_6_3	(0.664220003262162- - 0.694040004014969]	Rs_3_3
- 25.6693997824192] (25.6693997824192-	So_7_3	(0.694040004014969- - 0.733800005018711- - 0.773560006022453]	Rs_4_3
- 26.3937997663021] (26.3937997663021-	So_8_3	(0.773560006022453- - 0.823260007277131]	Rs_5_3
- 27.4803997421265] (27.4803997421265-	So_9_3	(0.823260007277131- - 0.843140007779002- - 0.863020008280873)	Rs_6_3
- 27.8425997340679] (27.8425997340679-	So_10_3	(0.863020008280873- - 0.872960008531809]	Rs_7_3
- 28.9291997098923] - 28.9291997098923]	So_11_3	(0.872960008531809- - 0.882900008782744]	Rs_8_3
		(0.882900008782744- - 0.882900008782744]	Rs_9_3

Feature	Gradation	Feature	Gradation
(28.9291997098923- - 30.0157996857166] [32.9133996212483- - 58.32]	So_12_3 So_13_3	- 0.89284000903368] (0.89284000903368- - 0.972360011041164] [0.992240011543036- - 1.02206001229584] (1.02206001229584- - 1.03200001254678]	Rs_10_3 Rs_11_3 Rs_12_3 Rs_13_3

The Table 3.5 contains the results of examination recognition using the traditional way of the feature discretization.

Table 3.5

Results of Examination  
(Traditional Way)

Composition	Crystal type	Result of examination
LiMgInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>
LiMnFeF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	?
LiMnGaF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	?
LiMnInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>
LiZnInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>
LiCdInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>
LiMgTiF <sub>6</sub>	Trirutile	LiCaAlF <sub>6</sub>
LiMgFeF <sub>6</sub>	Trirutile	Trirutile
LiMgCoF <sub>6</sub>	Trirutile	?
LiFeTiF <sub>6</sub>	Trirutile	LiCaAlF <sub>6</sub>
LiCoTiF <sub>6</sub>	Trirutile	LiCaAlF <sub>6</sub>
LiZnTiF <sub>6</sub>	Trirutile	LiCaAlF <sub>6</sub>
LiZnVF <sub>6</sub>	Trirutile	Trirutile
LiNiCrF <sub>6</sub>	Trirutile	?
LiFeFeF <sub>6</sub>	Trirutile	Na <sub>2</sub> SiF <sub>6</sub>
LiCoFeF <sub>6</sub>	Trirutile	Trirutile
LiCuFeF <sub>6</sub>	Trirutile	?
LiZnFeF <sub>6</sub>	Trirutile	?
LiCuCoF <sub>6</sub>	Trirutile	?
LiCoRhF <sub>6</sub>	Trirutile	LiCaAlF <sub>6</sub>
LiNiGaF <sub>6</sub>	Trirutile	Trirutile
LiCuGaF <sub>6</sub>	Trirutile	?
LiCaTiF <sub>6</sub>	LiCaAlF <sub>6</sub>	LiCaAlF <sub>6</sub>
LiCaFeF <sub>6</sub>	LiCaAlF <sub>6</sub>	LiCaAlF <sub>6</sub>
LiCaGaF <sub>6</sub>	LiCaAlF <sub>6</sub>	LiCaAlF <sub>6</sub>
LiSrVF <sub>6</sub>	LiCaAlF <sub>6</sub>	LiCaAlF <sub>6</sub>

Composition	Crystal type	Result of examination
LiCdVF6	LiCaAlF6	LiCaAlF6
LiPbVF6	LiCaAlF6	LiCaAlF6
LiPbCrF6	LiCaAlF6	?
LiSrGaF6	LiCaAlF6	LiCaAlF6
RbMgAlF6	RbNiCrF6	RbNiCrF6
RbMgCrF6	RbNiCrF6	?
KNiAlF6	RbNiCrF6	?
CsNiAlF6	RbNiCrF6	RbNiCrF6
CsVScF6	RbNiCrF6	RbNiCrF6
CsAgScF6	RbNiCrF6	CsAgAlF6
CsNiTiF6	RbNiCrF6	RbNiCrF6
CsCuTiF6	RbNiCrF6	CsAgAlF6
CsVCrF6	RbNiCrF6	?
CsVFeF6	RbNiCrF6	CsAgAlF6
RbMnCrF6	RbNiCrF6	?
RbFeCrF6	RbNiCrF6	CsAgAlF6
RbCoCrF6	RbNiCrF6	?
CsNiCrF6	RbNiCrF6	?
RbCuCrF6	RbNiCrF6	?
RbZnCrF6	RbNiCrF6	?
CsMnGaF6	RbNiCrF6	RbNiCrF6
RbNiFeF6	RbNiCrF6	RbNiCrF6
CsCuFeF6	RbNiCrF6	RbNiCrF6
CsPdFeF6	RbNiCrF6	CsAgAlF6
CsNiCoF6	RbNiCrF6	RbNiCrF6
RbZnCoF6	RbNiCrF6	?
CsNiInF6	RbNiCrF6	RbNiCrF6
CsZnInF6	RbNiCrF6	?
CsPdInF6	RbNiCrF6	?
CsAgTlF6	RbNiCrF6	CsAgAlF6
RbCuAlF6	CsAgAlF6	?
RbAgAlF6	CsAgAlF6	?
RbCuVF6	CsAgAlF6	RbNiCrF6
RbAgFeF6	CsAgAlF6	CsAgAlF6
CsAgGaF6	CsAgAlF6	CsAgAlF6
LiBaAlF6	another structure	?
LiBaTiF6	another structure	?
LiBaFeF6	another structure	?
LiBaGaF6	another structure	?
KBeSmF6	another structure	another structure
KBeTbF6	another structure	another structure
KBeHoF6	another structure	another structure
KBeErF6	another structure	another structure

Composition	Crystal type	Result of examination
KBeLuF <sub>6</sub>	another structure	another structure
KCaCeF <sub>6</sub>	another structure	without compound ABCF <sub>6</sub>
KCrFeF <sub>6</sub>	another structure	another structure
KCoFeF <sub>6</sub>	another structure	without compound ABCF <sub>6</sub>
RbMnFeF <sub>6</sub>	another structure	?
NaF-PbF <sub>2</sub> -BiF <sub>3</sub>	without compound ABCF <sub>6</sub>	LiCaAlF <sub>6</sub>
KF-CuF <sub>2</sub> -BiF <sub>3</sub>	without compound ABCF <sub>6</sub>	?

The Table 3.6 contains results of examination recognition after the use of discretization program.

Table 3.6  
Results of Examination  
(After Use of Discretization Program)

Composition	Crystal type	Result of examination
LiMgInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	?
LiMnFeF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	?
LiMnGaF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	?
LiMnInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	?
LiZnInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	?
LiCdInF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>	?
LiMgTiF <sub>6</sub>	Trirutile	Trirutile
LiMgFeF <sub>6</sub>	Trirutile	?
LiMgCoF <sub>6</sub>	Trirutile	Trirutile
LiFeTiF <sub>6</sub>	Trirutile	Trirutile
LiCoTiF <sub>6</sub>	Trirutile	Trirutile
LiZnTiF <sub>6</sub>	Trirutile	Trirutile
LiZnVF <sub>6</sub>	Trirutile	?
LiNiCrF <sub>6</sub>	Trirutile	Trirutile
LiFeFeF <sub>6</sub>	Trirutile	?
LiCoFeF <sub>6</sub>	Trirutile	?
LiCuFeF <sub>6</sub>	Trirutile	?
LiZnFeF <sub>6</sub>	Trirutile	?
LiCuCoF <sub>6</sub>	Trirutile	Trirutile
LiCoRhF <sub>6</sub>	Trirutile	Trirutile
LiNiGaF <sub>6</sub>	Trirutile	Trirutile
LiCuGaF <sub>6</sub>	Trirutile	Trirutile
LiCaTiF <sub>6</sub>	LiCaAlF <sub>6</sub>	Trirutile
LiCaFeF <sub>6</sub>	LiCaAlF <sub>6</sub>	?
LiCaGaF <sub>6</sub>	LiCaAlF <sub>6</sub>	?

Composition	Crystal type	Result of examination
LiSrVF6	LiCaAlF6	?
LiCdVF6	LiCaAlF6	LiCaAlF6
LiPbVF6	LiCaAlF6	?
LiPbCrF6	LiCaAlF6	?
LiSrGaF6	LiCaAlF6	?
RbMgAlF6	RbNiCrF6	RbNiCrF6
RbMgCrF6	RbNiCrF6	RbNiCrF6
KNiAlF6	RbNiCrF6	without compound ABCF6
CsNiAlF6	RbNiCrF6	RbNiCrF6
CsVScF6	RbNiCrF6	RbNiCrF6
CsAgScF6	RbNiCrF6	RbNiCrF6
CsNiTiF6	RbNiCrF6	RbNiCrF6
CsCuTiF6	RbNiCrF6	RbNiCrF6
CsVCrF6	RbNiCrF6	RbNiCrF6
CsVFeF6	RbNiCrF6	RbNiCrF6
RbMnCrF6	RbNiCrF6	?
RbFeCrF6	RbNiCrF6	?
RbCoCrF6	RbNiCrF6	RbNiCrF6
CsNiCrF6	RbNiCrF6	RbNiCrF6
RbCuCrF6	RbNiCrF6	RbNiCrF6
RbZnCrF6	RbNiCrF6	RbNiCrF6
CsMnGaF6	RbNiCrF6	?
RbNiFeF6	RbNiCrF6	RbNiCrF6
CsCuFeF6	RbNiCrF6	RbNiCrF6
CsPdFeF6	RbNiCrF6	RbNiCrF6
CsNiCoF6	RbNiCrF6	RbNiCrF6
RbZnCoF6	RbNiCrF6	RbNiCrF6
CsNiInF6	RbNiCrF6	RbNiCrF6
CsZnInF6	RbNiCrF6	RbNiCrF6
CsPdInF6	RbNiCrF6	RbNiCrF6
CsAgTlF6	RbNiCrF6	RbNiCrF6
RbCuAlF6	CsAgAlF6	RbNiCrF6
RbAgAlF6	CsAgAlF6	RbNiCrF6
RbCuVF6	CsAgAlF6	RbNiCrF6
RbAgFeF6	CsAgAlF6	RbNiCrF6
CsAgGaF6	CsAgAlF6	?
LiBaAlF6	another structure	?
LiBaTiF6	another structure	Trirutile
LiBaFeF6	another structure	?
LiBaGaF6	another structure	?
KBeSmF6	another structure	another structure
KBeTbF6	another structure	another structure
KBeHoF6	another structure	another structure

Composition	Crystal type	Result of examination
KBeErF <sub>6</sub>	another structure	another structure
KBeLuF <sub>6</sub>	another structure	another structure
KCaCeF <sub>6</sub>	another structure	without compound ABCF <sub>6</sub>
KCrFeF <sub>6</sub>	another structure	?
KCoFeF <sub>6</sub>	another structure	?
RbMnFeF <sub>6</sub>	another structure	RbNiCrF <sub>6</sub>
NaF-PbF <sub>2</sub> -BiF <sub>3</sub>	without compound ABCF <sub>6</sub>	Na <sub>2</sub> SiF <sub>6</sub>
KF-CuF <sub>2</sub> -BiF <sub>3</sub>	without compound ABCF <sub>6</sub>	without compound ABCF <sub>6</sub>

The Table 3.7 contains the comparison of results for both ways. The analysis of this Table and Tables 3.5 and 3.6 shows that the use of discretization program improves results to a marked degree.

Table 3.7  
Estimation of Results of Examination

	Traditional Way	Discretization Program
Class of Na <sub>2</sub> SiF <sub>6</sub> :		
number of objects	6	6
correctly	4 [ 66.666667 % ]	0 [ 0 % ]
incorrectly	0 [ 0 % ]	0 [ 0 % ]
indeterminately	2 [ 33.333333 % ]	6 [ 100 % ]
Class of trirutile :		
number of objects	16	16
correctly	4 [ 25 % ]	10 [ 62.5 % ]
incorrectly	6 [ 37.5 % ]	0 [ 0 % ]
indeterminately	6 [ 37.5 % ]	6 [ 37.5 % ]
Class of LiCaAlF <sub>6</sub> :		
number of objects	8	8
correctly	7 [ 87.5 % ]	1 [ 12.5 % ]
incorrectly	0 [ 0 % ]	1 [ 12.5 % ]
indeterminately	1 [ 12.5 % ]	6 [ 75 % ]
Class of RbNiCrF <sub>6</sub> :		
number of objects	26	26
correctly	9 [ 34.615385 % ]	22 [ 84.615385 % ]
incorrectly	6 [ 23.076923 % ]	1 [ 3.8461538 % ]
indeterminately	11 [ 42.307692 % ]	3 [ 11.538462 % ]

	Traditional Way	Discretization Program
Class of CsAgAlF <sub>6</sub> :		
number of objects	5	5
correctly	2 [ 40 % ]	0 [ 0 % ]
incorrectly	1 [ 20 % ]	4 [ 80 % ]
indeterminately	2 [ 40 % ]	1 [ 20 % ]
Class of another structure:		
number of objects	13	13
correctly	6 [ 46.153846 % ]	5 [ 38.461538 % ]
incorrectly	2 [ 15.384615 % ]	3 [ 23.076923 % ]
indeterminately	5 [ 38.461538 % ]	5 [ 38.461538 % ]
Class of without_compound :		
number of objects	2	2
correctly	0 [ 0 % ]	1 [ 50 % ]
incorrectly	1 [ 50 % ]	1 [ 50 % ]
indeterminately	1 [ 50 % ]	0 [ 0 % ]
Number of objects	76	76
correctly	32 [ 42.105263 % ]	39 [ 51.315789 % ]
incorrectly	16 [ 21.052632 % ]	10 [ 13.157895 % ]
indeterminately	28 [ 36.842105 % ]	27 [ 35.526316 % ]

#### 4. DISCUSSION

##### 4.1. CRYSTAL STRUCTURE AND ELECTRO-OPTICAL PROPERTIES

Only the noncentrosymmetric (acentric) phases have linear EO, nonlinear-optical and piezoelectric properties. The potential EO crystals must contain easily deformable atomic frames (e.g., pyramids, tetrahedra, distorted octahedra, and their combinations) [9]. The structure must be incoherent. The examples of such structures - langbeinites, melilites, weberites, hantites, colquirites, and other potential crystals which were predicted in this investigation. The new EO compounds should be searched among families containing the known EO substances for. The predicted crystal structure types do not exhaust the list of promising compounds. Problem is connected with volume of information for computer learning.

#### 4.2. DB AND PREDICTION OF INORGANIC COMPOUNDS WITH PREDEFINED PROPERTIES

The experience of prediction of new inorganic compounds gives grounds that only databases (DB) can provide with sufficient volume and representativeness of the learning set. In this case the system of the artificial intelligence is a mean for processing large information bulks of DBs on substance and material properties. The goal of this processing is a search for regularities in data and an use of these regularities for the prediction of the possibility of forming inorganic compounds and the estimation of their properties.

The developed by us databases containing ternary compound properties [35,36], the properties of crystals of acousto-optical, electro-optical, and nonlinear-optical materials [37-39] can be used for the search information for the computer learning.

The integration of DB and predicting systems, based on the principles of artificial intelligence, is a tendency of the inorganic compounds computer design. The information-predicting system, that we develop [40-42], is a practical realization of such an approach. A necessary condition of further investigations, connected with prediction of new EO compounds, is development of the specialized system of this kind for the EO material applications.

#### 4.3. PROGRAM OF DISCRETIZATION: EXPERIENCE OF THE USE AND PERSPECTIVES OF IMPROVEMENT

Application of computer discretization allowed to raise the accuracy of prediction, reduce calculation time and laboriousness of preprocessing. But the possibility exists of improvement of this program.

Firstly, the program must take into account the isolated objects which do not follow the main object distribution. For example, majority of compounds with composition  $\text{LiMgCF}_6$  have crystal structure of

trirutile but only  $\text{LiMgAlF}_6$  and  $\text{LiMgInF}_6$  have  $\text{NaSiF}_6$  crystal structure at normal state. But the all unknown compounds  $\text{LiBCF}_2$  were predicted as having trirutile crystal structure. Is it correct - this is

possible to test only by experiment. In such a situation the weight of object for computer learning must be taken into account. This weight must be assessed by expert.

Secondly, it is essential that the features can be some algebraic

function of several component properties. For example,  $F = \frac{(r_A + r_B)}{2}$ ,

where  $r_A$  and  $r_B$  - ionic radii of elements A and B. Such features will divide the classes better. The problem is only one of computer discretization of such complicated features for both learning set and set for prediction.

#### 4.4. SEARCH FOR POLYFUNCTIONAL MATERIALS

It is significant that predicted compounds are able to be polyfunctional materials because they can have not only EO but also nonlinear-optical, piezo-electric, ferroelectric and other properties. The application of polyfunctional materials is a tendency of development of devices for integrated electronics [2]. In this case it is necessary to predict the compounds which hold the promise for searching for new electro-optical, nonlinear-optical, acousto-optical, laser, and other materials in various combinations.

#### 4.5. COMBINATION OF AI WITH OTHER THEORETICAL METHODS

The necessity of fulfilment of the condition of compactness for compounds classes in the chemical elements' properties multi-dimensional space is a peculiarity of computer learning application. I.e., only the qualitative leap of predicted property can ensure a good division of objects of different classes. It is impossible to divide the objects whose target property has a form of linear dependence. In the latter simple case it is pertinent to use any algebraic equation (for example, regression dependence). Computer learning is a powerful tool of searching for complicated regularities but naturally it is not an universal mean for solution of the all chemical problems. It has its application area connected with prediction of belonging to some discrete class. Only combination of computer learning with other calculation methods will allow to solve various chemical problems.

### 5. CONCLUSIONS

1. The prediction of the crystal structure types (langbeinite or  $K_2 Zn_2 (MoO_4)_3$ ) at normal pressure and room temperature for the new compounds with composition of  $A_{2-x} B_{2-x} (X_2 O_4)_3$  (A and B - any chemical elements; X - S, Cr, Mo, or W) is carried out. The great number of predicted compounds with langbeinite structure hold the promise for searching for new EO materials.

2. Prediction of the melilite crystal structure types at standard conditions for the compounds with compositions A<sub>2</sub>B<sub>2</sub>X<sub>7</sub>O<sub>4</sub> (A and B - any chemical elements; X - Si, Ge, Sn, Ti, Zr, or Hf) and A<sub>2</sub>B<sub>2</sub>X<sub>7</sub>O<sub>4</sub> (A and B - any chemical elements; X - Si, Ge or Ti) was also carried out. Analysis of results shows: the great number of predictions of new melilites were obtained which hold the promise for searching for new EO materials.

3. The results of predicting the crystal structure types (hantite, calcite or aragonite) at normal pressure and room temperature for the complicated borates with composition of A<sub>3</sub>D<sub>3</sub>(B<sub>4</sub>O<sub>7</sub>)<sub>4</sub> (A and D - any chemical elements; B - boron) are presented. Only compounds with acentric crystal structure type of hantite hold the promise for searching for new EO materials.

4. For composition A<sub>6</sub>B<sub>6</sub>C<sub>6</sub>F<sub>6</sub> (A = Li, Na, K, Rb, or Cs; B and C - any chemical elements) types considered included: trirutile, colquhrite (LiCaAlF<sub>6</sub>), Na<sub>2</sub>SiF<sub>6</sub>, RbNiCrF<sub>6</sub>, and CsAgFeF<sub>6</sub>. Analysis of results shows: the great number of predictions of new compounds with colquhrite acentric crystal structure types and Na<sub>2</sub>SiF<sub>6</sub> were obtained, which hold the promise for searching for new EO materials.

5. Prediction of the crystal structure types (orthorhombic and trigonal weberites and fluorite) at standard conditions for the new compounds with composition A<sub>2</sub>B<sub>2</sub>C<sub>7</sub>F<sub>8</sub> (A - Na or Ag; B and C - any chemical elements) was also carried out. Analysis of results shows that many new compounds with crystal structure type of orthorhombic and trigonal weberites, which hold the promise for searching for new EO materials, were obtained.

6. The efficiency of the use of discretization program was shown on the base of testing certain task.

7. The ways of improvement of computer learning methods were discussed (use of DBs, additions to discretization program, design of comp-

licated component features, etc.).

8. Next goal to be sought is a prediction of polyfunctional materials for development of integrated electronic devices.

9. The possibilities of combination of computer learning with other calculation methods were discussed. This way will allow to solve the more wide class of chemical and materials science problems.

REFERENCES

1. Property Prediction for Multicomponent Compounds (preliminary report). EOARD SPC-96-4096. 1996. 17 p.
2. J.S.Rez, Yu.M.Poplavko, Dielectrics. Basic Properties and Application to Electronics, Radio i svyaz', Moscow, 1989, 287 p.
3. T.S.Narasimhamurty, Photoelastic and Electro-Optic Properties of Crystals, Mir, Moscow, 1984, 621 p. (russ.) (Plenum Press, New York-London, 1981).
- 3a. Physical Values. Ed. by I.S.Grigor'ev and E.Z.Meilikov, Energoatomizdat, Moscow, 1991, 1232 p.
4. M.V.Mokhosoev, G.D.Tsyrenova, S.I.Arkhincheeva, et al. Oxide Compounds of Less-Common elements. Synthesis, Structure, Properties, Buryatian Scientific Centre of Russian Academy of Sciences, Ulan-Ude, 1993, P.3.
5. S.F.Solodovnikov, R.F.Klevtsova, P.B.Klevtsov, Zh.strukt.khimii., 35(1994)145.
6. O.G.Vlokh, L.A.Lazko, Ferroelectrics, 56(1984)103.
7. O.G.Vlokh, I.S.Vinyarchuk, Ukr.phys.zh., 31(1986)509.
8. E.F.Dudnik, G.A.Kiosse, Izvestiya Akad.Nauk SSSR, Ser.Phys., 47(1983)420.
9. J.S.Rez, Kristallografia, 5(1960)63.
10. F.Lissalde, S.C.Abrahams, J.L.Bernstein, K.Nassau, J.Appl.Phys., 50(1979)845.
11. S.C.Abrahams, F.Lissalde, J.L.Bernstein, J.Chem.Phys., 68(1978)1926.
12. S.C.Abrahams, J.L.Bernstein, J.Chem.Phys., 67(1977)2146.
13. A.M.Antonenko, V.G.Pozdeev, Fizika tverdogo tela, 23(1981)2496.
14. V.G.Pozdeev, Kristallografia, 27(1982)1196.
15. A.M.Antonenko, M.D.Volnyanskii, V.G.Pozdeev, Fizika tverdogo tela, 25(1983)1848.
16. I.V.Berezhnoi, O.G.Vlokh, R.O.Vlokh, et al., Fizika tverdogo tela, 26(1984)3690.
17. V.Devarajan, E.Salje, J.Phys., C17(1984)5525.
18. Prediction of Materials with Predefined Properties (final report). EOARD CONTRACT F61708-96-W0296. 1997.
19. V.P.Gladun, Processes of New Knowledge Formation, Pedagog-6, So-

- ia, 1994, 192 p.
20. Development of Computer Methods for Prediction of New Materials Having Predefined Properties (final report). EOARD SPC-95-4016. 1995. 22 p.
21. B.V.Mill, G.D.Baibakova, Zh.Neorgan.Khimii, 35(1990)604.
22. B.V.Mill, G.D.Baibakova, Zh.Neorgan.Khimii, 35(1990)789.
23. S.F.Bartram, Acta crystallogr., B25(1969)791.
24. E.L.Belokoneva, Uspekhi khimii, 63(1994)559.
25. Yu.I.Sigalovskaya, P.A.Sandomirskii, V.S.Urusov, Mineralog.Zh., 6(1984)3.
26. A.A.Kaminskii, E.L.Belokoneva, B.V.Mill, et al., Phys.stat.sol. (a), 97(1986)279.
27. A.A.Kaminskii, B.M.Antipenko, Multilevel Operating Schemes of Crystalline Lasers, Nauka, Moscow, 1989, 270 p.
28. A.A.Kaminskii, Physics and Spectroscopy of Laser Crystals, Nauka, Moscow, 1986, P.5-61.
29. A.V.Goryunov, G.M.Kuz'michyova, B.V.Mukhin, et al., Zh.Neorgan. Khimii, 41(1996)1605.
30. J.Ravez, Inorganic Solid Fluorides. Chemistry and Physics. Ed. by P.Hagenmuller, Academic Press, Inc., Orlando-San Diego-New York-London-Toronto-Montreal-Sydney-Tokyo, 1985, P.469-475.
31. D.Babel, A.Tressaud, Inorganic Solid Fluorides. Chemistry and Physics. Ed. by P.Hagenmuller, Academic Press, Inc., Orlando-San Diego -New York-London-Toronto-Montreal-Sydney-Tokyo, 1985, P.77-203.
32. J.Gaile, W.Rudorff, W.Viebahn, Z. anorg. und allg. Chem., 430(1977)161.
33. The Design of Inorganic Compounds: Searching for New Electro-optical, Ferro-electric, Superconducting, and Semiconducting Materials (final report). EOARD SPC-94-4097. 1995. 191 p.
34. G.Frenzen, W.Massa, D.Babel et al., J. Solid State Chem., 98(1992)121.
35. E.M.Savitskii, N.N.Kiselyova, B.N.Pishik, et al., Dokladi Akad.Nauk SSSR, 279(1984)627.
36. N.N.Kiselyova, N.V.Kravchenko, V.V.Petukhov, Neorganicheskie Materialy, 32(1996)636.
37. M.S.Golikova, G.S.Burkhanov, N.N.Kiselyova, et al., Izv.Akad.Nauk SSSR, Neorganicheskie Materialy, 25(1989)700.
38. N.V.Kravchenko, G.S.Burkhanov, N.N.Kiselyova, et al., Izv. Akad. Nauk SSSR, Neorganicheskie Materialy, 27(1991)164.
39. N.V.Yudina, V.V.Petukhov, E.A.Cheryomushkin et al., Kristallografia, 41(1996)490.
40. N.N.Kiselyova, J.Alloys and Compounds, 197(1993)159.
41. N.N.Kiselyova, MRS Bull., 28(1993)40.
42. N.N.Kiselyova, N.V.Kravchenko, Zh.Neorgan.Khimii, 37(1992)698.